



CLAIMS

1. A compound of Formula (I):




(I)

wherein Q is:




(II)



(III)

or



(IV)

R₁ is selected from the group consisting of:

- (i) C₁₋₁₆ alkyl, and
 C₁₋₁₆ alkyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - hydroxy,
 - oxo,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - heterocyclyl, and
 - heterocyclyl substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkylcarbonyloxy,
 - carbocyclyloxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy,
 - carbamoyl,
 - nitro,

- cyano,
- amino,
- carbocyclic aryl,
- carbocyclic aryl substituted by C₁₋₅ alkoxy,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- carboxy,
- oxo,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by carbocyclic aryl,
- di-C₁₋₅ alkylamino substituted by carbocyclic aryl,
- mono-C₁₋₅ alkylamino substituted by halogenated carbocyclic aryl,
- di-C₁₋₅ alkylamino substituted by halogenated carbocyclic aryl,
- carbocyclic arylcarbonylamino, and
- carbocyclic arylcarbonylamino substituted by halogen,

- heterocyclyloxy,
- heterocyclyloxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- carboxy,
- carbamoyl,
- nitro,
- cyano,
- amino,
- carbocyclic aryl,
- carbocyclic aryl substituted by C₁₋₅ alkoxy,

- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy, and
 - carboxy,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy, and
 - carboxy,
- substituted heterocyclyl-ethylideneaminoxy,
- C₁₋₅ alkoxycarbonyl,
- C₁₋₅ alkoxycarbonyl substituted by carbocyclic aryl,
- mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by substituent(s) independently selected from the group consisting of:
 - cyano,
 - carbocyclic aryl, and
 - heterocyclyl,
- di-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino substituted by substituent(s) independently selected from the group consisting of:
 - cyano,
 - carbocyclic aryl, and
 - heterocyclyl,
- mono-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy,

- carbamoyl,
- nitro,
- cyano,
- amino,
- carbocyclic aryl,
- carbocyclic aryl substituted by C₁₋₅ alkoxy,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy, and
- carboxy,

- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy, and
- carboxy,

- di-carbocyclic arylamino,
- di-carbocyclic arylamino substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- carboxy,
- carbamoyl,
- nitro,
- cyano,
- amino,

- carbocyclic aryl,
- carbocyclic aryl substituted by C₁₋₅ alkoxy,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy, and

- carboxy,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy, and
 - carboxy,
- mono-heterocyclylamino,
- mono-heterocyclylamino substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy,
 - carbamoyl,
 - nitro,
 - cyano,
 - amino,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy, and
 - carboxy,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy, and
 - carboxy,
- di-heterocyclylamino,
- di-heterocyclylamino substituted by substituent(s) independently selected from the group consisting of:
 - halogen,

- hydroxy,
- carboxy,
- carbamoyl,
- nitro,
- cyano,
- amino,
- carbocyclic aryl,
- carbocyclic aryl substituted by C₁₋₅ alkoxy,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy, and
 - carboxy,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy, and
 - carboxy,
- C₁₋₅ alkylcarbonylamino,
- C₁₋₅ alkylcarbonylamino substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkylcarbonylamino,
 - carbocyclic arylcarbonylamino, and
 - heterocyclyl,
- C₁₋₅ alkoxy carbonylamino,
- carbocyclic arylcarbonylamino,
- heterocyclyl carbonylamino,
- carbocyclic arylsulfonylamino,
- carbocyclic arylsulfonylamino substituted by substituent(s) independently selected from the group consisting of:
 - nitro,
 - C₁₋₅ alkyl,
 - mono-C₁₋₅ alkylamino, and

- di-C₁₋₅ alkylamino,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by substituent(s) independently selected from the group consisting of:
 - mono-carbocyclic arylaminocarbonyl,
 - mono-carbocyclic arylaminocarbonyl substituted by halogen,
 - di-carbocyclic arylaminocarbonyl,
 - di-carbocyclic arylaminocarbonyl substituted by halogen,
 - mono-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by halogen,
 - di-carbocyclic arylamino,
 - di-carbocyclic arylamino substituted by halogen,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - C₁₋₅ alkoxy,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- carbocyclic arylsulfinyl,
- carbocyclic arylsulfinyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,

- heterocyclylthio,
- heterocyclylthio substituted by substituent(s) independently selected from the group consisting of:
 - nitro, and
 - C₁₋₅ alkyl,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkyl substituted by C₁₋₅ alkyl,
- C₃₋₆ cycloalkyl substituted by carbocyclic aryl,
- C₃₋₆ cycloalkenyl,
- carbocyclyl,
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₂₋₅ alkenyl, and
 - C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkylsulfinyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy,
 - carbamoyl,
 - cyano,
 - nitro,
 - amino,
 - C₁₋₅ alkylcarbonylamino,
 - C₃₋₆ cycloalkylcarbonylamino,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- carboxy,
- carbamoyl,
- oxo,
- carbocyclic aryl,
- heterocyclyl,
- mono-carbocyclic arylamino,
- di-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by
substituent(s) independently selected from the group
consisting of:

- halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen,
- di-carbocyclic arylamino substituted by substituent(s)
independently selected from the group consisting of:

- halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen,

- C₂₋₅ alkenyl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by substituent(s) independently selected
from the group consisting of:

- halogen, and
 - carbocyclic aryl,

- carbocyclic aryloxy,
- C₁₋₅ alkoxycarbonyl,
- C₁₋₅ alkylcarbonyloxy,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,

- mono-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by halogen,
- di-carbocyclic arylamino,
- di-carbocyclic arylamino substituted by halogen,
- mono-carbocyclic arylaminocarbonyl,
- mono-carbocyclic arylaminocarbonyl substituted by substituent(s) selected from the group consisting of:
 - halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen,
- di-carbocyclic arylaminocarbonyl,
- di-carbocyclic arylaminocarbonyl substituted by substituent(s) selected from the group consisting of:
 - halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen,
- mercapto,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by halogen,
- C₁₋₅ alkylsulfonyl,
- C₃₋₆ cycloalkyl,
- carbocyclic aryl, and
- heterocyclyl,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy,
 - carbamoyl,
 - cyano,

- nitro,
- amino,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- carboxy, and
- carbamoyl,

- C₁₋₅ alkyl substituted by carbocyclic aryl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryl, and
- carbocyclic aryl substituted by halogen,

(ii) C₂₋₈ alkenyl, and

C₂₋₈ alkenyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- oxo,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy, and
- C₁₋₅ alkoxy substituted by halogen,

- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- hydroxy,
- nitro,
- C₁₋₅ alkyl, and
- C₁₋₅ alkoxy,
- (iii) C₂₋₅ alkynyl, and
C₂₋₅ alkynyl substituted by carbocyclic aryl,
- (iv) C₃₋₁₂ cycloalkyl, and
C₃₋₁₂ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - hydroxy,
 - oxo, and
 - carbocyclic aryl,
 - mono-C₁₋₅ alkylamino,
 - mono-C₁₋₅ alkylamino substituted by carbocyclic aryl,
 - di-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino substituted by carbocyclic aryl,
 - carbocyclic arylcarbonylamino,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- (v) C₃₋₆ cycloalkenyl, and
C₃₋₆ cycloalkenyl substituted by C₁₋₅ alkyl,
- (vi) carbocyclyl, and
carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - hydroxy, and
 - nitro,
- (vii) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- cyano,
- nitro,
- C₁₋₁₀ alkyl,
- C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- carboxy,
- carbamoyl,
- oxo,
- C₁₋₅ alkoxy,
- carbocyclic aryloxy,
- mono-C₁₋₅ alkylamino-N-oxy,
- di-C₁₋₅ alkylamino-N-oxy,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by carbocyclic aryl,
- di-C₁₋₅ alkylamino substituted by carbocyclic aryl,
- mono-carbocyclic arylamino,
- di-carbocyclic arylamino,
- carbocyclylimino,
- carbocyclylimino substituted by carbocyclic aryl,
- mono-carbocyclic arylamino,
- di-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by C₁₋₅ alkoxy,
- di-carbocyclic arylamino substituted by C₁₋₅ alkoxy,
- mono-carbocyclic arylaminocarbonyl,
- di-carbocyclic arylaminocarbonyl,
- mono-carbocyclic arylaminocarbonyl substituted by C₁₋₅ alkoxy,
- di-carbocyclic arylaminocarbonyl substituted by C₁₋₅ alkoxy,
- carbocyclic aryl,

- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- heterocyclyl, and
- heterocyclyl substituted by C₁₋₅ alkyl,
- C₂₋₅ alkenyl,
- C₂₋₅ alkenyl substituted by carbocyclic aryl,
- C₁₋₉ alkoxy,
- C₁₋₉ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - hydroxy,
 - halogen,
 - carboxy,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - carbocyclic aryl,
 - halogenated carbocyclic aryl,
 - heterocyclyl,
 - heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - heterocyclyl, and
 - heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- C₂₋₅ alkenyloxy,
- C₃₋₆ cycloalkoxy,
- C₁₋₅ alkylcarbonyloxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- carboxy,
- carbamoyl,
- cyano,
- nitro,
- amino,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy, and
 - carbamoyl,
- C₁₋₅ alkoxy, and
- C₁₋₅ alkoxy substituted by halogen,
- heterocyclyloxy,
- heterocyclyloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy,
 - carbamoyl,
 - cyano,
 - nitro,
 - amino,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy, and
 - carbamoyl,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen,

- (carbocyclic aryl)S(O)₂O,
- carboxy,
- carbamoyl,
- C₁₋₅ alkoxycarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- mono-carbocyclic arylaminocarbonyl,
- di-carbocyclic arylaminocarbonyl,
- mono-carbocyclic arylaminocarbonyl substituted by C₁₋₅ alkyl,
- di-carbocyclic arylaminocarbonyl substituted by C₁₋₅ alkyl,
- amino,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by cyano,
- di-C₁₋₅ alkylamino substituted by cyano,
- mono-carbocyclic arylamino,
- di-carbocyclic arylamino,
- C₁₋₅ alkylcarbonylamino,
- C₃₋₆ cycloalkylcarbonylamino,
- C₂₋₅ alkynylcarbonylamino,
- C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
- C₁₋₅ alkoxycarbonylamino,
- carbocyclic arylsulfonylamino,
- carbocyclic arylsulfonylamino substituted by C₁₋₅ alkyl,
- (carbocyclic aryl)NHC(O)NH,
- (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy,
- (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
- carbocyclic aryl azo,
- carbocyclic aryl azo substituted by mono-C₁₋₅ alkylamino,
- carbocyclic aryl azo substituted by di-C₁₋₅ alkylamino,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by halogen,
- carbocyclic arylthio,

•carbocyclic arylthio substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- cyano, and
- C₁₋₅ alkyl,

- aminosulfonyl,
- heterocyclylthio,
- C₁₋₅ alkylsulfonyl,
- mono-C₁₋₅ alkylaminosulfonyl,
- di-C₁₋₅ alkylaminosulfonyl,
- heterocyclylsulfonyl,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkyl substituted by C₁₋₅ alkyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₇ alkyl, and
- C₁₋₇ alkyl substituted by halogen,

- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- carbocyclic aryl, and
- halogenated carbocyclic aryl,

- C₁₋₅ alkoxycarbonyl substituted by carbocyclic aryl, and

(viii) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- carboxy,
- carbamoyl,
- cyano,
- nitro,

- amino,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy,
 - carbamoyl,
 - oxo,
 - C₁₋₅ alkylcarbonyloxy,
 - carbocyclic arylcarbonylamino,
 - carbocyclic arylcarbonylamino substituted by halogen,
 - C₁₋₅ alkoxy carbonyl,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by carbocyclic aryl,
 - C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - nitro,
 - heterocyclyl, and
 - heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,

- cyano,
- hydroxy,
- carboxy,
- carbamoyl,
- amino,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy, and
 - carbamoyl,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- C₁₋₅ alkylcarbonylamino,
- C₃₋₆ cycloalkylcarbonylamino,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- C₃₋₆ cycloalkyl,
- C₂₋₅ alkenyl,
- C₂₋₅ alkynyl,
- carboxy,
- C₁₋₅ alkoxycarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₃₋₆ cycloalkylaminocarbonyl,
- di-C₃₋₆ cycloalkylaminocarbonyl,
- mono-C₁₋₅ alkylaminocarbonylamino,
- di-C₁₋₅ alkylaminocarbonylamino,
- mono-C₃₋₆ cycloalkylaminocarbonylamino,
- di-C₃₋₆ cycloalkylaminocarbonylamino,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by halogen,
- C₁₋₅ alkylsulfinyl,
- C₁₋₅ alkylsulfinyl substituted by halogen,

- C₁₋₅ alkylsulfonyl, and
- C₁₋₅ alkylsulfonyl substituted by halogen,
- heterocyclyloxy,
- heterocyclyloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,
 - hydroxy,
 - carboxy,
 - carbamoyl,
 - cyano,
 - amino,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - carboxy, and
 - carbamoyl,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by halogen,
- C₁₋₅ alkylcarbonylamino,
- C₁₋₅ alkylthio,
- C₂₋₅ alkenylthio,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by halogen,
- carbocyclic arylthio substituted by C₁₋₅ alkoxycarbonyl,
- heterocyclylthio,
- heterocyclylthio substituted by C₁₋₅ alkyl,
- C₁₋₅ alkylsulfinyl,
- C₁₋₅ alkylsulfonyl,

- carbocyclic arylsulfinyl,
- carbocyclic arylsulfinyl substituted by halogen,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxycarbonyl,
- C₁₋₅ alkoxycarbonyl substituted by carbocyclic aryl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxycarbonyl;

R₂ is selected from the group consisting of:

hydrogen, halogen, hydroxy, carboxy, carbamoyl, amino, C₁₋₅ alkyl, C₁₋₅ alkyl substituted by halogen, C₁₋₅ alkyl substituted by hydroxy, C₁₋₅ alkyl substituted by carboxy, C₁₋₅ alkyl substituted by carbamoyl, C₁₋₅ alkoxy, C₁₋₅ alkoxy substituted by halogen, -NHNH₂, -NHNHBoc, -N(R_{2a})(R_{2b}), morpholino, 4-acetyl-piperazyl, or 4-phenyl-piperazyl,

wherein R_{2a} is hydrogen or C_{1-5} alkyl and R_{2b} is C_{1-5} alkyl, C_{3-6} cycloalkyl, or C_{1-5} alkyl substituted by substituent(s) independently selected from the group consisting of:


- halogen,
- hydroxy,
- carboxy,
- carbamoyl,
- C_{1-5} alkoxy,
- amino,
- NHBoc,
- C_{3-6} cycloalkyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C_{1-5} alkyl,
- C_{1-5} alkoxy, and
- $-SO_2NH_2$,

- heterocyclyl, and

C_{3-6} cycloalkyl, carbocyclic aryl, carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C_{1-5} alkyl,
- C_{1-5} alkoxy, and
- a group of Formula (V):



(V)

wherein Boc is carbamic acid *tert*-butyl ester and G is C_{1-5} alkyl or C_{1-5} alkyl substituted by substituent(s) independently selected from the group consisting of:


- carbocyclic aryl,
- halogenated carbocyclic aryl, and
- carbocyclic aryl substituted by C_{1-5} alkoxy;


or R_2 is methylamino or dimethylamino when Q is Formula (II) and Y is a single bond or $-CH_2-$;

Each T is independently selected from the group consisting of halogen, hydroxy, carboxy, carbamoyl, amino, cyano, nitro, C₁₋₅ alkyl, C₁₋₅ alkyl substituted by halogen, C₁₋₅ alkyl substituted by hydroxy, C₁₋₅ alkyl substituted by carboxy, C₁₋₅ alkyl substituted by carbamoyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, C₃₋₆ cycloalkyl, C₁₋₅ alkoxy, C₁₋₅ alkoxy substituted by halogen, carbocyclic aryl, heterocyclyl, and -N(R_{2a})(R_{2b});

p is 0, 1, 2, 3, 4 or 5;

L is selected from the group consisting of Formulae (VI) to (XXI):





wherein R_3 and R_4 are independently hydrogen or C_{1-5} alkyl; and A and B are independently a single bond, $-CH_2-$, or $-(CH_2)_2-$;

and

Y represents:

- (i) $-C(O)NR_5-$, $-C(S)NR_5-$, $-C(O)O-$, $-S(O)_2-$, $-C(O)-$, $-C(S)-$, a single bond, or $-CH_2-$ when L is selected from the group consisting of Formulae (VI) to (XIII); or
- (ii) $-C(O)NR_5-$, $-C(S)NR_5-$, $-C(O)O-$ or $-OC(O)-$ when L is selected from the group consisting of Formulae (XIV) to (XXI);

wherein R_5 is hydrogen or C_{1-5} alkyl, or when Y is $-C(O)NR_5-$ then R_5 and R_1 together with the nitrogen they are bonded form a heterocyclyl group;

wherein carbocyclic aryl is phenyl, naphthyl, anthranyl, phenanthryl, or biphenyl;

carbocyclyl is 10,11-dihydro-5-oxo-dibenzo[a,d]cycloheptyl, 1-oxo-indanyl, 7,7-dimethyl-2-oxo-bicyclo[2.2.1]heptyl, 9H-fluorenyl, 9-oxo-fluorenyl, acenaphthyl, anthraquinonyl, C-fluorene-9-ylidene, indanyl, indenyl, 1,2,3,4-tetrahydro-naphthyl, or bicyclo[2.2.1]heptenyl;

heterocyclyl is 1,2,3,4-tetrahydro-isoquinolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2-dihydro-3-oxo-pyrazolyl, 1,3,4-thiadiazolyl, 1,3-dioxo-isoindolyl, 1,3-dioxolanyl, 1H-indolyl, 1H-pyrrolo[2,3-c]pyridyl, 1H-pyrrolyl, 1-oxo-3H-isobenzofuranyl, 2,2',5',2"-terthiophenyl, 2,2'-bithiophenyl, 2,3-dihydro-1-oxo-isoindolyl, 2,3-dihydro-benzo[1,4]dioxinyl, 2,3-dihydro-benzofuryl, 2,4-dihydro-3-oxo-pyrazolyl, 2H-benzopyranyl, 2-oxo-benzopyranyl, 2-oxo-pyrrolidinyl, 3,4-dihydro-2H-benzo[1,4]oxazinyl, 3,4-dihydro-2H-benzo[b][1,4]dioxepinyl, 4H-benzo[1,3]dioxinyl, 4H-benzopyranyl, 4-oxo-1,5,6,7-tetrahydro-indolyl, 4-oxo-3,4-dihydro-phthalazinyl, 4-oxo-benzopyranyl, 9,10,10-trioxo-thioxanthenyl, 9H-carbazolyl, 9H-xanthenyl, azetidyl, benzimidazolyl, benzo[1,3]dioxolyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[b]thienyl, benzofuryl,

benzothiazolyl, cinnolyl, furyl, imidazo[2,1-b]thiazolyl, imidazolyl, isoxazolyl, morpholino, morpholinyl, oxazolyl, oxolanyl, piperazyl, piperidyl, piridyl, pyrazolo[5,1-b]thiazolyl, pyrazolyl, pyrazinyl, pyridyl, pyrimidyl, pyrrolidyl, quinolyl, quinoxalyl, thiazolidyl, thiazolyl, thienyl, thiolanyl, 2,3-dihydro-benzofuryl, tetrahydro-thienyl, or benzofuranyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

2. The compound according to claim 1 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₈ alkyl, and
C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - oxo,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - C₁₋₅ alkylcarbonyloxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkoxy,
 - heterocyclyloxy,
 - heterocyclyloxy substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkoxycarbonyl,
 - mono-C₁₋₅ alkylaminocarbonyl,
 - di-C₁₋₅ alkylaminocarbonyl,
 - mono-C₁₋₅ alkylamino,
 - mono-C₁₋₅ alkylamino substituted by cyano,
 - mono-C₁₋₅ alkylamino substituted by carbocyclic aryl,
 - di-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino substituted by cyano,
 - di-C₁₋₅ alkylamino substituted by carbocyclic aryl,

- mono-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by halogen,
- mono-carbocyclic arylamino substituted by C₁₋₅ alkyl,
- di-carbocyclic arylamino,
- di-carbocyclic arylamino substituted by halogen,
- di-carbocyclic arylamino substituted by C₁₋₅ alkyl,
- C₁₋₅ alkoxy-carbonylamino,
- carbocyclic aryl-carbonylamino,
- carbocyclic arylsulfonylamino,
- carbocyclic arylsulfonylamino substituted C₁₋₅ alkyl,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen, and
 - carbocyclic aryl substituted by C₁₋₅ alkoxy,
- carbocyclic arylthio,
- heterocyclylthio,
- heterocyclylthio substituted by nitro,
- heterocyclylthio substituted by C₁₋₅ alkyl,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkenyl,
- carbocyclyl,
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₂₋₅ alkenyl, and
 - C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkylsulfinyl,
- carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- oxo,
- carbocyclic aryl, and
- heterocyclyl,

- C₂₋₅ alkenyl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryloxy,
- mono-carbocyclic arylaminocarbonyl,
- mono-carbocyclic arylaminocarbonyl substituted by halogen,
- di-carbocyclic arylaminocarbonyl,
- di-carbocyclic arylaminocarbonyl substituted by halogen,
- carbocyclic aryl, and
- heterocyclyl,

•heterocyclyl, and

•heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by carbocyclic aryl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryl, and
- carbocyclic aryl substituted by halogen,

(ii) C₂₋₇ alkenyl, and

C₂₋₇ alkenyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro, and
- C₁₋₅ alkoxy,

(iii) C₂₋₅ alkynyl, and
C₂₋₅ alkynyl substituted by carbocyclic aryl,

(iv) C₃₋₁₂ cycloalkyl, and
C₃₋₁₂ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by oxo,
- C₁₋₅ alkyl substituted by carbocyclic aryl, and
- carbocyclic aryl,

(v) carbocyclyl,

(vi) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- cyano,
- nitro,
- carboxy,
- carbamoyl,
- C₁₋₁₀ alkyl,
- C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the

group consisting of:

- halogen,
- hydroxy,
- oxo,
- carbocyclic aryloxy,
- carbocyclic aryl, and
- carbocyclic aryl substituted by C₁₋₅ alkyl,
- C₁₋₇ alkoxy,

•C₁₋₇ alkoxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- carbocyclic aryl, and
- halogenated carbocyclic aryl,

- C₂₋₅ alkenyloxy,
- C₃₋₆ cycloalkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by nitro,
- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
- C₁₋₅ alkoxycarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- amino,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by cyano,
- di-C₁₋₅ alkylamino substituted by cyano,
- C₂₋₅ alkynylcarbonylamino,
- C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
- C₁₋₅ alkoxycarbonylamino,
- (carbocyclic aryl)NHC(O)NH,
- (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy,
- (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
- carbocyclic aryl azo,
- carbocyclic aryl azo substituted by mono-C₁₋₅ alkylamino,
- carbocyclic aryl azo substituted by di-C₁₋₅ alkylamino,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by halogen,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by nitro,
- carbocyclic arylthio substituted by cyano,
- aminosulfonyl,

- mono-C₁₋₅ alkylaminosulfonyl,
- di-C₁₋₅ alkylaminosulfonyl,
- heterocyclysulfonyl,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkyl substituted by C₁₋₅ alkyl,
- carbocyclic aryl,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- carbocyclic aryl, and
- halogenated carbocyclic aryl,

- (vii) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- amino,
- hydroxy,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by carbocyclic aryl,
- C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
- carbocyclic aryl,
- carbocyclic aryl substituted by halogen, and
- heterocyclyl,

- C₁₋₅ alkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by halogen,
- carbocyclic aryloxy substituted by C₁₋₅ alkyl,
- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,

- mono- C_{1-5} alkylamino,
- di- C_{1-5} alkylamino,
- C_{1-5} alkylthio,
- C_{2-5} alkenylthio,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by C_{1-5} alkoxy carbonyl,
- C_{1-5} alkylsulfonyl,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by C_{1-5} alkyl,
- C_{1-5} alkoxy carbonyl,
- C_{1-5} alkoxy carbonyl substituted by carbocyclic aryl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,
 - C_{1-5} alkyl, and
 - C_{1-5} alkyl substituted by halogen,

•heterocyclyl;

wherein carbocyclic aryl is phenyl, naphthyl, or anthranyl;

carbocyclyl is 1,2,3,4-tetrahydronaphthyl, 1-oxo-indanyl, 9-fluorenyl, 9H-fluorenyl, 9-oxo-9H-fluorenyl, adamantyl, bicyclo[2.2.1]heptenyl, bicyclo[2.2.1]heptyl, indanyl, indenyl, or menthyl;

heterocyclyl is 1,2,3-triazolyl, 1H-indolyl, 1H-pyrrolyl, 2,3-dihydro-1-oxo-isoindolyl, 2,3-dihydro-benzo[1,4]dioxinyl, 2,3-dihydro-benzofuryl, 2,4-dihydro-3-oxo-pyrazolyl, 2H-benzopyranyl, 2-oxo-benzopyranyl, 3,4-dihydro-2H-benzo[b][1,4]dioxepinyl, 4,5,6,7-tetrahydro-benzo[b]thienyl, 4H-benzo[1,3]dioxinyl, 4-oxo-1,5,6,7-tetrahydro-indolyl, 4-oxo-benzopyranyl, 9H-carbazolyl, 9H-xanthenyl, azetidyl, benzo[1,3]dioxolyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[2,1,3]thiadiazolyl, benzo[b]thienyl, benzofuryl, benzothiazolyl, furyl, imidazo[2,1-b]thiazolyl, imidazolyl, isoxazolyl, morpholino, morpholinyl, oxazolyl, phenanthro[9,10-d]oxazolyl, piperidyl, pyrazolyl, pyridyl, pyrimidyl, quinolyl, quinoxalyl, tetrahydrofuryl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

3. The compound according to claim 2 wherein Q is Formula (II);

R_1 is selected from the group consisting of:

- (i) C_{1-8} alkyl, and
 C_{1-8} alkyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - oxo,
 - C_{1-5} alkoxy,
 - C_{1-5} alkoxy substituted by carbocyclic aryl,
 - C_{1-5} alkylcarbonyloxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by nitro,
 - heterocyclyloxy,
 - heterocyclyloxy substituted by C_{1-5} alkyl,
 - C_{1-5} alkoxycarbonyl,
 - mono- C_{1-5} alkylaminocarbonyl,
 - di- C_{1-5} alkylaminocarbonyl,
 - mono- C_{1-5} alkylamino,
 - mono- C_{1-5} alkylamino substituted by cyano,
 - mono- C_{1-5} alkylamino substituted by carbocyclic aryl,
 - di- C_{1-5} alkylamino,
 - di- C_{1-5} alkylamino substituted by cyano,
 - di- C_{1-5} alkylamino substituted by carbocyclic aryl,
 - mono-carbocyclic arylamino,
 - di-carbocyclic arylamino,
 - C_{1-5} alkoxycarbonylamino,
 - carbocyclic arylcarbonylamino,
 - carbocyclic arylsulfonylamino,
 - carbocyclic arylsulfonylamino substituted C_{1-5} alkyl,
 - C_{1-5} alkylthio,
 - C_{1-5} alkylthio substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,

- carbocyclic aryl substituted by halogen, and
- carbocyclic aryl substituted by C₁₋₅ alkoxy,
- carbocyclic arylthio,
- heterocyclylthio,
- heterocyclylthio substituted by C₁₋₅ alkyl,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkenyl,
- carbocyclyl,
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₂₋₅ alkenyl, and
 - C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkylsulfinyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo,
 - carbocyclic aryl, and
 - heterocyclyl,
 - C₂₋₅ alkenyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryloxy,

- mono-carbocyclic arylaminocarbonyl,
- mono-carbocyclic arylaminocarbonyl substituted by halogen,
- di-carbocyclic arylaminocarbonyl,
- di-carbocyclic arylaminocarbonyl substituted by halogen,
- carbocyclic aryl, and
- heterocyclyl,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by carbocyclic aryl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen,
- (ii) C₂₋₇ alkenyl, and
 C₂₋₇ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro, and
 - C₁₋₅ alkoxy,
- (iii) C₂₋₅ alkynyl, and
 C₂₋₅ alkynyl substituted by carbocyclic aryl,
- (iv) C₃₋₆ cycloalkyl, and
 C₃₋₆ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by oxo,
 - C₁₋₅ alkyl substituted by carbocyclic aryl, and
 - carbocyclic aryl,
- (v) carbocyclyl,
- (vi) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- cyano,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- oxo,
- carbocyclic aryloxy,
- carbocyclic aryl, and
- carbocyclic aryl substituted by C₁₋₅ alkyl,

- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- carbocyclic aryl, and
- halogenated carbocyclic aryl,

- C₂₋₅ alkenyloxy,
- C₃₋₆ cycloalkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
- C₁₋₅ alkoxycarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- amino,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by cyano,
- di-C₁₋₅ alkylamino substituted by cyano,
- C₂₋₅ alkynylcarbonylamino,

- C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
 - (carbocyclic aryl)NHC(O)NH,
 - (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy,
 - (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by halogen,
 - carbocyclic arylthio,
 - carbocyclic arylthio substituted by cyano,
 - mono-C₁₋₅ alkylaminosulfonyl,
 - di-C₁₋₅ alkylaminosulfonyl, and
 - carbocyclic aryl,
- (vii) heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by carbocyclic aryl,
 - C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen, and
 - heterocyclyl,
 - C₁₋₅ alkoxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkylthio,
 - C₂₋₅ alkenylthio,
 - carbocyclic arylthio,
 - carbocyclic arylthio substituted by C₁₋₅ alkoxycarbonyl,
 - C₁₋₅ alkylsulfonyl,

- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by C₁₋₅ alkyl,
- C₁₋₅ alkoxy carbonyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by halogen,

- heterocyclyl;

R₂ is methylamino or dimethylamino when Y is a single bond or -CH₂-; wherein carbocyclic aryl is phenyl, naphthyl, or anthranyl;

carbocyclyl is 1,2,3,4-tetrahydronaphthyl, 1-oxo-indanyl, 9-fluorenyl, 9-oxo-9H-fluorenyl, bicyclo[2.2.1]heptyl, indenyl, or menthyl;

heterocyclyl is 1,2,3-triazolyl, 1H-indolyl, 1H-pyrrolyl, 2,3-dihydro-1-oxo-isoindolyl, 2,3-dihydro-benzo[1,4]dioxinyl, 2,3-dihydro-benzofuryl, 2,4-dihydro-3-oxo-pyrazolyl, 2H-benzopyranyl, 2-oxo-benzopyranyl, 3,4-dihydro-2H-benzo[b][1,4]dioxepinyl, 4-oxo-benzopyranyl, 9H-carbazolyl, 9H-xanthenyl, azetidiny, benzo[1,3]dioxolyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[b]thienyl, benzofuryl, benzothiazolyl, furyl, imidazo[2,1-b]thiazolyl, imidazolyl, isoxazolyl, morpholino, pyrazolyl, pyridyl, pyrimidyl, quinolyl, quinoxalyl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

4. The compound according to claim 3 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₇ alkyl, and
- C₁₋₇ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - mono-C₁₋₅ alkylamino,

•mono- C_{1-5} alkylamino substituted by substituent(s) independently selected from the group consisting of:

- cyano, and
- carbocyclic aryl,

•di- C_{1-5} alkylamino,

•di- C_{1-5} alkylamino substituted by substituent(s) independently selected from the group consisting of:

- cyano, and
- carbocyclic aryl,

•mono-carbocyclic arylamino,

•di-carbocyclic arylamino,

•carbocyclic arylsulfonylamino,

•carbocyclic arylsulfonylamino substituted by C_{1-5} alkyl,

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- C_{1-5} alkyl,
- C_{1-5} alkyl substituted by substituent(s) independently selected from the group consisting of:

- oxo, and
- carbocyclic aryl,

- C_{1-5} alkoxy,
- C_{1-5} alkoxy substituted by halogen,

•heterocyclyl,

•heterocyclyl substituted by carbocyclic aryl, and

•heterocyclyl substituted by halogen,

(ii) C_{2-7} alkenyl, and

C_{2-7} alkenyl substituted by substituent(s) independently selected from the group consisting of:

- carbocyclic aryl, and
- carbocyclic aryl substituted by C_{1-5} alkoxy,

(iii) C_{2-5} alkynyl, and

C_{2-5} alkynyl substituted by carbocyclic aryl,

- (iv) C₃₋₆ cycloalkyl, and
C₃₋₆ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by carbocyclic aryl,
- (v) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - cyano,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen,
 - C₂₋₅ alkenyloxy,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - mono-C₁₋₅ alkylamino substituted by cyano,
 - di-C₁₋₅ alkylamino substituted by cyano,
 - C₁₋₅ alkylthio, and
 - C₁₋₅ alkylthio substituted by halogen,
- (vi) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - hydroxy, and
 - carbocyclic aryl,

- C₁₋₅ alkoxy,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by C₁₋₅ alkoxy carbonyl,
- C₁₋₅ alkoxy carbonyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by halogen,

L is Formula (VII);

Y is a single bond or -CH₂-;

R₂ is methylamino or dimethylamino;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 1*H*-indolyl, 1*H*-pyrrolyl, 2,3-dihydro-benzo[1,4]dioxinyl,

4-oxo-benzopyranyl, 9*H*-carbazolyl, azetidiny, benzo[1,3]dioxolyl,

benzo[*b*]thienyl, furyl, imidazo[2,1-*b*]thiazolyl, pyrazolyl, pyridyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

5. The compound according to claim 4 wherein p is 0; R₃ and R₄ are hydrogen; A is a single bond or -CH₂-; and B is a single bond or -CH₂-; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
6. The compound according to claim 5 wherein R₁ is selected from the group consisting of:
 - (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - mono-C₁₋₅ alkylamino,
 - mono-C₁₋₅ alkylamino substituted by cyano,
 - di-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino substituted by cyano,
 - mono-carbocyclic arylamino,
 - di-carbocyclic arylamino,
 - carbocyclic aryl,

- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - C₁₋₅ alkoxy,
 - heterocyclyl, and
 - heterocyclyl substituted by carbocyclic aryl,
 - (ii) C₂₋₅ alkenyl, and
C₂₋₅ alkenyl substituted by carbocyclic aryl,
 - (iii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen, and
 - C₂₋₅ alkenyloxy,
 - (iv) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by carbocyclic aryl,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxycarbonyl;
- wherein carbocyclic aryl is phenyl or naphthyl;
heterocyclyl is 1*H*-indolyl, azetidyl, or benzo[1,3]dioxolyl; and
halogen is fluoro, chloro, bromo, or iodo;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

7. The compound according to claim 1 selected from the group consisting of:
- ethyl 4,6-dichloro-3-{[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)amino]methyl}-1*H*-indole-2-carboxylate;
- 3-{[2-{[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)-amino]ethyl}(phenyl)amino]propanenitrile};

N^4, N^4 -dimethyl- N^2 -(cis-4-{[2-(2-phenyl-1H-indol-3-yl)ethyl]amino}-cyclohexyl)quinoline-2,4-diamine;
 N^2 -(cis-4-{[1-(diphenylmethyl)azetidin-3-yl]methyl}amino)cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^2 -(cis-4-{[(2,6-dimethoxybenzyl)amino]methyl}cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^2 -(cis-4-{[(2-ethoxybenzyl)amino]methyl}cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^2 -(cis-4-{[(4-methoxy-1-naphthyl)methyl]amino}methyl)cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
4-bromo-2-({[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-methyl]amino}methyl)-6-methoxyphenol;
 N^2 -(cis-4-{[(5-bromo-1H-indol-3-yl)methyl]amino}methyl)cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^2 -(cis-4-{[(5-bromo-2,4-dimethoxybenzyl)amino]methyl}cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^2 -(cis-4-{[(3,3-diphenylprop-2-en-1-yl)amino]methyl}cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^4, N^4 -dimethyl- N^2 -(cis-4-{[(2,4,6-trimethoxybenzyl)amino]methyl}-cyclohexyl)quinoline-2,4-diamine;
 N^2 -(cis-4-{[(2,5-diethoxybenzyl)amino]methyl}cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^2 -(cis-4-{[(2,4-diethoxybenzyl)amino]methyl}cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^2 -(cis-4-{[(3,5-dibromo-2-methoxybenzyl)amino]methyl}cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^4, N^4 -dimethyl- N^2 -(cis-4-{[(2,4,5-triethoxybenzyl)amino]methyl}-cyclohexyl)quinoline-2,4-diamine;
 N^4, N^4 -dimethyl- N^2 -(cis-4-{[(2,4,5-trimethoxybenzyl)amino]methyl}-cyclohexyl)quinoline-2,4-diamine;
 N^2 -(cis-4-{[2-(allyloxy)benzyl]amino}methyl)cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;
 N^2 -(cis-4-{[(7-methoxy-1,3-benzodioxol-5-yl)methyl]amino}methyl)-cyclohexyl)- N^4, N^4 -dimethylquinoline-2,4-diamine;

N^2 -{cis-4-[2-(4-bromo-2-trifluoromethoxy-phenyl)-ethylamino]-cyclohexyl}- N^4,N^4 -dimethyl-quinoline-2,4-diamine;

N^2 -[cis-4-(4-bromo-2-trifluoromethoxy-benzyl)amino-cyclohexyl]- N^4,N^4 -dimethyl-quinoline-2,4-diamine;

N^2 -[cis-4-(4-bromo-2-trifluoromethoxy-benzyl)amino-cyclohexyl]- N^4 -methyl-quinoline-2,4-diamine;

N^2 -{4-[2-(4-bromo-2-trifluoromethoxy-phenyl)-ethylamino]-cyclohexyl}- N^4 -methyl-quinoline-2,4-diamine;

N^4 -methyl- N^2 -{cis-4-[(2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl}-quinoline-2,4-diamine;

N^2 -{cis-4-[(4-bromo-2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl}- N^4 -methyl-quinoline-2,4-diamine;

N^2 -{cis-4-[(4-bromo-2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl}- N^4,N^4 -dimethyl-quinoline-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -{cis-4-[(2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl}-quinoline-2,4-diamine;

cis- N -(3,5-dimethoxybenzyl)- N' -(4-methylquinolin-2-yl)cyclohexane-1,4-diamine;
and

cis- N -(3,5-dichlorobenzyl)- N' -(4-methylquinolin-2-yl)cyclohexane-1,4-diamine;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

8. The compound according to claim 3 wherein R_1 is selected from the group consisting of:

(i) C_{1-5} alkyl, and

C_{1-5} alkyl substituted by substituent(s) independently selected from the group consisting of:

•hydroxy,

•oxo,

• C_{1-5} alkoxy,

• C_{1-5} alkoxy substituted by carbocyclic aryl,

• C_{1-5} alkylcarbonyloxy,

•carbocyclic aryloxy,

•carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••nitro,

- C₁₋₅ alkyl,
- C₁₋₅ alkoxy, and
- C₁₋₅ alkoxy substituted by halogen,
- heterocyclyloxy,
- heterocyclyloxy substituted by C₁₋₅ alkyl,
- mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-carbocyclic arylamino,
- di-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by halogen,
- di-carbocyclic arylamino substituted by halogen,
- carbocyclic arylcarbonylamino,
- C₁₋₅ alkoxycarbonylamino,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - C₁₋₅ alkoxy,
- carbocyclic arylthio,
- heterocyclylthio,
- heterocyclylthio substituted by C₁₋₅ alkyl,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkenyl,
- carbocyclyl,
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₂₋₅ alkenyl, and

••C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:

- carbocyclic aryl, and
- carbocyclic aryl substituted by C₁₋₅ alkylsulfinyl,

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- oxo,
- carbocyclic aryl, and
- heterocyclyl,

- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryloxy,
- mono-carbocyclic arylaminocarbonyl,
- mono-carbocyclic arylaminocarbonyl substituted by halogen,
- di-carbocyclic arylaminocarbonyl,
- di-carbocyclic arylaminocarbonyl substituted by halogen,
- carbocyclic aryl, and
- heterocyclyl,

•heterocyclyl, and

•heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by carbocyclic aryl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryl, and
- carbocyclic aryl substituted by halogen,

- (ii) C₂₋₅ alkenyl, and
 C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - nitro,
- (iii) C₃₋₆ cycloalkyl, and
 C₃₋₆ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo, and
 - carbocyclic aryl, and
- (iv) carbocyclyl,
- (v) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - cyano,
 - nitro,
 - carboxy,
 - carbamoyl,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - oxo,
 - carbocyclic aryloxy,
 - carbocyclic aryl, and

- carbocyclic aryl substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - C₁₋₅ alkoxycarbonyl,
 - mono-C₁₋₅ alkylaminocarbonyl,
 - di-C₁₋₅ alkylaminocarbonyl,
 - mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
 - di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
 - amino,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - C₂₋₅ alkynylcarbonylamino,
 - C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
 - (carbocyclic aryl)NHC(O)NH,
 - (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy,
 - (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by halogen,
 - carbocyclic arylthio,
 - carbocyclic arylthio substituted by cyano,
 - mono-C₁₋₅ alkylaminosulfonyl,
 - di-C₁₋₅ alkylaminosulfonyl, and
 - carbocyclic aryl,
- (vi) heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - nitro,
 - hydroxy,
 - amino,

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by carbocyclic aryl,
 - C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen, and
 - heterocyclyl,
- C₁₋₅ alkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by halogen,
- carbocyclic aryloxy substituted by C₁₋₅ alkyl,
- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- C₁₋₅ alkylthio,
- C₂₋₅ alkenylthio,
- carbocyclic arylthio,
- C₁₋₅ alkylsulfonyl,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by C₁₋₅ alkyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro, and
 - C₁₋₅ alkyl,
- heterocyclyl;

L is Formula (VII);

Y is -C(O)-;

wherein carbocyclic aryl is phenyl, naphthyl, or anthranyl;

carbocyclyl is 1,2,3,4-tetrahydronaphthyl, 1-oxo-indanyl, 9-oxo-9H-fluorenyl, or indenyl;

heterocyclyl is 1,2,3-triazolyl, 1*H*-indolyl, 1*H*-pyrrolyl, 2,3-dihydro-1-oxo-isindolyl, 2,3-dihydro-benzofuryl, 2,4-dihydro-3-oxo-pyrazolyl, 2*H*-benzopyranyl, 2-oxo-benzopyranyl, 9*H*-xanthenyl, benzo[1,3]dioxolyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[*b*]thienyl, benzofuryl, benzothiazolyl, furyl, imidazolyl, isoxazolyl, morpholino, pyrazolyl, pyridyl, pyrimidyl, quinolyl, quinoxalyl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

9. The compound according to claim 8 wherein R₂ is hydrogen, halogen, methyl, trifluoromethyl, methoxy, carbamoyl, amino, methylamino, or dimethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
10. The compound according to claim 9 wherein R₁ is selected from the group consisting of:
 - (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by C₁₋₅ alkyl,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - mono-carbocyclic arylamino,
 - di-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by halogen,
 - di-carbocyclic arylamino substituted by halogen,
 - C₃₋₆ cycloalkyl,
 - carbocyclic aryl,
 - carbocyclic aryl by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and

- C₁₋₅ alkoxy,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy, and
 - carbocyclic aryl,
- (ii) C₂₋₅ alkenyl, and
 C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - nitro,
- (iii) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - cyano,
 - nitro,
 - carbamoyl,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkyl substituted by hydroxy,
 - C₁₋₅ alkoxycarbonyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - carbocyclic aryl,
 - carbocyclic aryloxy, and
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
- (iv) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- amino,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by halogen,
- carbocyclic aryloxy substituted by C₁₋₅ alkyl,
- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- carbocyclic aryl,
- carbocyclic aryl substituted by halogen,
- carbocyclic aryl substituted by nitro, and
- heterocyclyl;

wherein carbocyclic aryl is phenyl;

heterocyclyl is 1,2,3-triazolyl, 1*H*-indolyl, 1*H*-pyrrolyl, 9*H*-xanthenyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, furyl, isoxazolyl, pyridyl, quinolyl, quinoxalyl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

11. The compound according to claim 10 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by C₁₋₅ alkyl,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,

- mono-carbocyclic arylamino,
- di-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by halogen,
- di-carbocyclic arylamino substituted by halogen,
- carbocyclic aryl,
- carbocyclic aryl by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl, and
- C₁₋₅ alkoxy,

and

- heterocyclyl,
- (ii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- hydroxy,
- cyano,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxycarbonyl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- carbocyclic aryloxy, and
- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,

- (iii) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- C₁₋₅ alkyl,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by halogen,
- carbocyclic aryloxy substituted by C₁₋₅ alkyl,

- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
- carbocyclic aryl,
- carbocyclic aryl substituted by halogen,
- carbocyclic aryl substituted by nitro, and
- heterocyclyl;

wherein carbocyclic aryl is phenyl;

heterocyclyl is 1*H*-indolyl, 1*H*-pyrrolyl, 9*H*-xanthenyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, furyl, isoxazolyl, pyridyl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

12. The compound according to claim 1 selected from the group consisting of:

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-methoxybenzamide;

3-bromo-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-benzamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-benzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2,1,3-benzoxadiazole-5-carboxamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-benzamide;

4-chloro-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-benzamide;

4-chloro-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-nitrobenzamide;

3-cyano-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-benzamide;

3,5-dichloro-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}-cyclohexyl)benzamide;

3,4-dichloro-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}-cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2,2-diphenylacetamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3,4-difluorobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3,5-difluorobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-4-fluorobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-fluoro-5-(trifluoromethyl)benzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-4-methyl-3-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-phenoxybutanamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-phenoxypropanamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-(trifluoromethoxy)benzamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-iodobenzamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2,4-difluorobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2,5-dimethyl-3-furamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-4-fluorobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-fluoro-4-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;

(2E)-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-(4-nitrophenyl)acrylamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-4-fluoro-3-methylbenzamide;

2,5-dichloro-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}-cyclohexyl)thiophene-3-carboxamide;

2-(4-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}-cyclohexyl)acetamide;

3-(2-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}-cyclohexyl)-5-methylisoxazole-4-carboxamide;

1-(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}-cyclohexyl)cyclopentanecarboxamide;

3-(2-chloro-6-fluorophenyl)-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-5-methylisoxazole-4-carboxamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-fluorobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-4-fluoro-3-(trifluoromethyl)benzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-5-methyl-2-phenyl-2H-1,2,3-triazole-4-carboxamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-(4-methoxyphenoxy)-5-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-5-nitro-2-furamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-phenoxyacetamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)quinoxaline-2-carboxamide;

2-(3-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}-cyclohexyl)acetamide;

3-(2,6-dichlorophenyl)-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}-cyclohexyl)-5-methylisoxazole-4-carboxamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-phenoxy nicotinamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-(4-methylphenoxy)nicotinamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-(2-thienyl)-1,3-thiazole-4-carboxamide;
 5-bromo-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-thiophene-2-carboxamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-(2,3,6-trichlorophenyl)acetamide;
 5-(4-chloro-2-nitrophenyl)-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-furamide;
 5-chloro-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-thiophene-2-carboxamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-5-iodo-2-furamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-(2-iodophenyl)acetamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-(5-methoxy-2-methyl-1H-indol-3-yl)acetamide;
 (2E)-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-3-(3-nitrophenyl)acrylamide;
 2,2-bis(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)acetamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-5-nitrothiophene-2-carboxamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-3-methyl-4-nitrobenzamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-3-methoxy-4-nitrobenzamide;
 5-bromo-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-furamide;
 4,5-dibromo-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)thiophene-2-carboxamide;
 4,5-dibromo-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)-2-furamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-(1H-indol-3-yl)acetamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-(1H-indol-3-yl)-4-oxo-4-phenylbutanamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-(2-phenyl-1H-indol-3-yl)acetamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-(2,4,6-trichlorophenoxy)acetamide;

3-(benzyloxy)-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-4-methoxybenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-phenoxybenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-phenylquinoline-4-carboxamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-5-(3-nitrophenyl)-2-furamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-5-nitrothiophene-3-carboxamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-1-methyl-4-nitro-1H-pyrrole-2-carboxamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-4-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-methoxy-4-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3-fluoro-4-(trifluoromethyl)benzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-3,5-dimethyl-4-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-mesityl-2-oxoacetamide;

5-chloro-N-(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)-2-hydroxybenzamide;

N-[(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)methyl]-3-methoxybenzamide;

3-bromo-N-[(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)methyl]benzamide;

4-bromo-N-[(cis-4-{{4-(dimethylamino)quinolin-2-yl}amino}cyclohexyl)methyl]benzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-2,1,3-benzoxadiazole-5-carboxamide;

3-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]benzamide;

4-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]benzamide;

4-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]-3-nitrobenzamide;

3-cyano-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]benzamide;

3,5-dichloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} -cyclohexyl)methyl]benzamide;

3,4-dichloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} -cyclohexyl)methyl]benzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-2,2-diphenylacetamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3,4-difluorobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3,5-difluorobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-4-fluorobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3-fluoro-5-(trifluoromethyl)benzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-4-methyl-3-nitrobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3-nitrobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-2-phenoxybutanamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-2-phenoxypropanamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3-methylbenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3-(trifluoromethoxy)benzamide;

4-bromo-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]-3-methylbenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3-iodobenzamide;

3-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]-2,4-difluorobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-2,5-dimethyl-3-furamide;

3-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]-4-fluorobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3-fluoro-4-methylbenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3,5-dimethoxybenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-3,5-bis(trifluoromethyl)benzamide;

(2E)-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]-3-(4-nitrophenyl)acrylamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-4-fluoro-3-methylbenzamide;

2,5-dichloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)methyl]thiophene-3-carboxamide;

2,6-dichloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)methyl]benzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-2,4,6-trimethylbenzamide;

2,4,6-trichloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)methyl]benzamide;

(2E)-3-(2-chlorophenyl)-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]acrylamide;

5-bromo-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]thiophene-2-carboxamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-2-(2,3,6-trichlorophenyl)acetamide;

5-(4-chloro-2-nitrophenyl)-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-2-furamide;

5-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-methyl]thiophene-2-carboxamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-5-iodo-2-furamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-2-(2-iodophenyl)acetamide;

(2E)-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-methyl]-3-(3-nitrophenyl)acrylamide;

2,2-bis(4-chlorophenyl)-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]acetamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-5-nitrothiophene-2-carboxamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-3-methyl-4-nitrobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-3-methoxy-4-nitrobenzamide;

N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2-phenoxy-nicotinamide;

3,4-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3,4-difluoro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

2-phenoxy-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;

3-chloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

N-[cis-4-(4-chloro-quinolin-2-ylamino)-cyclohexyl]-2-phenoxy-nicotinamide;

3-methyl-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-methoxy-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-chloro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

5-nitro-thiophene-3-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;

5-nitro-thiophene-3-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-amide;

3-chloro-4-fluoro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

3,5-dimethoxy-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

3,4-dichloro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;
benzo[2,3,1]oxadiazole-5-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;
3-methyl-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
3-methoxy-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
4-cyano-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
1-methyl-4-nitro-1H-pyrrole-2-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;
9H-xanthene-9-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;
5-(4-chloro-phenyl)-furan-2-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;
3-nitro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;
4-fluoro-3-methyl-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;
3-bromo-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;
2-(2-bromo-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
3-cyano-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;
N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-trifluoromethyl-benzamide;
N-[cis-4-(4-chloro-quinolin-2-ylamino)-cyclohexyl]-3,4-difluoro-benzamide;
3,4-dichloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
3-chloro-4-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
4-fluoro-3-methyl-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
1-methyl-4-nitro-1H-pyrrole-2-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-amide;
9H-xanthene-9-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-amide;
5-bromo-furan-2-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-amide;
N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2-*m*-tolylloxy-acetamide;
N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-2-*m*-tolylloxy-acetamide;
2,2-diphenyl-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;
5-bromo-furan-2-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;
benzo[2,3,1]oxadiazole-5-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-amide;
3-bromo-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-cyano-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-3-trifluoromethyl-benzamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2,2-diphenyl-acetamide;
 2-(4-fluoro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 2-(4-fluoro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(3,4-difluoro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(3,4-difluoro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-2-*p*-tolylloxy-nicotinamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2-*p*-tolylloxy-nicotinamide;
 2-(4-chloro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 2-(4-chloro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(4-bromo-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 2-(4-bromo-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(4-methoxy-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 2-(4-methoxy-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(3-chloro-4-fluoro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(3-chloro-4-fluoro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-
 cyclohexyl]-nicotinamide;
 N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-2-*m*-tolylloxy-nicotinamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2-*m*-tolylloxy-nicotinamide;
 2-(3-methoxy-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 acetamide;
 2-(3-chloro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 acetamide;
 2-(3-chloro-4-fluoro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-
 cyclohexyl]-acetamide;
 2-(3,4-dichloro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 acetamide;

C-(methyl-phenyl-amino)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3,4-dichloro-phenylamino)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3-methoxy-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3-chloro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3-chloro-4-fluoro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3,4-dichloro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

C-(methyl-phenyl-amino)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3,4-dichloro-phenylamino)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

3-hydroxy-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-isophthamic acid methyl ester;

N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-3-trifluoromethoxy-benzamide;

N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-bis-trifluoromethyl-benzamide;

N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-3-trifluoromethoxy-benzamide;

N-[cis-4-(4-amino-quinolin-2-ylamino)-cyclohexyl]-3,4-difluoro-benzamide;

C-(ethyl-phenyl-amino)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

C-(ethyl-phenyl-amino)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

3-hydroxy-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

2-amino-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide;

2,3-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

2,4-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

2,5-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

2,6-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3,5-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

C-[(4-chloro-phenyl)-ethyl-amino]-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

4-chloro-3-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

4-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

2-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 4-chloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-isophthalamic acid methyl
 ester;
 3,5-difluoro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;
 4-chloro-3-fluoro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;
 C-[(4-chloro-phenyl)-ethyl-amino]-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-
 acetamide;
 6-chloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 6-dimethylamino-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 3-hydroxymethyl-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-isophthalamide;
 3-chloro-5-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 3,4,5-trifluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 pyridine-2-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 amide;
 4-chloro-pyridine-2-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-
 cyclohexyl]-amide;
 5-bromo-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-6-trifluoromethyl-
 nicotinamide;
 3,4-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexylmethyl]-
 benzamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexylmethyl]-2-phenoxy-
 nicotinamide;
 N-[cis-4-(4-dimethylamino-quinolin-2-ylamino)-cyclohexylmethyl]-3,4-difluoro-
 benzamide;
 3,4-difluoro-N-[cis-4-(quinolin-2-ylamino)-cyclohexylmethyl]-benzamide;
 2-phenoxy-N-[cis-4-(quinolin-2-ylamino)-cyclohexylmethyl]-nicotinamide;
 4-methyl-N-[cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl] benzamide;
 2-(4-chlorophenoxy)-N-[cis-4-[(4-methylquinolin-2-
 yl)amino]cyclohexyl] acetamide;
 3,4,5-trimethoxy-N-[cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl] benzamide;

2-(3,4-difluorophenyl)-N-{cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl}acetamide;
 2-(2-bromo-4,5-dimethoxyphenyl)-N-{cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl}acetamide;
 2,6-dimethoxy-N-{cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl}nicotinamide;
 N-{cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl}-4-(trifluoromethoxy)benzamide;
 5-chloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide; and
 5-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

13. The compound according to claim 12 selected from the group consisting of:

3-bromo-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-benzamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2,1,3-benzoxadiazole-5-carboxamide;
 3-chloro-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-benzamide;
 4-chloro-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-benzamide;
 4-chloro-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-3-nitrobenzamide;
 3,4-dichloro-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)benzamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-3,4-difluorobenzamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-4-fluorobenzamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-3-nitrobenzamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-phenoxybutanamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-phenoxypropanamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-3-methylbenzamide;

4-bromo-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-3-methylbenzamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2,5-dimethyl-3-furamide;

3-chloro-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-4-fluorobenzamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-4-fluoro-3-methylbenzamide;

2-(4-chlorophenoxy)-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)acetamide;

3-(2-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)-5-methylisoxazole-4-carboxamide;

3-(2-chloro-6-fluorophenyl)-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-5-methylisoxazole-4-carboxamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-4-fluoro-3-(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-(4-methoxyphenoxy)-5-nitrobenzamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-5-nitro-2-furamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-phenoxyacetamide;

2-(3-chlorophenoxy)-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)acetamide;

3-(2,6-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)-5-methylisoxazole-4-carboxamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-phenoxy nicotinamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-(4-methylphenoxy)nicotinamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-2-(2-thienyl)-1,3-thiazole-4-carboxamide;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-2-(2,3,6-trichlorophenyl)acetamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-5-iodo-2-furamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-5-nitrothiophene-2-carboxamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-3-methyl-4-nitrobenzamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-3-methoxy-4-nitrobenzamide;
 5-bromo-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-2-furamide;
 4,5-dibromo-N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-2-furamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-2-(1H-indol-3-yl)acetamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-5-(3-nitrophenyl)-2-furamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-5-nitrothiophene-3-carboxamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-1-methyl-4-nitro-1H-pyrrole-2-carboxamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-4-nitrobenzamide;
 N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-3-fluoro-4-(trifluoromethyl)benzamide;
 3-bromo-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]benzamide;
 N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-2,1,3-benzoxadiazole-5-carboxamide;
 3-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]benzamide;
 4-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]benzamide;
 4-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-methyl]-3-nitrobenzamide;

3,4-dichloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)methyl]benzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-3,4-difluorobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-4-fluorobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-3-nitrobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-2-phenoxybutanamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-2-phenoxypropanamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-3-methylbenzamide;

4-bromo-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-methyl]-3-methylbenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-2,5-dimethyl-3-furamide;

3-chloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-methyl]-4-fluorobenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-3,5-dimethoxybenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-4-fluoro-3-methylbenzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-2,4,6-trimethylbenzamide;

2,4,6-trichloro-N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)methyl]benzamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-2-(2,3,6-trichlorophenyl)acetamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-5-iodo-2-furamide;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)methyl]-5-nitrothiophene-2-carboxamide;

N-[(cis-4-[[4-(dimethylamino)quinolin-2-yl]amino]cyclohexyl)methyl]-3-methyl-4-nitrobenzamide;

N-[(cis-4-[[4-(dimethylamino)quinolin-2-yl]amino]cyclohexyl)methyl]-3-methoxy-4-nitrobenzamide;

N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2-phenoxy-nicotinamide;

3,4-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3,4-difluoro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

2-phenoxy-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;

3-chloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-methyl-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-methoxy-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-chloro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

5-nitro-thiophene-3-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;

5-nitro-thiophene-3-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-amide;

3-chloro-4-fluoro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

3,5-dimethoxy-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

3,4-dichloro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

benzo[2,3,1]oxadiazole-5-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;

3-methyl-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-methoxy-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

4-cyano-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

1-methyl-4-nitro-1H-pyrrole-2-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;

9H-xanthene-9-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;

3-nitro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

4-fluoro-3-methyl-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-bromo-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

2-(2-bromo-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;

3-cyano-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;

N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-trifluoromethyl-benzamide;

N-[cis-4-(4-chloro-quinolin-2-ylamino)-cyclohexyl]-3,4-difluoro-benzamide;

3,4-dichloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-chloro-4-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 4-fluoro-3-methyl-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 benzamide;
 1-methyl-4-nitro-1H-pyrrole-2-carboxylic acid [cis-4-(4-methyl-quinolin-2-
 ylamino)-cyclohexyl]-amide;
 9H-xanthene-9-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 amide;
 5-bromo-furan-2-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-
 cyclohexyl]-amide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2-*m*-tolylloxy-acetamide;
 N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-2-*m*-tolylloxy-acetamide;
 2,2-diphenyl-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;
 5-bromo-furan-2-carboxylic acid [cis-4-(quinolin-2-ylamino)-cyclohexyl]-amide;
 benzo[2,3,1]oxadiazole-5-carboxylic acid [cis-4-(4-methyl-quinolin-2-ylamino)-
 cyclohexyl]-amide;
 3-bromo-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 3-cyano-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-3-trifluoromethyl-benzamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2,2-diphenyl-acetamide;
 2-(4-fluoro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 2-(4-fluoro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(3,4-difluoro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(3,4-difluoro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-2-*p*-tolylloxy-nicotinamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2-*p*-tolylloxy-nicotinamide;
 2-(4-chloro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 2-(4-chloro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(4-bromo-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 2-(4-bromo-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-
 nicotinamide;
 2-(4-methoxy-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-nicotinamide;

2-(4-methoxy-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide;

2-(3-chloro-4-fluoro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide;

N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-2-*m*-tolylloxy-nicotinamide;

N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-2-*m*-tolylloxy-nicotinamide;

2-(3-methoxy-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3-chloro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3-chloro-4-fluoro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3,4-dichloro-phenoxy)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

C-(methyl-phenyl-amino)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3-methoxy-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3-chloro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3-chloro-4-fluoro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

2-(3,4-dichloro-phenoxy)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

C-(methyl-phenyl-amino)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-3-trifluoromethoxy-benzamide;

N-[cis-4-(4-amino-quinolin-2-ylamino)-cyclohexyl]-3,4-difluoro-benzamide;

C-(ethyl-phenyl-amino)-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;

C-(ethyl-phenyl-amino)-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

3-hydroxy-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

2,4-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3,5-difluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

C-[(4-chloro-phenyl)-ethyl-amino]-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-acetamide;

4-chloro-3-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

4-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;

3-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 4-chloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-isophthalamide acid methyl ester;
 3,5-difluoro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;
 4-chloro-3-fluoro-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-benzamide;
 C-[(4-chloro-phenyl)-ethyl-amino]-N-[cis-4-(quinolin-2-ylamino)-cyclohexyl]-acetamide;
 6-chloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 3-chloro-5-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 3,4,5-trifluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-benzamide;
 5-bromo-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 4-methyl-N-[cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl] benzamide;
 2-(4-chlorophenoxy)-N-[cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl]-acetamide;
 3,4,5-trimethoxy-N-[cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl] benzamide;
 2-(3,4-difluorophenyl)-N-[cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl]-acetamide;
 2-(2-bromo-4,5-dimethoxyphenyl)-N-[cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl] acetamide;
 2,6-dimethoxy-N-[cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl] nicotinamide;
 N-[cis-4-[(4-methylquinolin-2-yl)amino]cyclohexyl]-4-(trifluoromethoxy)-benzamide;
 5-chloro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide; and
 5-fluoro-N-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-nicotinamide;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

14. The compound according to claim 3 wherein R₁ is selected from the group consisting of:
 C₁₋₁₆ alkyl, and
 C₁₋₁₆ alkyl substituted by substituent(s) independently selected from the group consisting of:
 •carbocyclic aryl,
 •carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 ••halogen,

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy, and
- C₁₋₅ alkoxy substituted by halogen,

L is Formula (XV);

Y is -C(O)NR₅-;

wherein carbocyclic aryl is phenyl; and

halogen is fluoro, chloro, or bromo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

15. The compound according to claim 14 wherein R₁ is selected from the group consisting of:
 C₁₋₁₆ alkyl, and
 C₁₋₁₆ alkyl substituted by substituent(s) independently selected from the group consisting of:
 •carbocyclic aryl,
 •carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 ••halogen,
 ••C₁₋₅ alkyl, and
 ••C₁₋₅ alkyl substituted by halogen,
 wherein carbocyclic aryl is phenyl; and
 halogen is fluoro, chloro, or bromo;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
16. The compound according to claim 14 or 15 wherein R₂ is methyl; p is 0; R₃ and R₄ are both hydrogen; A and B are both single bonds; and R₅ is hydrogen;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
17. The compound according to claim 1 selected from the group consisting of:
 cis-N-[(1R)-1-(4-bromophenyl)ethyl]-4-[(4-methylquinolin-2-yl)amino]cyclohexanecarboxamide;
 cis-N-[(1S)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl]-4-[(4-methylquinolin-2-yl)amino]cyclohexanecarboxamide;
 cis-N-[(1R)-1-(2-fluorophenyl)ethyl]-4-[(4-methylquinolin-2-yl)amino]cyclohexanecarboxamide;

cis-N-[(1S)-1-(2-fluorophenyl)ethyl]-4-[(4-methylquinolin-2-yl)amino]cyclohexanecarboxamide;

cis-4-[(4-methylquinolin-2-yl)amino]-N-[(1S)-1-[2-(trifluoromethyl)phenyl]ethyl]cyclohexanecarboxamide;

cis-4-[(4-methylquinolin-2-yl)amino]-N-[(1S)-1-[3-(trifluoromethyl)phenyl]ethyl]cyclohexanecarboxamide;

cis-N-[(1R)-1-(4-chlorophenyl)ethyl]-4-[(4-methylquinolin-2-yl)amino]cyclohexanecarboxamide; and

cis-N-[(1S)-1-(4-chlorophenyl)ethyl]-4-[(4-methylquinolin-2-yl)amino]cyclohexanecarboxamide;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

18. The compound according to claim 1 selected from the group consisting of:

cis-N-[(1R)-1-(4-bromophenyl)ethyl]-4-[(4-methylquinolin-2-yl)amino]cyclohexanecarboxamide;

cis-N-[(1S)-1-(2-fluorophenyl)ethyl]-4-[(4-methylquinolin-2-yl)amino]cyclohexanecarboxamide;

cis-4-[(4-methylquinolin-2-yl)amino]-N-[(1S)-1-[2-(trifluoromethyl)phenyl]ethyl]cyclohexanecarboxamide; and

cis-4-[(4-methylquinolin-2-yl)amino]-N-[(1S)-1-[3-(trifluoromethyl)phenyl]ethyl]cyclohexanecarboxamide;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

19. The compound according to claim 3 wherein R₁ is selected from the group consisting of:

(i) C₁₋₅ alkyl, and

C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

•C₁₋₅ alkoxycarbonyl,

•C₁₋₅ alkylthio,

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••C₁₋₅ alkyl, and

••C₂₋₅ alkenyl,

- (ii) C₃₋₆ cycloalkyl, and
C₃₋₆ cycloalkyl substituted by carbocyclic aryl,
 - (iii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - cyano,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxycarbonyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - C₃₋₆ cycloalkoxy,
 - carbocyclic aryloxy,
 - C₁₋₅ alkylthio, and
 - carbocyclic aryl,
 - (iv) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen, and
 - carbocyclic aryl;
- L is Formula (VII);
Y is -C(O)NR₅-;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl, 3,4-dihydro-2H-benzo[b][1,4]dioxepinyl, benzo[1,3]dioxolyl, furyl, or isoxazolyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

20. The compound according to claim 19 wherein R₂ is hydrogen, methyl, methylamino, or dimethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; R₅ is hydrogen; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

21. The compound according to claim 20 wherein R_1 is selected from the group consisting of:

- (i) C_{1-5} alkyl, and
 C_{1-5} alkyl substituted by substituent(s) independently selected from the group consisting of:
 - C_{1-5} alkoxy carbonyl,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen,
- (ii) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,
 - C_{1-5} alkyl,
 - C_{1-5} alkyl substituted by halogen, and
 - C_{1-5} alkoxy,
- (iii) heterocyclyl,
 heterocyclyl substituted by C_{1-5} alkyl, and
 heterocyclyl substituted by carbocyclic aryl;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is isoxazolyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

22. The compound according to claim 1 selected from the group consisting of:

N-(2-chlorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-N'-(2-ethyl-6-methylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-N'-mesitylurea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-N'-(2,4,6-trichlorophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-N'-(2,4,6-tribromophenyl)urea;

N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)urea;

N-(2,6-diethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)urea;

N-(2-chlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-(2-ethyl-6-isopropylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-(2-isopropyl-6-methylphenyl)urea;

N-(2-tert-butyl-6-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-(diphenylmethyl)urea;

N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-(3-methyl-5-phenylisoxazol-4-yl)urea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-1-naphthylurea;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-[1-(1-naphthyl)ethyl]urea;

methyl N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-amino]carbonyl] phenylalaninate;

N-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-(3,4,5-trimethoxyphenyl)urea;

N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)urea;

N-(4-bromo-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethyl-6-methylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-N'-mesitylurea;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,4,6-trichlorophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,4,6-tribromophenyl)urea;

N-(2,4-dibromo-6-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]urea;

N-(2,6-diethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]urea;

N-[2-chloro-6-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)-quinolin-2-yl]amino} cyclohexyl)methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethyl-6-isopropylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-isopropyl-6-methylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methyl-3-nitrophenyl)urea;

N-(2-tert-butyl-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]urea;

N-(2-tert-butylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]-amino} cyclohexyl)methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]-N'-(diphenylmethyl)urea;

N-(4-bromo-2,6-dimethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)methyl]urea;

N-(2,3-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]-amino} cyclohexyl)methyl]urea;

N-(2,6-diisopropylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinolin-2-yl]-amino} cyclohexyl)methyl]urea;

1-(2,3-dichloro-phenyl)-3-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexyl]-urea;
and

1-(2,3-dichloro-phenyl)-3-[cis-4-(4-methyl-quinolin-2-ylamino)-cyclohexylmethyl]-urea;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

23. The compound according to claim 3 wherein R₁ is selected from the group consisting of:

(i) C₁₋₅ alkyl, and

C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen, and

••C₁₋₅ alkoxy,

(ii) carbocyclyl,

(iii) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•cyano,

•nitro,

•C₁₋₅ alkyl,

•C₁₋₅ alkyl substituted by halogen,

•C₁₋₅ alkoxy carbonyl,

•C₁₋₅ alkoxy,

•C₁₋₅ alkoxy substituted by halogen,

•mono-C₁₋₅ alkylamino,

•di-C₁₋₅ alkylamino, and

•carbocyclic aryl,

(iv) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

•C₁₋₅ alkyl,

•C₁₋₅ alkoxy carbonyl, and

•carbocyclic aryl;

L is Formula (VII);

Y is -C(S)NR₅-;

wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is bicyclo[2.2.1]heptyl;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl, benzo[1,3]dioxolyl, isoxazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

24. The compound according to claim 23 wherein R_2 is methylamino or dimethylamino; p is 0; R_3 and R_4 are hydrogen; A is a single bond; B is a single bond or $-CH_2-$; R_5 is hydrogen; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
25. The compound according to claim 24 wherein R_1 is selected from the group consisting of:
- (i) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C_{1-5} alkyl,
 - C_{1-5} alkyl substituted by halogen,
 - C_{1-5} alkoxy,
 - mono- C_{1-5} alkylamino, and
 - di- C_{1-5} alkylamino,
 - (ii) heterocyclyl, and
heterocyclyl substituted by C_{1-5} alkyl, and
heterocyclyl substituted by C_{1-5} alkoxy carbonyl;
wherein carbocyclic aryl is phenyl or naphthyl;
heterocyclyl is thienyl; and
halogen is fluoro, chloro, bromo, or iodo;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
26. The compound according to claim 1 selected from the group consisting of:
- N-(2,4-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)quinolin-2-yl]-amino} cyclohexyl)thiourea;
 - N-(cis-4-{{4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-(3,4,5-trimethoxyphenyl)thiourea;
 - N-[4-(dimethylamino)-1-naphthyl]-N'-(cis-4-{{4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)thiourea;
 - N-(cis-4-{{4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-(2,4,6-tribromophenyl)thiourea;
 - N-(cis-4-{{4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-(2,4,6-trichlorophenyl)thiourea;
 - N-(cis-4-{{4-(dimethylamino)quinolin-2-yl]amino} cyclohexyl)-N'-mesitylthiourea;

N-(2,6-diethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}-cyclohexyl)thiourea;

N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)thiourea;

N-(4-bromo-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)thiourea;

N-[4-bromo-2-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)-quinolin-2-yl]amino}cyclohexyl)thiourea;

N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)thiourea;

N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)thiourea;

N-(2,4-dichloro-6-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)thiourea; and

methyl 3-(((cis-4-{[4-(dimethylamino)quinolin-2-yl]amino}cyclohexyl)-amino)carbonothioyl)amino)-4-methylthiophene-2-carboxylate;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

27. The compound according to claim 3 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₈ alkyl, and
C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro, and
 - C₁₋₅ alkoxy,
- (ii) C₂₋₅ alkenyl,
- (iii) carbocyclyl,
- (iv) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen, and
- C₁₋₅ alkoxy;

L is Formula (VII);

Y is -C(O)O-;

wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is 9*H*-fluorenyl or menthyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

28. The compound according to claim 27 wherein R₂ is methylamino or dimethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

29. The compound according to claim 2 wherein Q is Formula (III);

R₁ is selected from the group consisting of:

- (i) C₁₋₈ alkyl, and
C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - oxo,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - C₁₋₅ alkylcarbonyloxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by nitro,
 - heterocyclyloxy,
 - heterocyclyloxy substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkoxycarbonyl,
 - mono-C₁₋₅ alkylaminocarbonyl,
 - di-C₁₋₅ alkylaminocarbonyl,

- mono- C_{1-5} alkylamino,
- mono- C_{1-5} alkylamino substituted by cyano,
- mono- C_{1-5} alkylamino substituted by carbocyclic aryl,
- di- C_{1-5} alkylamino,
- di- C_{1-5} alkylamino substituted by cyano,
- di- C_{1-5} alkylamino substituted by carbocyclic aryl,
- mono-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by C_{1-5} alkyl,
- di-carbocyclic arylamino,
- di-carbocyclic arylamino substituted by C_{1-5} alkyl,
- carbocyclic arylsulfonylamino,
- carbocyclic arylsulfonylamino substituted C_{1-5} alkyl,
- C_{1-5} alkylthio,
- C_{1-5} alkylthio substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen, and
 - carbocyclic aryl substituted by C_{1-5} alkoxy,
- carbocyclic arylthio,
- heterocyclylthio,
- heterocyclylthio substituted by C_{1-5} alkyl,
- C_{3-6} cycloalkyl,
- C_{3-6} cycloalkenyl,
- carbocyclyl,
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C_{1-5} alkyl,
 - C_{1-5} alkoxy,
 - C_{2-5} alkenyl, and
 - C_{2-5} alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C_{1-5} alkylsulfinyl,
- carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- oxo,
- carbocyclic aryl, and
- heterocyclyl,

- C₂₋₅ alkenyl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryloxy,
- mono-carbocyclic arylaminocarbonyl,
- mono-carbocyclic arylaminocarbonyl substituted by halogen,
- di-carbocyclic arylaminocarbonyl,
- di-carbocyclic arylaminocarbonyl substituted by halogen,
- carbocyclic aryl, and
- heterocyclyl,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryl, and
- carbocyclic aryl substituted by halogen,

- (ii) C₂₋₇ alkenyl, and
- C₂₋₇ alkenyl substituted by substituent(s) independently selected from the group consisting of:
- carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro, and
- C₁₋₅ alkoxy,

(iii) C₂₋₅ alkynyl,

(iv) C₃₋₁₂ cycloalkyl, and

C₃₋₁₂ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by oxo,
- C₁₋₅ alkyl substituted by carbocyclic aryl, and
- carbocyclic aryl,

(v) carbocyclyl,

(vi) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- cyano,
- nitro,
- C₁₋₁₀ alkyl,
- C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- oxo,
- carbocyclic aryloxy,
- carbocyclic aryl, and
- carbocyclic aryl substituted by C₁₋₅ alkyl,

•C₁₋₇ alkoxy,

•C₁₋₇ alkoxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- carbocyclic aryl, and
- halogenated carbocyclic aryl,

- C₂₋₅ alkenyloxy,
- C₃₋₆ cycloalkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by nitro,
- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
- carboxy,
- C₁₋₅ alkoxycarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- amino,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by cyano,
- di-C₁₋₅ alkylamino substituted by cyano,
- C₂₋₅ alkynylcarbonylamino,
- C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
- C₁₋₅ alkoxycarbonylamino,
- (carbocyclic aryl)NHC(O)NH,
- (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy,
- (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
- carbocyclic aryl azo,
- carbocyclic aryl azo substituted by mono-C₁₋₅ alkylamino,
- carbocyclic aryl azo substituted by di-C₁₋₅ alkylamino,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by halogen,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by nitro,
- carbocyclic arylthio substituted by cyano,
- aminosulfonyl,
- mono-C₁₋₅ alkylaminosulfonyl,
- di-C₁₋₅ alkylaminosulfonyl,
- heterocyclisulfonyl,
- C₃₋₆ cycloalkyl,

- C₃₋₆ cycloalkyl substituted by C₁₋₅ alkyl,
 - carbocyclic aryl,
 - heterocyclyl, and
 - heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - carbocyclic aryl, and
 - halogenated carbocyclic aryl,
- (vii) heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by carbocyclic aryl,
 - C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen, and
 - heterocyclyl,
 - C₁₋₅ alkoxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkylthio,
 - C₂₋₅ alkenylthio,
 - carbocyclic arylthio,
 - carbocyclic arylthio substituted by C₁₋₅ alkoxycarbonyl,
 - C₁₋₅ alkylsulfonyl,
 - carbocyclic arylsulfonyl,
 - carbocyclic arylsulfonyl substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkoxycarbonyl,

- C₁₋₅ alkoxycarbonyl substituted by carbocyclic aryl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by halogen,

- heterocyclyl;

wherein carbocyclic aryl is phenyl, naphthyl, or anthranyl;

carbocyclyl is 1,2,3,4-tetrahydronaphthyl, 1-oxo-indanyl, 9-fluorenyl, 9H-fluorenyl, 9-oxo-9H-fluorenyl, adamantyl, bicyclo[2.2.1]heptenyl, bicyclo[2.2.1]heptyl, indanyl, indenyl, or menthyl;

heterocyclyl is 1,2,3-triazolyl, 1H-indolyl, 1H-pyrrolyl, 2,3-dihydro-1-oxo-isindolyl, 2,3-dihydro-benzo[1,4]dioxinyl, 2,4-dihydro-3-oxo-pyrazolyl, 2H-benzopyranyl, 2-oxo-benzopyranyl, 3,4-dihydro-2H-benzo[b][1,4]dioxepinyl, 4,5,6,7-tetrahydro-benzo[b]thienyl, 4H-benzo[1,3]dioxinyl, 4-oxo-1,5,6,7-tetrahydro-indolyl, 4-oxo-benzopyranyl, 9H-carbazolyl, 9H-xanthenyl, azetidyl, benzo[1,3]dioxolyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[2,1,3]thiadiazolyl, benzo[b]thienyl, benzofuryl, benzothiazolyl, furyl, imidazo[2,1-b]thiazolyl, isoxazolyl, morpholino, morpholinyl, oxazolyl, phenanthro[9,10-d]oxazolyl, piperidyl, pyrazolyl, pyridyl, pyrimidyl, quinolyl, quinoxalyl, tetrahydrofuryl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

30. The compound according to claim 29 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₇ alkyl, and

C₁₋₇ alkyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryloxy,
- mono-C₁₋₅ alkylamino,

- mono-C₁₋₅ alkylamino substituted by substituent(s) independently selected from the group consisting of:
 - cyano, and
 - carbocyclic aryl,
 - di-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino substituted by substituent(s) independently selected from the group consisting of:
 - cyano, and
 - carbocyclic aryl,
 - mono-carbocyclic arylamino,
 - di-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by C₁₋₅ alkyl,
 - di-carbocyclic arylamino substituted by C₁₋₅ alkyl,
 - carbocyclic arylsulfonylamino,
 - carbocyclic arylsulfonylamino substituted by C₁₋₅ alkyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo, and
 - carbocyclic aryl,
 - C₁₋₅ alkoxy,
 - heterocyclyl, and
 - heterocyclyl substituted by carbocyclic aryl,
- (ii) C₂₋₇ alkenyl, and
 C₂₋₇ alkenyl substituted by substituent(s) independently selected from the group consisting of:
- carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkoxy,
- (iii) C₃₋₆ cycloalkyl, and

C₃₋₆ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by carbocyclic aryl,

(iv) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- cyano,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen,
- C₂₋₅ alkenyloxy,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by cyano,
- di-C₁₋₅ alkylamino substituted by cyano,
- C₁₋₅ alkylthio, and
- C₁₋₅ alkylthio substituted by halogen,

(v) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - hydroxy, and
 - carbocyclic aryl,
- C₁₋₅ alkoxy,

- carbocyclic arylthio,
- carbocyclic arylthio substituted by C₁₋₅ alkoxy carbonyl,
- C₁₋₅ alkoxy carbonyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen;

L is Formula (VII);

Y is a single bond or -CH₂-;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 1*H*-indolyl, 1*H*-pyrrolyl, 2,3-dihydro-benzo[1,4]dioxinyl, 4-oxo-benzopyranyl, 9*H*-carbazolyl, azetidiny, benzo[1,3]dioxolyl, benzo[*b*]thienyl, furyl, imidazo[2,1-*b*]thiazolyl, pyrazolyl, pyridyl, or thienyl; and halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

31. The compound according to claim 30 wherein R₂ is methylamino or dimethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
32. The compound according to claim 31 wherein R₁ is selected from the group consisting of:
 - (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - mono-C₁₋₅ alkylamino,
 - mono-C₁₋₅ alkylamino substituted by cyano,
 - di-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino substituted by cyano,
 - mono-carbocyclic arylamino,
 - di-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by C₁₋₅ alkyl,
 - di-carbocyclic arylamino substituted by C₁₋₅ alkyl,
 - carbocyclic arylsulfonylamino,

- carbocyclic arylsulfonylamino substituted by C₁₋₅ alkyl,
- carbocyclic aryl, and
- carbocyclic aryl substituted by C₁₋₅ alkoxy,
- (ii) C₂₋₅ alkenyl, and
- C₂₋₅ alkenyl substituted by carbocyclic aryl,
- (iii) carbocyclic aryl, and
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen,
 - mono-C₁₋₅ alkylamino, and
 - di-C₁₋₅ alkylamino,
- (iv) heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by carbocyclic aryl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxycarbonyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 1*H*-indolyl, 4-oxo-benzopyranyl, azetidiny,

benzo[1,3]dioxolyl, or pyrazolyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

33. The compound according to claim 32 wherein R_1 is selected from the group consisting of:

- (i) C_{1-5} alkyl, and
 C_{1-5} alkyl substituted by substituent(s) independently selected from the group consisting of:
 - mono- C_{1-5} alkylamino,
 - mono- C_{1-5} alkylamino substituted by cyano,
 - di- C_{1-5} alkylamino,
 - di- C_{1-5} alkylamino substituted by cyano,
 - mono-carbocyclic arylamino,
 - di-carbocyclic arylamino,
 - carbocyclic arylsulfonylamino,
 - carbocyclic arylsulfonylamino substituted by C_{1-5} alkyl, and
 - carbocyclic aryl,
- (ii) C_{2-5} alkenyl, and
 C_{2-5} alkenyl substituted by carbocyclic aryl,
- (iii) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - C_{1-5} alkoxy, and
 - C_{1-5} alkoxy substituted by halogen,
- (iv) heterocyclyl, and
 heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C_{1-5} alkyl,
 - C_{1-5} alkyl substituted by carbocyclic aryl,
 - C_{1-5} alkoxy,
 - C_{1-5} alkoxycarbonyl,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen;
 wherein carbocyclic aryl is phenyl;
 heterocyclyl is 1*H*-indolyl, azetidiny, or pyrazolyl; and
 halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

34. The compound according to claim 1 selected from the group consisting of:

N^2 -{cis-4-[(2,6-dimethoxybenzyl)amino]cyclohexyl}- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -{cis-4-[(2-ethoxybenzyl)amino]cyclohexyl}- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -{cis-4-[(1H-indol-3-ylmethyl)amino]cyclohexyl}- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -{cis-4-[(2,5-dimethoxybenzyl)amino]cyclohexyl}- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -(cis-4-{[(4-methoxy-1-naphthyl)methyl]amino}cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -(cis-4-{[(5-methoxy-1H-indol-3-yl)methyl]amino}cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

4-bromo-2-{[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]methyl}-6-methoxyphenol;

N^2 -(cis-4-{[(5-bromo-1H-indol-3-yl)methyl]amino}cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

4-{[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]methyl}-2,6-dimethoxyphenol;

N^2 -{cis-4-[(3-ethoxy-4-methoxybenzyl)amino]cyclohexyl}- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -{cis-4-[(3-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl)methyl]amino}cyclohexyl}-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -{cis-4-[(3,4,5-trimethoxybenzyl)amino]cyclohexyl}-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -{cis-4-[(pentamethylbenzyl)amino]cyclohexyl}-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -{cis-4-[(3,5-dimethoxybenzyl)amino]cyclohexyl}- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

4-{[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]methyl}-2-iodo-6-methoxyphenol;

4-{[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]methyl}-2,6-dimethylphenol;

3-[[[cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)amino]methyl]-6,8-dimethyl-4H-chromen-4-one;

ethyl 4,6-dichloro-3-[[[cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]methyl]-1H-indole-2-carboxylate;

N²-[cis-4-({[3-(4-fluorophenyl)-1H-pyrazol-4-yl]methyl}amino)cyclohexyl]-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N⁴,N⁴-dimethyl-N²-[4-(pentamethylphenylmethyl-amino)-cyclohexyl]-5,6,7,8-tetrahydro-quinazoline-2,4-diamine;

3-[[2-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]ethyl](3-methylphenyl)amino]propanenitrile;

3-[[2-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]ethyl](phenyl)amino]propanenitrile;

N-[(1S)-1-benzyl-2-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]ethyl]-4-methylbenzenesulfonamide;

N²-(cis-4-{{[2-(3,5-dimethoxyphenyl)ethyl]amino}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-[cis-4-({[1-(diphenylmethyl)azetid-3-yl]methyl}amino)cyclohexyl]-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-(cis-4-{{[2,6-dimethoxybenzyl]amino]methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-(cis-4-{{[2-ethoxybenzyl]amino]methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-(cis-4-{{[1H-indol-3-ylmethyl]amino]methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-(cis-4-{{[2,5-dimethoxybenzyl]amino]methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-[cis-4-({[4-methoxy-1-naphthyl]methyl]amino}methyl)cyclohexyl]-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-[cis-4-({[(5-methoxy-1H-indol-3-yl)methyl]amino}methyl)cyclohexyl]-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

4-bromo-2-({[cis-4-{{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)methyl]amino}methyl)-6-methoxyphenol;

N²-[cis-4-({[(5-bromo-1H-indol-3-yl)methyl]amino}methyl)cyclohexyl]-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -(cis-4-[[3-ethoxy-4-methoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -(cis-4-[[[3-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]methyl)amino]methyl)cyclohexyl)-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -(cis-4-[[3,4,5-trimethoxybenzyl)amino]methyl)cyclohexyl)-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -(cis-4-[[3,5-dimethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

4-([[(cis-4-[[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino]cyclohexyl)methyl]amino]methyl)-2-iodo-6-methoxyphenol;

4-([[(cis-4-[[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino]cyclohexyl)methyl]amino]methyl)-2,6-dimethylphenol;

3-chloro-4-([[(cis-4-[[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino]cyclohexyl)methyl]amino]methyl)phenol;

N^2 -(cis-4-([4-(diethylamino)benzyl]amino)methyl)cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -(cis-4-[[3,3-diphenylprop-2-en-1-yl]amino]methyl)cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

4-([[(cis-4-[[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino]cyclohexyl)methyl]amino]methyl)-2-ethoxyphenol;

N^2 -(cis-4-([4-(dimethylamino)-1-naphthyl]methyl)amino)methyl)-cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -(cis-4-[[2,4,6-trimethoxybenzyl)amino]methyl)-cyclohexyl)-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

2-bromo-4-chloro-6-([[(cis-4-[[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino]cyclohexyl)methyl]amino]methyl)phenol;

N^2 -(cis-4-[[2,5-diethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -(cis-4-[[2,4-diethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -(cis-4-[[3,5-dibromo-2-methoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -(cis-4-[[2,4,5-triethoxybenzyl)amino]methyl)-cyclohexyl)-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^4, N^4 -dimethyl- N^2 -(cis-4-([(2,4,5-trimethoxybenzyl)amino]methyl)-cyclohexyl)-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -[cis-4-([(7-methoxy-1,3-benzodioxol-5-yl)methyl]amino)methyl]-cyclohexyl]- N^4, N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

4-([(cis-4-[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino)cyclohexyl)methyl]amino)methyl)-2-methylphenol;

N^2 -(cis-4-[(4-methoxy-2,5-dimethylbenzyl)amino]methyl)cyclohexyl)- N^4, N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

4-([(cis-4-[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino)cyclohexyl)methyl]amino)methyl)-2-fluoro-6-methoxyphenol;

N^4, N^4 -dimethyl- N^2 -[cis-4-([(1-phenyl-5-propyl-1H-pyrazol-4-yl)methyl]amino)methyl]cyclohexyl]-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -[cis-4-([(1-(4-chlorophenyl)-5-propyl-1H-pyrazol-4-yl)methyl]-amino)methyl]cyclohexyl)- N^4, N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -[cis-4-[2-(4-bromo-2-trifluoromethoxy-phenyl)-ethylamino]-cyclohexyl]- N^4, N^4 -dimethyl-5,6,7,8-tetrahydro-quinazoline-2,4-diamine;

N^2 -[cis-4-[2-(4-bromo-2-trifluoromethoxy-phenyl)-ethylamino]-cyclohexyl]- N^4 -methyl-5,6,7,8-tetrahydro-quinazoline-2,4-diamine;

N^2 -[cis-4-[(4-bromo-2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl]- N^4 -methyl-5,6,7,8-tetrahydro-quinazoline-2,4-diamine;

N^2 -[cis-4-[(4-bromo-2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl]- N^4, N^4 -dimethyl-5,6,7,8-tetrahydro-quinazoline-2,4-diamine;

N^4, N^4 -dimethyl- N^2 -[cis-4-[(2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl]-5,6,7,8-tetrahydro-quinazoline-2,4-diamine; and

N^4 -methyl- N^2 -[cis-4-[(2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl]-5,6,7,8-tetrahydro-quinazoline-2,4-diamine;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

35. The compound according to claim 34 selected from the group consisting of:

N^2 -(cis-4-([(5-methoxy-1H-indol-3-yl)methyl]amino)cyclohexyl)- N^4, N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

ethyl 4,6-dichloro-3-([(cis-4-[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino)cyclohexyl]amino)methyl]-1H-indole-2-carboxylate;

N^2 -[cis-4-([(3-(4-fluorophenyl)-1H-pyrazol-4-yl)methyl]amino)cyclohexyl]- N^4, N^4 -dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

3-[[2-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]ethyl](phenyl)amino]propanenitrile;

N-{(1S)-1-benzyl-2-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)amino]ethyl}-4-methylbenzenesulfonamide;

N²-[cis-4-({[1-(diphenylmethyl)azetidin-3-yl]methyl}amino)cyclohexyl]-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-(cis-4-{{[2,6-dimethoxybenzyl]amino}methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-[cis-4-({[(5-methoxy-1H-indol-3-yl)methyl]amino}methyl)cyclohexyl]-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-[cis-4-({[(5-bromo-1H-indol-3-yl)methyl]amino}methyl)cyclohexyl]-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-(cis-4-{{[3-ethoxy-4-methoxybenzyl]amino}methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

4-({[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)methyl]amino}methyl)-2-iodo-6-methoxyphenol;

N²-(cis-4-{{[3,3-diphenylprop-2-en-1-yl]amino}methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N⁴,N⁴-dimethyl-N²-(cis-4-{{[2,4,6-trimethoxybenzyl]amino}methyl}-cyclohexyl)-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-(cis-4-{{[2,5-diethoxybenzyl]amino}methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-(cis-4-{{[2,4-diethoxybenzyl]amino}methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-(cis-4-{{[3,5-dibromo-2-methoxybenzyl]amino}methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N⁴,N⁴-dimethyl-N²-(cis-4-{{[2,4,5-triethoxybenzyl]amino}methyl}-cyclohexyl)-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N⁴,N⁴-dimethyl-N²-(cis-4-{{[2,4,5-trimethoxybenzyl]amino}methyl}-cyclohexyl)-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N⁴,N⁴-dimethyl-N²-[cis-4-({[(1-phenyl-5-propyl-1H-pyrazol-4-yl)methyl]amino}methyl)cyclohexyl]-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N²-{cis-4-{{[1-(4-chlorophenyl)-5-propyl-1H-pyrazol-4-yl]methyl}-amino}methyl}cyclohexyl)-N⁴,N⁴-dimethyl-5,6,7,8-tetrahydroquinazoline-2,4-diamine;

N^2 -{cis-4-[2-(4-bromo-2-trifluoromethoxy-phenyl)-ethylamino]-cyclohexyl}-
 N^4,N^4 -dimethyl-5,6,7,8-tetrahydro-quinazoline-2,4-diamine;
 N^2 -{cis-4-[(4-bromo-2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl}- N^4 -
methyl-5,6,7,8-tetrahydro-quinazoline-2,4-diamine;
 N^2 -{cis-4-[(4-bromo-2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl}-
 N^4,N^4 -dimethyl-5,6,7,8-tetrahydro-quinazoline-2,4-diamine; and
 N^4,N^4 -dimethyl- N^2 -{cis-4-[(2-trifluoromethoxy-benzyl)amino-methyl]-
cyclohexyl}-5,6,7,8-tetrahydro-quinazoline-2,4-diamine;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

36. The compound according to claim 29 wherein R_1 is selected from the group consisting of:

- (i) C_{1-5} alkyl, and
 C_{1-5} alkyl substituted by substituent(s) independently selected from the
group consisting of:
 - oxo,
 - C_{1-5} alkoxy,
 - C_{1-5} alkoxy substituted by carbocyclic aryl,
 - C_{1-5} alkylcarbonyloxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by nitro,
 - heterocyclyloxy,
 - heterocyclyloxy substituted by C_{1-5} alkyl,
 - mono- C_{1-5} alkylaminocarbonyl,
 - di- C_{1-5} alkylaminocarbonyl,
 - carbocyclic arylcarbonylamino,
 - C_{1-5} alkylthio,
 - C_{1-5} alkylthio substituted by substituent(s) independently selected from
the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by substituent(s) independently
selected from the group consisting of:
 - halogen, and
 - C_{1-5} alkoxy,
 - carbocyclic arylthio,

- heterocyclylthio,
- heterocyclylthio substituted by C₁₋₅ alkyl,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkenyl,
- carbocyclyl,
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₂₋₅ alkenyl, and
 - C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkylsulfinyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo,
 - carbocyclic aryl, and
 - heterocyclyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryloxy,
 - mono-carbocyclic arylaminocarbonyl,
 - mono-carbocyclic arylaminocarbonyl substituted by halogen,
 - di-carbocyclic arylaminocarbonyl,
 - di-carbocyclic arylaminocarbonyl substituted by halogen,

- carbocyclic aryl, and
- heterocyclyl,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen,
- (ii) C₂₋₅ alkenyl, and
 C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - nitro,
- (iii) C₃₋₆ cycloalkyl, and
 C₃₋₆ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo, and
 - carbocyclic aryl,
 - carbocyclic aryl,
- (iv) carbocyclyl,
- (v) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - cyano,
 - nitro,

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - oxo,
 - carbocyclic aryloxy,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkyl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - carbocyclic aryl,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
- mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- amino,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- C₂₋₅ alkynylcarbonylamino,
- C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
- (carbocyclic aryl)NHC(O)NH,
- (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy,
- (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by halogen,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by cyano,
- mono-C₁₋₅ alkylaminosulfonyl,
- di-C₁₋₅ alkylaminosulfonyl,
- carbocyclic aryl,
- heterocyclyl,

•heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- carbocyclic aryl, and
- halogenated carbocyclic aryl,

(vi) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by carbocyclic aryl,
- C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
- carbocyclic aryl,
- carbocyclic aryl substituted by halogen, and
- heterocyclyl,

- C₁₋₅ alkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by C₁₋₅ alkyl,
- C₁₋₅ alkylthio,
- C₂₋₅ alkenylthio,
- carbocyclic arylthio,
- C₁₋₅ alkylsulfonyl,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by C₁₋₅ alkyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro, and
- C₁₋₅ alkyl,

•heterocyclyl;

L is Formula (VII);

Y is -C(O)-;

wherein carbocyclic aryl is phenyl, naphthyl, or anthranyl;

carbocyclyl is 1,2,3,4-tetrahydronaphthyl, 1-oxo-indanyl, 9-oxo-9H-fluorenyl, or indenyl;

heterocyclyl is 1,2,3-triazolyl, 1*H*-indolyl, 1*H*-pyrrolyl, 2,3-dihydro-1-oxo-isindolyl, 2,4-dihydro-3-oxo-pyrazolyl, 2*H*-benzopyranyl, 2-oxo-benzopyranyl, 4-oxo-1,5,6,7-tetrahydro-indolyl, 9*H*-xanthenyl, benzo[1,3]dioxolyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[b]thienyl, benzofuryl, benzothiazolyl, furyl, isoxazolyl, morpholino, pyrazolyl, pyridyl, pyrimidyl, quinolyl, quinoxalyl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

37. The compound according to claim 36 wherein R₂ is methylamino or dimethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

38. The compound according to claim 37 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
- oxo,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - C₁₋₅ alkylcarbonyloxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - mono-C₁₋₅ alkylaminocarbonyl,
 - di-C₁₋₅ alkylaminocarbonyl,
 - carbocyclic arylcarbonylamino,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by substituent(s) independently selected from the group consisting of:

- carbocyclic aryl, and
- carbocyclic aryl substituted by halogen,
- heterocyclylthio,
- heterocyclylthio substituted by C₁₋₅ alkyl,
- C₃₋₆ cycloalkyl,
- carbocyclyl,
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₂₋₅ alkenyl, and
 - C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkylsulfinyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo, and
 - heterocyclyl,
 - C₁₋₅ alkoxy,
 - carbocyclic aryloxy,
 - carbocyclic aryl, and
 - heterocyclyl,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy, and

- carbocyclic aryl,
- (ii) C₂₋₅ alkenyl, and
C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by nitro,
- (iii) C₃₋₆ cycloalkyl, and
C₃₋₆ cycloalkyl substituted by carbocyclic aryl,
- (iv) carbocyclyl,
- (v) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - cyano,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - oxo, and
 - carbocyclic aryl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - mono-C₁₋₅ alkylaminocarbonyl,
 - di-C₁₋₅ alkylaminocarbonyl,
 - mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
 - di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,

- C₂₋₅ alkynylcarbonylamino,
 - C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
 - (carbocyclic aryl)NHC(O)NH,
 - (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy, and
 - (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
- (vi) heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by carbocyclic aryl,
 - C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
 - carbocyclic aryl, and
 - heterocyclyl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkylthio,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro, and
 - C₁₋₅ alkyl,
 - heterocyclyl;
- wherein carbocyclic aryl is phenyl;
- carbocyclyl is 1-oxo-indanyl or indenyl;
- heterocyclyl is 1,2,3-triazolyl, 1*H*-indolyl, 1*H*-pyrrolyl, 2,3-dihydro-1-oxo-isoindolyl, 2-oxo-benzopyranyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, furyl, isoxazolyl, morpholino, pyrazolyl, pyridyl, pyrimidyl, quinolyl, quinoxalyl, thiazolyl, or thienyl;

halogen is fluoro, chloro, bromo, or iodo;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

39. The compound according to claim 38 wherein R_1 is selected from the group consisting of:

- (i) C_{1-5} alkyl, and
 C_{1-5} alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo,
 - C_{1-5} alkylcarbonyloxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - mono- C_{1-5} alkylaminocarbonyl,
 - di- C_{1-5} alkylaminocarbonyl,
 - carbocyclic arylcarbonylamino,
 - carbocyclyl,
 - carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C_{1-5} alkyl,
 - C_{2-5} alkenyl, and
 - C_{2-5} alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C_{1-5} alkylsulfinyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - nitro,
 - C_{1-5} alkyl, and
 - C_{1-5} alkoxy,
 - heterocyclyl, and
 - heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
 - C₁₋₅ alkoxy, and
 - carbocyclic aryl,
- (ii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - hydroxy,
 - cyano,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - oxo,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - mono-C₁₋₅ alkylaminocarbonyl,
 - di-C₁₋₅ alkylaminocarbonyl,
 - mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
 - di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
 - C₂₋₅ alkynylcarbonylamino,
 - C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
 - (carbocyclic aryl)NHC(O)NH,
 - (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy, and
 - (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
- (iii) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,

- C₁₋₅ alkyl substituted by heterocyclyl,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by C₁₋₅ alkyl,
- C₁₋₅ alkylthio,
- carbocyclic aryl,
- carbocyclic aryl substituted by halogen, and
- carbocyclic aryl substituted by nitro;

wherein carbocyclic aryl is phenyl;

carbocyclyl is indenyl;

heterocyclyl is 1*H*-indolyl, 1*H*-pyrrolyl, 2-oxo-benzopyranyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, furyl, isoxazolyl, morpholino, pyridyl, quinoxalyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

40. The compound according to claim 1 selected from the group consisting of:

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-methoxybenzamide;

3-bromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

4-bromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2,1,3-benzoxadiazole-5-carboxamide;

3-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

4-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

4-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-3-nitrobenzamide;

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)acetamide;

3-cyano-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

3,5-dichloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

3,4-dichloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2,2-diphenylacetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,4-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,5-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-fluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-fluoro-5-(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)hexanamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-methyl-3-nitrobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-nitrobenzamide;

(2R)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-phenylcyclopropanecarboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-phenoxybutanamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-phenoxypropanamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-methylbenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-methylbenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-(trifluoromethoxy)benzamide;

4-bromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-3-methylbenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-iodobenzamide;

2-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-4-fluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(3-methoxyphenyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(4-fluorophenyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(4-methoxyphenyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-5-methyl-2-(trifluoromethyl)-3-furamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2,5-dimethyl-3-furamide;

3-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-4-fluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-fluoro-4-methylbenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-fluoro-3-methylbenzamide;

2,5-dichloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)thiophene-3-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(propylthio)nicotinamide;

1-benzyl-3-tert-butyl-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-1H-pyrazole-5-carboxamide;

5-bromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)nicotinamide;

2-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)amino]-2-oxo-1-phenylethyl acetate;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)benzamide;
 2-(benzyloxy)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)acetamide;
 2-(4-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)acetamide;
 3-(2-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-5-methylisoxazole-4-carboxamide;
 1-(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)cyclopentanecarboxamide;
 3-(2-chloro-6-fluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-5-methylisoxazole-4-carboxamide;
 N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-1,3-dimethyl-1H-pyrazole-5-carboxamide;
 N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-3-fluorobenzamide;
 N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-4-fluoro-3-(trifluoromethyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-5-methyl-2-phenyl-2H-1,2,3-triazole-4-carboxamide;
 N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-2-(4-methoxyphenoxy)-5-nitrobenzamide;
 N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-5-nitro-2-furamide;
 N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-2-phenoxyacetamide;
 N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)quinoxaline-2-carboxamide;
 N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-3-(trifluoromethyl)benzamide;
 2-(3-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)acetamide;
 3-(2,6-dichlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-5-methylisoxazole-4-carboxamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-2-phenoxy nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-2-(4-methylphenoxy)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-2-(2-thienyl)-1,3-thiazole-4-carboxamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino} cyclohexyl)thiophene-2-carboxamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-2-(2,3,6-trichlorophenyl)acetamide;

2-(2-chloro-4-fluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino} cyclohexyl)acetamide;

5-(4-chloro-2-nitrophenyl)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino} cyclohexyl)-2-furamide;

5-chloro-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino} cyclohexyl)thiophene-2-carboxamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-2,3-diphenylpropanamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-3-(2-hydroxyphenyl)propanamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-5-iodo-2-furamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-2-(2-iodophenyl)acetamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-2-(5-methoxy-2-methyl-1H-indol-3-yl)acetamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-3-oxoindane-1-carboxamide;

2-benzyl-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino} cyclohexyl)benzamide;

2,2-bis(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino} cyclohexyl)acetamide;

N-(cis-4-{{4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl}amino}-cyclohexyl)-5-(4-methyl-2-nitrophenyl)-2-furamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-5-nitrothiophene-2-carboxamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-methyl-4-nitrobenzamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-methoxy-4-nitrobenzamide;
 3-acetyl-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;
 5-bromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-furamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-[(4-methylpyrimidin-2-yl)thio]acetamide;
 5-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-furamide;
 2-(3,4-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)acetamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(4-hydroxy-3,5-dimethoxyphenyl)acetamide;
 4,5-dibromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)thiophene-2-carboxamide;
 N²,N⁶-dibenzoyl-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)lysineamide;
 3-(dimethylamino)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;
 4,5-dibromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-furamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-(4-fluorophenyl)-4-oxobutanamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(2-fluorobiphenyl-4-yl)propanamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-[4-(1-oxo-1,3-dihydro-2H-indol-2-yl)phenyl]propanamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(1H-indol-3-yl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(7-methoxy-2-oxo-2H-chromen-4-yl)acetamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(1H-indol-3-yl)-4-oxo-4-phenylbutanamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,5-dimethyl-2-[(4-(trifluoromethoxy)phenyl)amino]carbonyl]amino]-benzamide;
 3,5-dichloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-[(3-phenylprop-2-ynoyl)amino]benzamide;
 4-(4-tert-butylphenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-(7-ethyl-1H-indol-3-yl)-4-oxobutanamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(1-methyl-1H-indol-3-yl)-4-(4-methylphenyl)-4-oxobutanamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-methyl-1-(3-morpholin-4-ylpropyl)-5-phenyl-1H-pyrrole-3-carboxamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-(4-nitrophenyl)butanamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(3-phenoxyphenyl)acetamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(4-phenoxyphenyl)acetamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(2-phenyl-1H-indol-3-yl)acetamide;
 N²-benzoyl-N⁵-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-N¹,N¹-dipropylglutamamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-phenoxybenzamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(ethylthio)-2,2-diphenylacetamide;
 N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N,N-bis[(1S)-1-phenylethyl]phthalamide;
 (2S)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-(2-fluorobiphenyl-4-yl)propanamide;
 2-[(4-chlorobenzyl)thio]-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-4-(4-methylphenyl)-4-oxobutanamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-{(1E)-5-fluoro-2-methyl-1-[4-(methylsulfinyl)benzylidene]-1H-inden-3-yl}acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-[4-(2-thienylcarbonyl)phenyl]propanamide;

3-(benzyloxy)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-4-methoxybenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-methyl-1,5-diphenyl-1H-pyrrole-3-carboxamide;

1-{2-[(2-chloro-6-fluorobenzyl)thio]ethyl}-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-methyl-5-phenyl-1H-pyrrole-3-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-phenoxybenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-phenylquinoline-4-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-5-(3-nitrophenyl)-2-furamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-5-nitrothiophene-3-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-1-methyl-4-nitro-1H-pyrrole-2-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-methoxy-4-nitrobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-methoxy-2-phenylacetamide;

5-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-hydroxybenzamide;

3-bromo-N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)methyl]benzamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-2-(ethylthio)nicotinamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-2-(4-methoxyphenyl)acetamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-5-methyl-2-(trifluoromethyl)-3-furamide;

(2E)-N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]-3-(4-nitrophenyl)acrylamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-4-fluoro-3-methylbenzamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-2-(propylthio)nicotinamide;

2,6-dichloro-N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]benzamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-2,4,6-trimethylbenzamide;

2-chloro-N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]-6-fluorobenzamide;

2,4,6-trichloro-N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]benzamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-2-(2,3,6-trichlorophenyl)acetamide;

(2E)-N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]-3-(3-nitrophenyl)acrylamide; and

N-[cis-4-(4-dimethylamino-5,6,7,8-tetrahydro-quinazolin-2-ylamino)-cyclohexylmethyl]-3,4-difluoro-benzamide;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

41. The compound according to claim 40 selected from the group consisting of:

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-methoxybenzamide;

3-bromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2,1,3-benzoxadiazole-5-carboxamide;

3-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)benzamide;

4-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)benzamide;

4-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-3-nitrobenzamide;

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)acetamide;

3-cyano-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

3,5-dichloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

3,4-dichloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2,2-diphenylacetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,4-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,5-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-fluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-fluoro-5-(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-methyl-3-nitrobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-nitrobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-phenoxybutanamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-phenoxypropanamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-methylbenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-iodobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(4-fluorophenyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2,5-dimethyl-3-furamide;
 3-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-4-fluorobenzamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,5-dimethoxybenzamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-fluoro-3-methylbenzamide;
 2,5-dichloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)thiophene-3-carboxamide;
 5-bromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)nicotinamide;
 2-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)amino]-2-oxo-1-phenylethyl acetate;
 3-(2-chloro-6-fluorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-5-methylisoxazole-4-carboxamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-fluorobenzamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-fluoro-3-(trifluoromethyl)benzamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(4-methoxyphenoxy)-5-nitrobenzamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-5-nitro-2-furamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-phenoxyacetamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)quinoxaline-2-carboxamide;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-(trifluoromethyl)benzamide;
 2-(3-chlorophenoxy)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)acetamide;

3-(2,6-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-5-methylisoxazole-4-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(4-methylphenoxy)nicotinamide;

2-(2-chloro-4-fluorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)acetamide;

5-(4-chloro-2-nitrophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-furamide;

5-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)thiophene-2-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-5-iodo-2-furamide;

2,2-bis(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-5-nitrothiophene-2-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-methyl-4-nitrobenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-methoxy-4-nitrobenzamide;

3-acetyl-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)benzamide;

5-bromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-furamide;

5-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-furamide;

2-(3,4-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(4-hydroxy-3,5-dimethoxyphenyl)acetamide;

4,5-dibromo-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-furamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(1H-indol-3-yl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(7-methoxy-2-oxo-2H-chromen-4-yl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3,5-dimethyl-2-[(4-(trifluoromethoxy)phenyl)amino]carbonylamino]-benzamide;

3,5-dichloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-[(3-phenylprop-2-ynoyl)amino]benzamide;

4-(4-tert-butylphenyl)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-(7-ethyl-1H-indol-3-yl)-4-oxobutanamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-methyl-1-(3-morpholin-4-ylpropyl)-5-phenyl-1H-pyrrole-3-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-4-(4-nitrophenyl)butanamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-(2-phenyl-1H-indol-3-yl)acetamide;

N²-benzoyl-N⁵-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-N¹,N¹-dipropylglutamamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-3-phenoxybenzamide;

N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N,N-bis[(1S)-1-phenylethyl]phthalamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-[(1E)-5-fluoro-2-methyl-1-[4-(methylsulfinyl)benzylidene]-1H-inden-3-yl]acetamide;

3-(benzyloxy)-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-4-methoxybenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-2-phenoxybenzamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-5-nitrothiophene-3-carboxamide;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-1-methyl-4-nitro-1H-pyrrole-2-carboxamide;

5-chloro-N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)-2-hydroxybenzamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-2-(ethylthio)nicotinamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-2-(4-methoxyphenyl)acetamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-5-methyl-2-(trifluoromethyl)-3-furamide;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-2-(propylthio)nicotinamide; and

2,4,6-trichloro-N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)methyl]benzamide;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

42. The compound according to claim 29 wherein R₁ is selected from the group consisting of:

(i) C₁₋₅ alkyl, and

C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

•oxo,

•C₁₋₅ alkoxy carbonyl,

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••C₁₋₅ alkyl,

••C₂₋₅ alkenyl, and

••C₁₋₅ alkoxy,

•C₁₋₅ alkylthio, and

•heterocyclyl,

(ii) C₃₋₆ cycloalkyl, and

C₃₋₆ cycloalkyl substituted by carbocyclic aryl,

(iii) carbocyclyl,

(iv) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•cyano,

- nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - oxo, and
 - carbocyclic aryl,
 - C₁₋₅ alkoxy carbonyl,
 - C₁₋₇ alkoxy,
 - C₁₋₇ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - carbocyclic aryl,
 - C₃₋₆ cycloalkoxy,
 - carbocyclic aryloxy,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by halogen, and
 - carbocyclic aryl,
- (v) heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy carbonyl
 - C₁₋₅ alkoxy carbonyl substituted by carbocyclic aryl, and
 - carbocyclic aryl;
- L is Formula (VII);
- Y is -C(O)NR₅-;
- wherein carbocyclic aryl is phenyl or naphthyl;
- carbocyclyl is indanyl, adamantyl, or 9H-fluorenyl;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl, 3,4-dihydro-2*H*-benzo[b][1,4]dioxepinyl, 4*H*-benzo[1,3]dioxinyl, benzo[1,3]dioxolyl, furyl, isoxazolyl, piperidyl, pyridyl, or thienyl;

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

43. The compound according to claim 42 wherein R₂ is methylamino or dimethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; R₅ is hydrogen; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
44. The compound according to claim 43 wherein R₁ is selected from the group consisting of:
- (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkoxy carbonyl,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen,
 - (ii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen,
 - (iii) heterocyclyl, and
heterocyclyl substituted by C₁₋₅ alkyl, and
heterocyclyl substituted by carbocyclic aryl;
wherein carbocyclic aryl is phenyl or naphthyl;
heterocyclyl is isoxazolyl;
halogen is fluoro, chloro, bromo, or iodo;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
45. The compound according to claim 1 selected from the group consisting of:

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2-ethyl-6-methylphenyl)urea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(4-fluorophenyl)urea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-mesitylurea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2,4,6-trichlorophenyl)urea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2,4,6-tribromophenyl)urea;
 N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;
 N-(2,6-diethylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;
 N-(2-chlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2-ethyl-6-isopropylphenyl)urea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2-ethylphenyl)urea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2-isopropyl-6-methylphenyl)urea;
 N-(2-tert-butyl-6-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(diphenylmethyl)urea;
 N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(3-methyl-5-phenylisoxazol-4-yl)urea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-1-naphthylurea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-[1-(1-naphthyl)ethyl]urea;

N-(2,4-dibromophenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-(2,4-dichlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-(2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2-ethoxyphenyl)urea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2-fluorobenzyl)urea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(3,4,5-trimethoxyphenyl)urea;

N-(3,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-(4-chloro-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(4-fluorobenzyl)urea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(4-methoxy-2-methylphenyl)urea;

N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-[1-(4-bromophenyl)ethyl]-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-(4-bromo-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(5-methyl-3-phenylisoxazol-4-yl)urea;

N-(2,3-dichlorophenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(4-methylphenyl)urea;

N-(2,6-diisopropylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2,4,5-trichlorophenyl)urea;

N-(2,5-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)urea;

N-(4-bromo-2-chlorophenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-[2-(trifluoromethoxy)phenyl]urea;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(2,6-dimethylphenyl)urea;

N-(2,4-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(2-ethyl-6-methylphenyl)urea;

ethyl N-([(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]amino)carbonyl)leucinate;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(4-fluorophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-mesitylurea;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(2,4,6-trichlorophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(2,4,6-tribromophenyl)urea;

N-(2,6-diethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-[2-chloro-6-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(2-chloro-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(2-ethyl-6-isopropylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(2-isopropyl-6-methylphenyl)urea;

N-(2-tert-butyl-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]urea;
 N-(2-tert-butylphenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]urea;
 N-(3-chloro-2-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]urea;
 N-(4-bromo-2,6-dimethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]urea;
 N-(2,6-diisopropylphenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]urea;
 N-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(2,3-dimethyl-6-nitrophenyl)urea;
 N-(2,6-dibromo-4-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]urea;
 N-(2,6-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)methyl]urea; and
 1-(2,3-dichloro-phenyl)-3-[cis-4-(4-dimethylamino-5,6,7,8-tetrahydro-quinazolin-2-ylamino)-cyclohexylmethyl]-urea;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

46. The compound according to claim 29 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₈ alkyl, and
 C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - C₃₋₆ cycloalkyl,
 - C₃₋₆ cycloalkenyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkoxy,
 - heterocyclyl,

- (ii) C₂₋₅ alkynyl,
- (iii) C₂₋₅ alkenyl,
- (iv) C₃₋₁₂ cycloalkyl,
- (v) carbocyclyl,
- (vi) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from
 the group consisting of:
 - halogen,
 - cyano,
 - nitro,
 - C₁₋₁₀ alkyl,
 - C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the
 group consisting of:
 - halogen, and
 - oxo,
 - carboxy,
 - C₁₋₅ alkoxy carbonyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by substituent(s) independently selected from the
 group consisting of:
 - halogen, and
 - carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by nitro,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - C₁₋₅ alkoxy carbonylamino,
 - carbocyclic aryl azo,
 - carbocyclic aryl azo substituted by substituent(s) independently selected
 from the group consisting of:
 - mono-C₁₋₅ alkylamino, and
 - di-C₁₋₅ alkylamino,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by halogen,
 - carbocyclic arylthio,

- carbocyclic arylthio substituted by nitro,
 - amino sulfonyl,
 - heterocyclyl sulfonyl,
 - C₃₋₆ cycloalkyl,
 - C₃₋₆ cycloalkyl substituted by C₁₋₅ alkyl,
 - carbocyclic aryl, and
 - heterocyclyl,
- (vii) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- C₁₋₅ alkyl,
 - C₁₋₅ alkoxy carbonyl,
 - carbocyclic aryloxy,
 - carbocyclic aryl, and
 - heterocyclyl;
- L is Formula (VII);
Y is -C(S)NR₅;
- wherein carbocyclic aryl is phenyl or naphthyl;
carbocyclyl is indanyl, bicyclo[2.2.1]heptyl, bicyclo[2.2.1]heptenyl, or adamantly;
- heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl, 4,5,6,7-tetrahydro-benzo[b]thienyl, benzo[1,3]dioxolyl, benzo[2,1,3]thiadiazolyl, furyl, isoxazolyl, morpholinyl, oxazolyl, phenanthro[9,10-d]oxazolyl, piperidyl, pyrazolyl, pyridyl, tetrahydrofuryl, or thienyl; and
- halogen is fluoro, chloro, bromo, or iodo;
- or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

47. The compound according to claim 46 wherein R₂ is methylamino or dimethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; R₅ is hydrogen; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
48. The compound according to claim 47 wherein R₁ is selected from the group consisting of:
- (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by carbocyclic aryl,
 - (ii) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- mono-C₁₋₅ alkylamino, and
- di-C₁₋₅ alkylamino;

wherein carbocyclic aryl is phenyl or naphthyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

49. The compound according to claim 1 selected from the group consisting of:

N-(2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(3,4,5-trimethoxyphenyl)thiourea;

N-(3,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)thiourea;

N-[4-(dimethylamino)-1-naphthyl]-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2-methoxy-5-methylphenyl)thiourea;

N-(4-bromo-2-chlorophenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(4-iodophenyl)thiourea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2,4,6-tribromophenyl)thiourea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2,4,6-trichlorophenyl)thiourea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-mesitylthiourea;

N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2,4-dimethylphenyl)thiourea;
 N-(2,6-diethylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-(4-bromo-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-[4-bromo-2-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-(4-chloro-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-[4-chloro-2-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(4-fluoro-2-methylphenyl)thiourea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(4-methoxy-2-methylphenyl)thiourea;
 N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-(2,4-dichloro-6-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2-ethoxyphenyl)thiourea;
 N-[4-bromo-2-(trifluoromethoxy)phenyl]-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea;
 N-(4-chloro-2,5-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino} cyclohexyl)thiourea; and
 N-(cis-4-{[4-(dimethylamino)-5,6,7,8-tetrahydroquinazolin-2-yl]amino}-cyclohexyl)-N'-(2,2-diphenylethyl)thiourea;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

50. The compound according to claim 29 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₈ alkyl, and
 C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro, and
 - C₁₋₅ alkoxy,
- (ii) C₂₋₅ alkenyl,
- (iii) carbocyclyl,
- (iv) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen, and
 - C₁₋₅ alkoxy;
- L is Formula (VII);
 Y is -C(O)O-;
 wherein carbocyclic aryl is phenyl or naphthyl;
 carbocyclyl is 9*H*-fluorenyl or menthyl; and
 halogen is fluoro, chloro, bromo, or iodo;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

51. The compound according to claim 50 wherein R₂ is methylamino or dimethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
52. The compound according to claim 2 wherein Q is Formula (IV); p is 0; R₁ is selected from the group consisting of:

- (i) C₁₋₈ alkyl, and
C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - oxo,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - C₁₋₅ alkylcarbonyloxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by nitro,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - heterocyclyloxy,
 - heterocyclyloxy substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkoxycarbonyl,
 - mono-C₁₋₅ alkylaminocarbonyl,
 - di-C₁₋₅ alkylaminocarbonyl,
 - mono-C₁₋₅ alkylamino,
 - mono-C₁₋₅ alkylamino substituted by cyano,
 - mono-C₁₋₅ alkylamino substituted by carbocyclic aryl,
 - di-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino substituted by cyano,
 - di-C₁₋₅ alkylamino substituted by carbocyclic aryl,
 - mono-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by C₁₋₅ alkyl,
 - di-carbocyclic arylamino,
 - di-carbocyclic arylamino substituted by C₁₋₅ alkyl,
 - C₁₋₅ alkoxycarbonylamino,
 - carbocyclic arylcarbonylamino,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen, and
 - carbocyclic aryl substituted by C₁₋₅ alkoxy,

- carbocyclic arylthio,
- heterocyclylthio,
- heterocyclylthio substituted by nitro,
- heterocyclylthio substituted by C₁₋₅ alkyl,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkenyl,
- carbocyclyl,
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₂₋₅ alkenyl, and
 - C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkylsulfinyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo,
 - carbocyclic aryl, and
 - heterocyclyl,
 - C₂₋₅ alkenyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryl, and

- heterocyclyl,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by carbocyclic aryl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen,
- (ii) C₂₋₇ alkenyl, and
 C₂₋₇ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro, and
 - C₁₋₅ alkoxy,
- (iii) C₂₋₅ alkynyl, and
 C₂₋₅ alkynyl substituted by carbocyclic aryl,
- (iv) C₃₋₆ cycloalkyl, and
 C₃₋₆ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by oxo,
 - C₁₋₅ alkyl substituted by carbocyclic aryl, and
 - carbocyclic aryl,
- (v) carbocyclyl,
- (vi) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - cyano,

- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - oxo,
 - carbocyclic aryloxy,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkyl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - carbocyclic aryl, and
 - halogenated carbocyclic aryl,
- C₂₋₅ alkenyloxy,
- C₃₋₆ cycloalkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
- C₁₋₅ alkoxycarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
- amino,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by cyano,
- di-C₁₋₅ alkylamino substituted by cyano,
- C₂₋₅ alkynylcarbonylamino,
- C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
- (carbocyclic aryl)NHC(O)NH,
- (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy,
- (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
- C₁₋₅ alkylthio,

- C₁₋₅ alkylthio substituted by halogen,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by cyano,
- mono-C₁₋₅ alkylaminosulfonyl,
- di-C₁₋₅ alkylaminosulfonyl,
- carbocyclic aryl,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- carbocyclic aryl, and
- halogenated carbocyclic aryl,

- (vii) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by carbocyclic aryl,
- C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
- carbocyclic aryl,
- carbocyclic aryl substituted by halogen, and
- heterocyclyl,

- C₁₋₅ alkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by C₁₋₅ alkyl,
- C₁₋₅ alkylthio,
- C₂₋₅ alkenylthio,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by C₁₋₅ alkoxycarbonyl,

- C₁₋₅ alkylsulfonyl,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by C₁₋₅ alkyl,
- C₁₋₅ alkoxy carbonyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,

•heterocyclyl;

wherein carbocyclic aryl is phenyl, naphthyl, or anthranyl;

carbocyclyl is 1,2,3,4-tetrahydronaphthyl, 1-oxo-indanyl, 9-fluorenyl, 9-oxo-9H-fluorenyl, bicyclo[2.2.1]heptyl, indenyl, or menthyl;

heterocyclyl is 1,2,3-triazolyl, 1H-indolyl, 1H-pyrrolyl, 2,3-dihydro-1-oxo-isindolyl, 2,3-dihydro-benzo[1,4]dioxinyl, 2,3-dihydro-benzofuryl, 2,4-dihydro-3-oxo-pyrazolyl, 2H-benzopyranyl, 2-oxo-benzopyranyl, 3,4-dihydro-2H-benzo[b][1,4]dioxepinyl, 4-oxo-1,5,6,7-tetrahydro-indolyl, 4-oxo-benzopyranyl, 9H-carbazolyl, 9H-xanthenyl, benzo[1,3]dioxolyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[b]thienyl, benzofuryl, benzothiazolyl, furyl, imidazo[2,1-b]thiazolyl, imidazolyl, isoxazolyl, morpholino, pyrazolyl, pyridyl, pyrimidyl, quinolyl, quinoxalyl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

53. The compound according to claim 52 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₇ alkyl, and
C₁₋₇ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - mono-C₁₋₅ alkylamino,

•mono- C_{1-5} alkylamino substituted by substituent(s) independently selected from the group consisting of:

- cyano, and
- carbocyclic aryl,

•di- C_{1-5} alkylamino,

•di- C_{1-5} alkylamino substituted by substituent(s) independently selected from the group consisting of:

- cyano, and
- carbocyclic aryl,

•mono-carbocyclic arylamino,

•di-carbocyclic arylamino,

•mono-carbocyclic arylamino substituted by C_{1-5} alkyl,

•di-carbocyclic arylamino substituted by C_{1-5} alkyl,

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C_{1-5} alkyl, and
- C_{1-5} alkoxy,

(ii) C_{2-7} alkenyl, and

C_{2-7} alkenyl substituted by substituent(s) independently selected from the group consisting of:

- carbocyclic aryl, and
- carbocyclic aryl substituted by C_{1-5} alkoxy,

(iii) C_{2-5} alkynyl, and

C_{2-5} alkynyl substituted by carbocyclic aryl,

(iv) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- cyano,
- C_{1-5} alkyl,
- C_{1-5} alkyl substituted by halogen,
- C_{1-5} alkoxy,

•C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- carbocyclic aryl, and
- carbocyclic aryl substituted by halogen,

- C₂₋₅ alkenyloxy,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- mono-C₁₋₅ alkylamino substituted by cyano,
- di-C₁₋₅ alkylamino substituted by cyano,
- C₁₋₅ alkylthio, and
- C₁₋₅ alkylthio substituted by halogen,

(v) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by hydroxy,
- C₁₋₅ alkoxy,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by C₁₋₅ alkoxy carbonyl,
- C₁₋₅ alkoxy carbonyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by halogen;

L is Formula (VII);

Y is a single bond or -CH₂-;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 1*H*-indolyl, 1*H*-pyrrolyl, 2,3-dihydro-benzo[1,4]dioxinyl, 4-oxo-benzopyranyl, 9*H*-carbazolyl, benzo[1,3]dioxolyl, benzo[*b*]thienyl, furyl, imidazo[2,1-*b*]thiazolyl, pyrazolyl, pyridyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

54. The compound according to claim 53 wherein R_2 is methylamino, or dimethylamino; p is 0; R_3 and R_4 are hydrogen; A is a single bond; B is a single bond or $-CH_2-$; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
55. The compound according to claim 54 wherein R_1 is selected from the group consisting of:
- (i) C_{2-5} alkenyl, and
 C_{2-5} alkenyl substituted by carbocyclic aryl,
 - (ii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - C_{1-5} alkyl,
 - C_{1-5} alkoxy,
 - C_{1-5} alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen,
 - C_{2-5} alkenyloxy,
 - mono- C_{1-5} alkylamino,
 - di- C_{1-5} alkylamino,
 - mono- C_{1-5} alkylamino substituted by cyano, and
 - di- C_{1-5} alkylamino substituted by cyano,
 - (iii) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C_{1-5} alkyl,
 - C_{1-5} alkoxy,
 - C_{1-5} alkoxy carbonyl,
 - carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by halogen;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 1*H*-indolyl, 9*H*-carbazolyl, benzo[1,3]dioxolyl, pyrazolyl, or pyridyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

56. The compound according to claim 55 wherein R₁ is selected from the group consisting of:

- (i) C₂₋₅ alkenyl, and
C₂₋₅ alkenyl substituted by carbocyclic aryl,
- (ii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen,
 - C₂₋₅ alkenyloxy,
- (iii) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxycarbonyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by C₁₋₅ alkyl, and
 - carbocyclic aryl substituted by halogenated C₁₋₅ alkyl;

wherein carbocyclic aryl is phenyl or naphthyl;
heterocyclyl is 1*H*-indolyl, 9*H*-carbazolyl, benzo[1,3]dioxolyl, or

pyrazolyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

57. The compound according to claim 1 selected from the group consisting of:

N^2 -(cis-4-([(5-bromo-1H-indol-3-yl)methyl]amino)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-([5-(4-fluorophenyl)pyridin-3-yl]methyl)amino)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

ethyl 4,6-dichloro-3-([(cis-4-([4-(dimethylamino)pyrimidin-2-yl]amino)-cyclohexyl)amino]methyl)-1H-indole-2-carboxylate;

N^2 -(cis-4-([(2,6-dimethoxybenzyl)amino]methyl)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-([(2-ethoxybenzyl)amino]methyl)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-([(4-methoxy-1-naphthyl)methyl]amino)methyl)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-([(5-methoxy-1H-indol-3-yl)methyl]amino)methyl)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-([(2-methoxy-1-naphthyl)methyl]amino)methyl)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

4-bromo-2-([(cis-4-([4-(dimethylamino)pyrimidin-2-yl]amino)-cyclohexyl)methyl]amino)methyl)-6-methoxyphenol;

N^2 -(cis-4-([(5-bromo-1H-indol-3-yl)methyl]amino)methyl)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-([(2,4-dimethoxybenzyl)amino]methyl)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

N^4 , N^4 -dimethyl- N^2 -(cis-4-([(2,3,4-trimethoxybenzyl)amino]methyl)-cyclohexyl)pyrimidine-2,4-diamine;

N^2 -(cis-4-([(3-ethoxy-4-methoxybenzyl)amino]methyl)cyclohexyl)- N^4 , N^4 -dimethylpyrimidine-2,4-diamine;

N^4 , N^4 -dimethyl- N^2 -(cis-4-([(3-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl)methyl]amino]methyl)cyclohexyl)pyrimidine-2,4-diamine;

N^4 , N^4 -dimethyl- N^2 -(cis-4-([(3,4,5-trimethoxybenzyl)amino]methyl)-cyclohexyl)pyrimidine-2,4-diamine;

4-([[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-methyl]amino} methyl)-2-iodo-6-methoxyphenol;

4-([[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-amino} methyl)-2,6-dimethylphenol;

N²-(cis-4-{[(5-bromo-2,4-dimethoxybenzyl)amino]methyl} cyclohexyl)-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N²-(cis-4-{[(5-bromo-2-methoxybenzyl)amino]methyl} cyclohexyl)-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N²-[cis-4-([4-(diethylamino)benzyl]amino) methyl]cyclohexyl]-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N²-[cis-4-([9-ethyl-9H-carbazol-3-yl)methyl]amino) methyl]cyclohexyl]-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N²-(cis-4-{[(4-isopropoxybenzyl)amino]methyl} cyclohexyl)-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N²-(cis-4-{[(3,3-diphenylprop-2-en-1-yl)amino]methyl} cyclohexyl)-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

4-([[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-amino} methyl)-2-ethoxyphenol;

N²-{cis-4-([4-(dimethylamino)-1-naphthyl]methyl) amino)methyl]-cyclohexyl}-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N⁴,N⁴-dimethyl-N²-(cis-4-{[(2,4,6-trimethoxybenzyl)amino]methyl}-cyclohexyl)pyrimidine-2,4-diamine;

N²-(cis-4-{[(5-bromo-2-ethoxybenzyl)amino]methyl} cyclohexyl)-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N²-(cis-4-{[(2,4-dimethoxy-3-methylbenzyl)amino]methyl} cyclohexyl)-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N²-(cis-4-{[(2,5-diethoxybenzyl)amino]methyl} cyclohexyl)-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N²-(cis-4-{[(2,4-diethoxybenzyl)amino]methyl} cyclohexyl)-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N²-(cis-4-{[(3,5-dibromo-2-methoxybenzyl)amino]methyl} cyclohexyl)-N⁴,N⁴-dimethylpyrimidine-2,4-diamine;

N⁴,N⁴-dimethyl-N²-(cis-4-{[(2,4,5-triethoxybenzyl)amino]methyl}-cyclohexyl)pyrimidine-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -(cis-4-([(2,4,5-trimethoxybenzyl)amino]methyl)-cyclohexyl)pyrimidine-2,4-diamine;
 N^2 -(cis-4-([2-(allyloxy)benzyl]amino)methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^4,N^4 -dimethyl- N^2 -(cis-4-([(1-methyl-1H-indol-3-yl)methyl]amino)methyl)cyclohexyl)pyrimidine-2,4-diamine;
 N^2 -(cis-4-([(7-methoxy-1,3-benzodioxol-5-yl)methyl]amino)methyl)-cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(3-bromo-4,5-dimethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(4-methoxy-3-methylbenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(2-bromo-4,5-dimethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(3,4-dimethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(4-methoxy-2,5-dimethylbenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
3-[[4-([(cis-4-([4-(dimethylamino)pyrimidin-2-yl]amino)cyclohexyl)-methyl]amino)methyl]phenyl)(methyl)amino]propanenitrile;
 N^2 -(cis-4-([(4-(4-bromobenzyl)oxy]benzyl)amino)methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(3,5-dibromo-2-ethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -[4-(4-bromo-2-trifluoromethoxy-benzyl)amino-cyclohexyl]- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-[2-(4-bromo-2-trifluoromethoxy-phenyl)-ethylamino]-cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine; and
 N^2 -(cis-4-[(4-bromo-2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

58. The compound according to claim 57 selected from the group consisting of:

ethyl 4,6-dichloro-3-([(cis-4-([4-(dimethylamino)pyrimidin-2-yl]amino)-cyclohexyl)amino]methyl)-1H-indole-2-carboxylate;

N^2 -[cis-4-([(4-methoxy-1-naphthyl)methyl]amino)methyl]cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -[cis-4-([(2-methoxy-1-naphthyl)methyl]amino)methyl]cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 4-bromo-2-([(cis-4-[[4-(dimethylamino)pyrimidin-2-yl]amino]-cyclohexyl)methyl]amino)methyl)-6-methoxyphenol;
 N^2 -[cis-4-([(5-bromo-1H-indol-3-yl)methyl]amino)methyl]cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^4,N^4 -dimethyl- N^2 -(cis-4-([(2,3,4-trimethoxybenzyl)amino]methyl)-cyclohexyl)pyrimidine-2,4-diamine;
 N^2 -(cis-4-([(3-ethoxy-4-methoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^4,N^4 -dimethyl- N^2 -(cis-4-([(3-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl)methyl]amino]methyl)cyclohexyl)pyrimidine-2,4-diamine;
 4-([(cis-4-[[4-(dimethylamino)pyrimidin-2-yl]amino]cyclohexyl)methyl]amino)methyl)-2-iodo-6-methoxyphenol;
 4-([(cis-4-[[4-(dimethylamino)pyrimidin-2-yl]amino]cyclohexyl)methyl]amino)methyl)-2,6-dimethylphenol;
 N^2 -(cis-4-([(5-bromo-2,4-dimethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(5-bromo-2-methoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -[cis-4-([(9-ethyl-9H-carbazol-3-yl)methyl]amino)methyl]cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(3,3-diphenylprop-2-en-1-yl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^4,N^4 -dimethyl- N^2 -(cis-4-([(2,4,6-trimethoxybenzyl)amino]methyl)-cyclohexyl)pyrimidine-2,4-diamine;
 N^2 -(cis-4-([(5-bromo-2-ethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(2,4-dimethoxy-3-methylbenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;
 N^2 -(cis-4-([(2,5-diethoxybenzyl)amino]methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-{[(3,5-dibromo-2-methoxybenzyl)amino]methyl}cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;

N^4,N^4 -dimethyl- N^2 -(cis-4-{[(2,4,5-triethoxybenzyl)amino]methyl}-cyclohexyl)pyrimidine-2,4-diamine;

N^2 -(cis-4-({[2-(allyloxy)benzyl]amino}methyl)cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-({[(7-methoxy-1,3-benzodioxol-5-yl)methyl]amino}methyl)-cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-{[(3-bromo-4,5-dimethoxybenzyl)amino]methyl}cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;

N^2 -(cis-4-[2-(4-bromo-2-trifluoromethoxy-phenyl)-ethylamino]-cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine; and

N^2 -(cis-4-[(4-bromo-2-trifluoromethoxy-benzyl)amino-methyl]-cyclohexyl)- N^4,N^4 -dimethylpyrimidine-2,4-diamine;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

59. The compound according to claim 52 wherein R_1 is selected from the group consisting of:

- (i) C_{1-5} alkyl, and
 C_{1-5} alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo,
 - C_{1-5} alkoxy,
 - C_{1-5} alkoxy substituted by carbocyclic aryl,
 - C_{1-5} alkylcarbonyloxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by nitro,
 - carbocyclic aryloxy substituted by C_{1-5} alkoxy,
 - heterocyclyloxy,
 - heterocyclyloxy substituted by C_{1-5} alkyl,
 - mono- C_{1-5} alkylaminocarbonyl,
 - di- C_{1-5} alkylaminocarbonyl,
 - mono- C_{1-5} alkylamino,
 - di- C_{1-5} alkylamino,
 - mono-carbocyclic arylamino,

- di-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by halogen,
- di-carbocyclic arylamino substituted by halogen,
- carbocyclic arylcarbonylamino,
- C₁₋₅ alkoxy carbonylamino,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - C₁₋₅ alkoxy,
- carbocyclic arylthio,
- heterocyclylthio,
- heterocyclylthio substituted by C₁₋₅ alkyl,
- heterocyclylthio substituted by nitro,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkenyl,
- carbocyclyl,
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy,
 - C₂₋₅ alkenyl, and
 - C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkylsulfinyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,

- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- oxo,
- carbocyclic aryl, and
- heterocyclyl,

- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryloxy,
- carbocyclic aryl, and
- heterocyclyl,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by carbocyclic aryl,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- carbocyclic aryl, and
- carbocyclic aryl substituted by halogen,

- (ii) C₂₋₅ alkenyl, and
C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - nitro,
- (iii) C₃₋₆ cycloalkyl, and
C₃₋₆ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,

•C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

••oxo, and

••carbocyclic aryl, and

•carbocyclic aryl,

(iv) carbocyclyl,

(v) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•hydroxy,

•cyano,

•nitro,

•C₁₋₅ alkyl,

•C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••oxo,

••carbocyclic aryloxy,

••carbocyclic aryl, and

••carbocyclic aryl substituted by C₁₋₅ alkyl,

•C₁₋₅ alkoxy,

•C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:

••halogen, and

••carbocyclic aryl,

•carbocyclic aryloxy,

•carbocyclic aryloxy substituted by C₁₋₅ alkoxy,

•mono-C₁₋₅ alkylaminocarbonyl,

•di-C₁₋₅ alkylaminocarbonyl,

•mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,

•di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,

•amino,

•mono-C₁₋₅ alkylamino,

•di-C₁₋₅ alkylamino,

- C₂₋₅ alkynylcarbonylamino,
- C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
- (carbocyclic aryl)NHC(O)NH,
- (carbocyclic aryl)NHC(O)NH substituted by C₁₋₅ alkoxy,
- (carbocyclic aryl)NHC(O)NH substituted by halogenated C₁₋₅ alkoxy,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by halogen,
- carbocyclic arylthio,
- carbocyclic arylthio substituted by cyano,
- mono-C₁₋₅ alkylaminosulfonyl,
- di-C₁₋₅ alkylaminosulfonyl, and
- carbocyclic aryl,
- carbocyclic aryl substituted by halogen,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- carbocyclic aryl, and
- halogenated carbocyclic aryl,

- (vi) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by carbocyclic aryl,
- C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
- carbocyclic aryl,
- carbocyclic aryl substituted by halogen, and
- heterocyclyl,

- C₁₋₅ alkoxy,

- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by halogen,
- carbocyclic aryloxy substituted by C₁₋₅ alkyl,
- C₁₋₅ alkylthio,
- C₂₋₅ alkenylthio,
- carbocyclic arylthio,
- C₁₋₅ alkylsulfonyl,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by C₁₋₅ alkyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro, and
 - C₁₋₅ alkyl,
- heterocyclyl;

L is Formula (VII);

Y is -C(O)-;

wherein carbocyclic aryl is phenyl, naphthyl, or anthranyl;

carbocyclyl is 1,2,3,4-tetrahydronaphthyl, 1-oxo-indanyl, 9-oxo-9H-fluorenyl, or indenyl;

heterocyclyl is 1,2,3-triazolyl, 1H-indolyl, 1H-pyrrolyl, 2,3-dihydro-1-oxo-isoindolyl, 2,3-dihydro-benzofuryl, 2,4-dihydro-3-oxo-pyrazolyl, 2H-benzopyranyl, 2-oxo-benzopyranyl, 4-oxo-1,5,6,7-tetrahydro-indolyl, 9H-xanthenyl, benzo[1,3]dioxolyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[b]thienyl, benzofuryl, benzothiazolyl, furyl, imidazolyl, isoxazolyl, morpholino, pyrazolyl, pyridyl, pyrimidyl, quinolyl, quinoxalyl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

60. The compound according to claim 59 wherein R₂ is hydrogen, trifluoromethyl, methoxy, methylamino, dimethylamino, ethylamino, ethylmethylamino, or hydroxylethylmethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

61. The compound according to claim 60 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - mono-C₁₋₅ alkylaminocarbonyl,
 - di-C₁₋₅ alkylaminocarbonyl,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - mono-carbocyclic arylamino,
 - di-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by halogen,
 - di-carbocyclic arylamino substituted by halogen,
 - carbocyclic arylcarbonylamino,
 - C₁₋₅ alkylthio,
 - C₃₋₆ cycloalkyl,
 - carbocyclyl,
 - carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₂₋₅ alkenyl, and
 - C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by C₁₋₅ alkylsulfinyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,

- hydroxy,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo,
 - carbocyclic aryl, and
 - heterocyclyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen,
 - heterocyclyl, and
 - heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen,
- (ii) C₂₋₅ alkenyl, and
 C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - nitro,
- (iii) carbocyclyl,
- (iv) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,

- oxo, and
 - carbocyclic aryl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - mono-C₁₋₅ alkylaminocarbonyl,
 - di-C₁₋₅ alkylaminocarbonyl,
 - mono-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
 - di-C₁₋₅ alkylaminocarbonyl substituted by carbocyclic aryl,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - C₂₋₅ alkynylcarbonylamino,
 - C₂₋₅ alkynylcarbonylamino substituted by carbocyclic aryl,
 - mono-C₁₋₅ alkylaminosulfonyl, and
 - di-C₁₋₅ alkylaminosulfonyl,
- (v) heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by carbocyclic aryl,
 - C₁₋₅ alkylthio substituted by halogenated carbocyclic aryl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen, and
 - heterocyclyl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,

- carbocyclic aryloxy substituted by C₁₋₅ alkyl,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylsulfonyl,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by C₁₋₅ alkyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro, and
- C₁₋₅ alkyl,

- heterocyclyl;

wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is 1-oxo-indanyl, 9-oxo-9*H*-fluorenyl, or indenyl;

heterocyclyl is 1,2,3-triazolyl, 1*H*-indolyl, 1*H*-pyrrolyl, 2,3-dihydro-benzofuryl, 2*H*-benzopyranyl, 9*H*-xanthenyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[b]thienyl, furyl, isoxazolyl, morpholino, pyrazolyl, pyridyl, quinolyl, quinoxalyl, thiazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

62. The compound according to claim 61 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - oxo,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino,
 - mono-carbocyclic arylamino,
 - di-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by halogen,
 - di-carbocyclic arylamino substituted by halogen,

- C₁₋₅ alkylthio,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen,
- heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen,
- (ii) C₂₋₅ alkenyl, and
C₂₋₅ alkenyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by nitro,
- (iii) carbocyclyl,
- (iv) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - hydroxy,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by C₁₋₅ alkoxy,
 - mono-C₁₋₅ alkylaminocarbonyl,

- di- C_{1-5} alkylaminocarbonyl,
 - mono- C_{1-5} alkylaminocarbonyl substituted by carbocyclic aryl,
 - di- C_{1-5} alkylaminocarbonyl substituted by carbocyclic aryl,
 - mono- C_{1-5} alkylaminosulfonyl, and
 - di- C_{1-5} alkylaminosulfonyl,
- (v) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - nitro,
 - C_{1-5} alkyl,
 - C_{1-5} alkyl substituted by substituent(s) independently selected from the group consisting of:
 - C_{1-5} alkylthio,
 - C_{1-5} alkylthio substituted by carbocyclic aryl, and
 - C_{1-5} alkylthio substituted by halogenated carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by halogen,
 - carbocyclic aryloxy substituted by C_{1-5} alkyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by halogen,
 - carbocyclic aryl substituted by nitro, and
 - heterocyclyl;
- wherein carbocyclic aryl is phenyl or naphthyl;
carbocyclyl is 1-oxo-indanyl;
heterocyclyl is 1,2,3-triazolyl, 1*H*-indolyl, 1*H*-pyrrolyl, 2,3-dihydro-benzofuryl, 9*H*-xanthenyl, benzo[2,1,3]oxadiazolyl, benzo[1,2,5]oxadiazolyl, benzo[b]thienyl, furyl, isoxazolyl, pyridyl, quinoxalyl, thiazolyl, or thienyl; and
halogen is fluoro, chloro, bromo, or iodo;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

63. The compound according to claim 1 selected from the group consisting of:

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-3-methoxybenzamide;

3-bromo-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-benzamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-2,1,3-benzoxadiazole-5-carboxamide;

3-chloro-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-benzamide;

4-chloro-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-benzamide;

4-chloro-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-3-nitrobenzamide;

3,5-dichloro-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)benzamide;

3,4-dichloro-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-2,2-diphenylacetamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-3,4-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-3,5-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-3-fluoro-5-(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-4-methyl-3-nitrobenzamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-3-nitrobenzamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-2-phenoxybutanamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-3-methylbenzamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-3-(trifluoromethoxy)benzamide;

4-bromo-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-3-iodobenzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2,5-dimethyl-3-furamide;
 3-chloro-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-4-fluorobenzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-3,5-dimethoxybenzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-4-fluoro-3-methylbenzamide;
 2,5-dichloro-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)thiophene-3-carboxamide;
 1-benzyl-3-tert-butyl-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)-1H-pyrazole-5-carboxamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-(1-naphthyl)acetamide;
 2-(4-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)acetamide;
 1-(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)cyclopentanecarboxamide;
 3-(2-chloro-6-fluorophenyl)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-5-methylisoxazole-4-carboxamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-4-fluoro-3-(trifluoromethyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-5-methyl-2-phenyl-2H-1,2,3-triazole-4-carboxamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-(4-methoxyphenoxy)-5-nitrobenzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-phenoxyacetamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-quinoxaline-2-carboxamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-3-(trifluoromethyl)benzamide;
 N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-(pentafluorophenoxy)acetamide;
 2-(3-chlorophenoxy)-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)acetamide;
 3-(2,6-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-5-methylisoxazole-4-carboxamide;
 N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-phenoxy nicotinamide;
 N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-(4-methylphenoxy)nicotinamide;
 N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-4-[(dipropylamino)sulfonyl]benzamide;
 2-(4-chlorophenoxy)-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-methylpropanamide;
 2-(2,3-dihydro-1-benzofuran-5-yl)-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-1,3-thiazole-4-carboxamide;
 3-tert-butyl-1-(2,4-dichlorobenzyl)-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-1H-pyrazole-5-carboxamide;
 6-chloro-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2H-chromene-3-carboxamide;
 N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-(2-thienyl)-1,3-thiazole-4-carboxamide;
 5-(4-chloro-2-nitrophenyl)-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-furamide;
 N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-5-iodo-2-furamide;
 N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-5-(4-methyl-2-nitrophenyl)-2-furamide;
 N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-5-nitrothiophene-2-carboxamide;
 N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-3-methyl-4-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-3-methoxy-4-nitrobenzamide;

1-benzyl-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-1H-indole-3-carboxamide;

3-acetyl-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-benzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-furamide;

5-(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)-2-furamide;

4,5-dibromo-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)thiophene-2-carboxamide;

2-(3,5-di-tert-butyl-4-hydroxyphenyl)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)acetamide;

N²,N⁶-dibenzoyl-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)lysineamide;

3-(dimethylamino)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)benzamide;

4,5-dibromo-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)-2-furamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-(1H-indol-3-yl)acetamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-(5-methyl-2-phenyl-1,3-thiazol-4-yl)acetamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-(1H-indol-3-yl)-4-oxo-4-phenylbutanamide;

4-(4-bromophenyl)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)-2-(1H-indol-3-yl)-4-oxobutanamide;

3,5-dichloro-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)-2-[(3-phenylprop-2-ynoyl)amino]benzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-(1-methyl-1H-indol-3-yl)-4-(4-methylphenyl)-4-oxobutanamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-methyl-1-(3-morpholin-4-ylpropyl)-5-phenyl-1H-pyrrole-3-carboxamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-4-(4-nitrophenyl)butanamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-(2-phenyl-1H-indol-3-yl)acetamide;

N²-benzoyl-N⁵-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)-N¹,N¹-dipropylglutamamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-3-phenoxybenzamide;

3-benzoyl-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-(ethylthio)-2,2-diphenylacetamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-N'-[(1R)-1-(1-naphthyl)ethyl]phthalamide;

(2S)-2-(3-benzoylphenyl)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)propanamide;

N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-N,N-bis[(1S)-1-phenylethyl]phthalamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-[(1E)-5-fluoro-2-methyl-1-[4-(methylsulfinyl)benzylidene]-1H-inden-3-yl]acetamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-[4-(2-thienylcarbonyl)phenyl]propanamide;

3-(benzyloxy)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}-cyclohexyl)-4-methoxybenzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-methyl-1,5-diphenyl-1H-pyrrole-3-carboxamide;

1-{2-[(2-chloro-6-fluorobenzyl)thio]ethyl}-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-methyl-5-phenyl-1H-pyrrole-3-carboxamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-phenoxybenzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-2-phenylquinoline-4-carboxamide;

2-[4-(4-chlorophenyl)-2-phenyl-1,3-thiazol-5-yl]-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)acetamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-1-[(4-methylphenyl)sulfonyl]-1H-pyrrole-3-carboxamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-5-(3-nitrophenyl)-2-furamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-4-(isopropylsulfonyl)-5-(methylthio)thiophene-2-carboxamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3-iodo-4-(isopropylsulfonyl)-5-(methylthio)thiophene-2-carboxamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-5-nitrothiophene-3-carboxamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-1-methyl-4-nitro-1H-pyrrole-2-carboxamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-4-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3,5-dimethyl-4-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-2-mesityl-2-oxoacetamide;

3,5-di-tert-butyl-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-4-hydroxybenzamide;

4-chloro-N-{{(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-methyl}benzamide;

(2E)-N-{{(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-methyl}-3-phenylacrylamide;

4-chloro-N-{{(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-methyl}-3-nitrobenzamide;

2-(4-chlorophenyl)-N-{{(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)methyl}acetamide;

3,5-dichloro-N-{{(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)methyl}benzamide;

3,4-dichloro-N-{{(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)methyl}benzamide;

N-{{(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)methyl}-2,2-diphenylacetamide;

2,4-dichloro-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}-cyclohexyl)methyl]-5-fluorobenzamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-phenoxybutanamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-phenylbutanamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-(3-methoxyphenyl)acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-(4-methoxyphenyl)acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-3,5-bis(trifluoromethyl)benzamide;

(2E)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-methyl]-3-(4-nitrophenyl)acrylamide;

2-(2-bromophenyl)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}-cyclohexyl)methyl]acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-(propylthio)nicotinamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-(1-naphthyl)acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-9-oxo-9H-fluorene-4-carboxamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2,4,6-trimethylbenzamide;

2,4,6-trichloro-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}-cyclohexyl)methyl]benzamide;

(2E)-3-(2-chlorophenyl)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]acrylamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-(2,3,6-trichlorophenyl)acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2,3-diphenylpropanamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-5-iodo-2-furamide;

(2E)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-methyl]-3-(3-nitrophenyl)acrylamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-3-oxoindane-1-carboxamide;

2-benzyl-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-methyl]benzamide;

2,2-bis(4-chlorophenyl)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-3-methyl-4-nitrobenzamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-3-methoxy-4-nitrobenzamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-[2-(trifluoromethoxy)phenyl]acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-9H-xanthene-9-carboxamide;

2-(1-benzothien-3-yl)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]acetamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-2-(4-fluorophenoxy)-nicotinamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-C-(ethyl-phenyl-amino)-acetamide;

C-[cis-(4-chloro-phenyl)-ethyl-amino]-N-[4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-acetamide;

2-(3,4-difluoro-phenyl)-N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-acetamide;

4-chloro-N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-3-fluorobenzamide;

5-bromo-N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-nicotinamide;

3-chloro-4-fluoro-N-[cis-4-(4-methylamino-pyrimidin-2-ylamino)-cyclohexyl]-benzamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-4-fluorobenzamide;

3-chloro-N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-5-fluoro-benzamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-3,4,5-trifluoro-benzamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexylmethyl]-3,4-difluoro-benzamide;

2-(3,4-dichloro-phenoxy)-N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-acetamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-2-(3-methoxy-phenoxy)-acetamide; and

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-C-(ethyl-phenyl-amino)-acetamide;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

64. The compound according to claim 63 selected from the group consisting of:

3-bromo-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-benzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-2,1,3-benzoxadiazole-5-carboxamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-benzamide;

4-chloro-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3-nitrobenzamide;

3,5-dichloro-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)benzamide;

3,4-dichloro-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3,4-difluorobenzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3-nitrobenzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3-(trifluoromethoxy)benzamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3-iodobenzamide;
 3-chloro-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-4-fluorobenzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3,5-dimethoxybenzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-4-fluoro-3-methylbenzamide;
 2-(4-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)acetamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-4-fluoro-3-(trifluoromethyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-5-methyl-2-phenyl-2H-1,2,3-triazole-4-carboxamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-2-(4-methoxyphenoxy)-5-nitrobenzamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-quinoxaline-2-carboxamide;
 2-(3-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)acetamide;
 3-(2,6-dichlorophenyl)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-5-methylisoxazole-4-carboxamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-2-(4-methylphenoxy)nicotinamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-4-[(dipropylamino)sulfonyl]benzamide;
 2-(2,3-dihydro-1-benzofuran-5-yl)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-1,3-thiazole-4-carboxamide;
 N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-2-(2-thienyl)-1,3-thiazole-4-carboxamide;
 5-(4-chloro-2-nitrophenyl)-N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino} cyclohexyl)-2-furamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-3-methoxy-4-nitrobenzamide;

5-bromo-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-furamide;

5-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}-cyclohexyl)-2-furamide;

2-(3,5-di-tert-butyl-4-hydroxyphenyl)-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)acetamide;

4,5-dibromo-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}-cyclohexyl)-2-furamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-(1H-indol-3-yl)-4-oxo-4-phenylbutanamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-(1-methyl-1H-indol-3-yl)-4-(4-methylphenyl)-4-oxobutanamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-(2-phenyl-1H-indol-3-yl)acetamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-(ethylthio)-2,2-diphenylacetamide;

N'-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-N,N-bis[(1S)-1-phenylethyl]phthalamide;

3-(benzyloxy)-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}-cyclohexyl)-4-methoxybenzamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-methyl-1,5-diphenyl-1H-pyrrole-3-carboxamide;

1-{2-[(2-chloro-6-fluorobenzyl)thio]ethyl}-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-2-methyl-5-phenyl-1H-pyrrole-3-carboxamide;

2-[4-(4-chlorophenyl)-2-phenyl-1,3-thiazol-5-yl]-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)acetamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-5-nitrothiophene-3-carboxamide;

N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)-1-methyl-4-nitro-1H-pyrrole-2-carboxamide;

3,5-di-tert-butyl-N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}-cyclohexyl)-4-hydroxybenzamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2,2-diphenylacetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-phenylbutanamide;

(2E)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-methyl]-3-(4-nitrophenyl)acrylamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-(1-naphthyl)acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-(2,3,6-trichlorophenyl)acetamide;

(2E)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-methyl]-3-(3-nitrophenyl)acrylamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-3-oxoindane-1-carboxamide;

2,2-bis(4-chlorophenyl)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-3-methyl-4-nitrobenzamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-3-methoxy-4-nitrobenzamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-2-[2-(trifluoromethoxy)phenyl]acetamide;

N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-9H-xanthene-9-carboxamide;

2-(1-benzothien-3-yl)-N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]acetamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-2-(4-fluorophenoxy)-nicotinamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-C-(ethyl-phenyl-amino)-acetamide;

C-[cis-(4-chloro-phenyl)-ethyl-amino]-N-[4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-acetamide;

4-chloro-N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-3-fluorobenzamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-3,4,5-trifluorobenzamide;

2-(3,4-dichloro-phenoxy)-N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-acetamide;

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-2-(3-methoxyphenoxy)-acetamide; and

N-[cis-4-(4-dimethylamino-pyrimidin-2-ylamino)-cyclohexyl]-C-(ethyl-phenylamino)-acetamide;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

65. The compound according to claim 52 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkoxy carbonyl,
 - C₁₋₅ alkylthio,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₂₋₅ alkenyl,
- (ii) C₃₋₆ cycloalkyl,
C₃₋₆ cycloalkyl substituted by carbocyclic aryl,
- (iii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - cyano,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy carbonyl,
 - C₁₋₅ alkoxy,
 - C₃₋₆ cycloalkoxy,

- carbocyclic aryloxy,
 - C₁₋₅ alkylthio, and
 - carbocyclic aryl,
- (iv) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the
group consisting of:
- C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen, and
 - carbocyclic aryl;
- L is Formula (VII);
Y is -C(O)NR₅;
- wherein carbocyclic aryl is phenyl or naphthyl;
heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl, 3,4-dihydro-2H-
benzo[b][1,4]dioxepinyl, benzo[1,3]dioxolyl, furyl, or isoxazolyl; and
halogen is fluoro, chloro, bromo, or iodo;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

66. The compound according to claim 65 wherein R₂ is methylamino or dimethylamino; p is 0;
R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; R₅ is hydrogen;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
67. The compound according to claim 66 wherein R₁ is selected from the group consisting of:
- (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by carbocyclic aryl,
 - (ii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from
the group consisting of:
 - halogen,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy, and
 - C₃₋₆ cycloalkoxy,
 - (iii) heterocyclyl, and
heterocyclyl substituted by C₁₋₅ alkyl, and

heterocyclyl substituted by carbocyclic aryl;
 wherein carbocyclic aryl is phenyl or naphthyl;
 heterocyclyl is isoxazolyl; and
 halogen is fluoro, chloro, bromo, or iodo;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

68. The compound according to claim 1 selected from the group consisting of:
- N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-N'-mesitylurea;
 - N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-N'-(2,4,6-trichlorophenyl)urea;
 - N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-N'-(2,4,6-tribromophenyl)urea;
 - N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)urea;
 - N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-N'-(diphenylmethyl)urea;
 - N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)urea;
 - N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-N'-[1-(1-naphthyl)ethyl]urea;
 - N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-N'-(3,4,5-trimethoxyphenyl)urea;
 - N-(4-chloro-2-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)urea;
 - N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)urea;
 - N-(4-bromo-2-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)urea;
 - N-(2,6-dibromo-4-isopropylphenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)urea;
 - N-[3-(cyclopentyloxy)-4-methoxyphenyl]-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)urea;
 - N-[(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)methyl]-N'-(2,6-dimethylphenyl)urea;

N-(2,4-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethyl-6-methylphenyl)urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-N'-(4-fluorophenyl)urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-N'-mesitylurea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-N'-(2,4,6-trichlorophenyl)urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-N'-(2,4,6-tribromophenyl)urea;
 N-(2,4-dibromo-6-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]urea;
 N-(2,6-diethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]urea;
 N-[2-chloro-6-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]urea;
 N-(2-chloro-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethyl-6-isopropylphenyl)urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-N'-(2-isopropyl-6-methylphenyl)urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methyl-3-nitrophenyl)urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]-N'-(2-propylphenyl)urea;
 N-(2-tert-butyl-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]urea;
 N-(2-tert-butylphenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]urea;
 N-(3-chloro-2-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)methyl]urea;

N-(4-bromo-2,6-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]urea;
 N-[4-chloro-2-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]-N'-(diphenylmethyl)urea;
 N-(4-bromo-2,6-dimethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]-N'-(3-methyl-5-phenylisoxazol-4-yl)urea;
 N-(3,5-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]-amino}cyclohexyl)methyl]urea;
 N-(2,3-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]-amino}cyclohexyl)methyl]urea;
 N-(2,6-diisopropylphenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]-amino}cyclohexyl)methyl]urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]-N'-(2,3-dimethyl-6-nitrophenyl)urea;
 N-(2,6-dibromo-4-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]urea;
 N-(2,6-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]-amino}cyclohexyl)methyl]urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]-N'-(2-methoxy-5-methylphenyl)urea;
 N-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]-N'-(2-methyl-6-nitrophenyl)urea;
 N-(3,4-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]-amino}cyclohexyl)methyl]urea;
 N-(3,5-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]-amino}cyclohexyl)methyl]urea; and
 N-(3-chloro-4-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}cyclohexyl)methyl]urea;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

69. The compound according to claim 52 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - C₁₋₅ alkoxy,
- (ii) carbocyclyl,
- (iii) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - cyano,
 - nitro,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy carbonyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino, and
 - carbocyclic aryl,
- (iv) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl,
 - C₁₋₅ alkoxy carbonyl, and
 - carbocyclic aryl;

L is Formula (VII);
Y is -C(S)NR₅;

wherein carbocyclic aryl is phenyl or naphthyl;
carbocyclyl is bicyclo[2.2.1]heptyl;
heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl, benzo[1,3]dioxolyl, isoxazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

70. The compound according to claim 69 wherein R_2 is methylamino or dimethylamino; p is 0; R_3 and R_4 are hydrogen; A is a single bond; B is a single bond or $-CH_2-$; R_5 is hydrogen; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
71. The compound according to claim 70 wherein R_1 is selected from the group consisting of:
carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
•halogen,
•cyano,
• C_{1-5} alkyl,
• C_{1-5} alkoxy,
•mono- C_{1-5} alkylamino, and
•di- C_{1-5} alkylamino;
wherein carbocyclic aryl is phenyl or naphthyl; and
halogen is fluoro, chloro, bromo, or iodo;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
72. The compound according to claim 1 selected from the group consisting of:
N-(4-cyanophenyl)-N'-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino}-cyclohexyl)thiourea;
N-(2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]-amino} cyclohexyl)thiourea;
N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-N'-(3,4,5-trimethoxyphenyl)thiourea;
N-(3,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]-amino} cyclohexyl)thiourea;
N-[4-(dimethylamino)-1-naphthyl]-N'-(cis-4-{[4-(dimethylamino)-pyrimidin-2-yl]amino} cyclohexyl)thiourea;
N-(cis-4-{[4-(dimethylamino)pyrimidin-2-yl]amino} cyclohexyl)-N'-(2,4,6-tribromophenyl)thiourea;

N-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)-N'-mesitylthiourea;

N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)thiourea;

N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)thiourea;

N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)thiourea; and

N-(2,4-dichloro-6-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)pyrimidin-2-yl}amino}cyclohexyl)thiourea;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

73. The compound according to claim 52 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₈ alkyl, and
C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by carbocyclic aryl,
 - carbocyclyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro, and
 - C₁₋₅ alkoxy,
- (ii) C₂₋₅ alkenyl,
- (iii) carbocyclyl,
- (iv) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen, and
 - C₁₋₅ alkoxy;

L is Formula (VII);

Y is -C(O)O-;

wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is 9*H*-fluorenyl or menthyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

74. The compound according to claim 73 wherein R₂ is methylamino or dimethylamino; p is 0; R₃ and R₄ are hydrogen; A is a single bond; B is a single bond or -CH₂-; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
75. The compound according to claim 2 wherein Q is Formula (IV); p is 1 or 2; R₁ is selected from the group consisting of:
- (i) C₁₋₁₆ alkyl, and
C₁₋₁₆ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - hydroxy,
 - oxo,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen, and
 - C₁₋₅ alkoxy,
 - heterocyclyloxy,
 - heterocyclyloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
 - mono-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by substituent(s) independently selected from the group consisting of:
 - halogen,

- C₁₋₅ alkoxy, and
 - C₁₋₅ alkyl,
 - carbocyclic arylsulfinyl,
 - carbocyclic arylsulfinyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
 - carbocyclic arylsulfonyl,
 - carbocyclic arylsulfonyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - nitro,
 - C₁₋₅ alkylcarbonylamino,
 - C₃₋₆ cycloalkylcarbonylamino,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy, and
 - C₁₋₅ alkoxy substituted by halogen, and
 - heterocyclyl,
- (ii) C₃₋₁₂ cycloalkyl, and
- C₃₋₁₂ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
- carbocyclic aryl, and
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkoxy,
 - halogen,
 - C₁₋₅ alkyl, and

- C₁₋₅ alkyl substituted by halogen,
- (iii) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from
 the group consisting of:
 - halogen,
 - cyano,
 - nitro,
 - C₁₋₁₀ alkyl,
 - C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the
 group consisting of:
 - halogen, and
 - hydroxy,
 - C₁₋₉ alkoxy,
 - C₁₋₉ alkoxy substituted by substituent(s) independently selected from the
 group consisting of:
 - halogen, and
 - carbocyclic aryl,
 - carboxy,
 - C₁₋₅ alkoxycarbonyl,
 - di-C₁₋₅ alkylamino,
 - C₁₋₅ alkylcarbonylamino,
 - C₃₋₆ cycloalkylcarbonylamino,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylsulfinyl,
 - C₁₋₅ alkylsulfonyl,
 - carbocyclic aryl,
- (iv) heterocyclyl, and
 heterocyclyl substituted by substituent(s) independently selected from the
 group consisting of:
 - halogen,
 - hydroxy,
 - amino,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy,

•carbocyclic aryloxy,
 •carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen, and
- C₁₋₅ alkoxy,
- heterocyclyloxy,
- heterocyclyloxy substituted by halogen,
- heterocyclyl sulfonyl,
- heterocyclyl sulfonyl substituted by C₁₋₅ alkyl,
- mono-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by halogen,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylsulfinyl,
- carbocyclic arylsulfinyl,
- carbocyclic arylsulfinyl substituted by halogen,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by substituents(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkoxy,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by halogen,

R₂ is selected from the group consisting of:

amino, C₁₋₅ alkyl, C₁₋₅ alkoxy, -N(R_{2a})(R_{2b}), wherein R_{2a} is hydrogen or C₁₋₅ alkyl and R_{2b} is C₁₋₅ alkyl or C₃₋₆ cycloalkyl;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 3,4-dihydro-1*H*-isoquinolinyl, benzo[1,3]dioxolyl, furyl, isoxazolyl, oxazolyl, pyrazolyl, pyrazinyl, pyridyl, pyrimidyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

76. The compound according to claim 75 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₁₆ alkyl, and

C_{1-16} alkyl substituted by substituent(s) independently selected from the group consisting of:

- oxo,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C_{1-5} alkyl,
- C_{1-5} alkyl substituted by halogen, and
- C_{1-5} alkoxy, and
- C_{1-5} alkoxy substituted by halogen,

- (ii) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- carbocyclic arylsulfinyl, and
- carbocyclic arylsulfinyl substituted by halogen,

L is Formula (VII);

Y is a single bond or $-CH_2-$;

R_2 is $-N(R_{2a})(R_{2b})$, wherein R_{2a} is C_{1-5} alkyl and R_{2b} is C_{1-5} alkyl;

carbocyclic aryl is phenyl;

heterocyclyl is pyrazinyl; and

halogen is fluoro, chloro, or bromo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

77. The compound according to claim 76 wherein R_1 is selected from the group consisting of:

- (i) C_{1-16} alkyl, and
 C_{1-16} alkyl substituted by substituent(s) independently selected from the group consisting of:
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
- halogen, and
- C_{1-5} alkoxy,
- (ii) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- carbocyclic arylsulfinyl, and
- carbocyclic arylsulfinyl substituted by halogen,

R_2 is $-N(R_{2a})(R_{2b})$, wherein R_{2a} is C_{1-5} alkyl and R_{2b} is C_{1-5} alkyl;

carbocyclic aryl is phenyl;

heterocyclyl is pyrazinyl; and

halogen is fluoro or bromo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

78. The compound according to claim 77 wherein R_1 is selected from the group consisting of:

heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- carbocyclic arylsulfinyl, and
- carbocyclic arylsulfinyl substituted by halogen,

R_2 is $-N(R_{2a})(R_{2b})$, wherein R_{2a} is C_{1-5} alkyl and R_{2b} is C_{1-5} alkyl;

carbocyclic aryl is phenyl;

heterocyclyl is pyrazinyl; and

halogen is fluoro;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

79. The compound according to any one of claims 76 to 78 wherein p is 1 and T is C_{1-5} alkyl;

R_3 and R_4 are both hydrogen; A and B are both single bonds:

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

80. The compound according to claim 1 selected from the group consisting of:

N^2 -{cis-4-[(3,5-dimethoxybenzyl)amino]cyclohexyl}- $N^4, N^4, 5$ -trimethylpyrimidine-2,4-diamine;

N^2 -{cis-4-[(3-bromobenzyl)amino]cyclohexyl}- $N^4, N^4, 5, 6$ -tetramethylpyrimidine-2,4-diamine;

N^2 -{cis-4-[(3,4-difluorobenzyl)amino]cyclohexyl}- $N^4, N^4, 5, 6$ -tetramethylpyrimidine-2,4-diamine; and

N^2 -[cis-4-({6-[(3,4-difluorophenyl)sulfinyl]pyrazin-2-yl} amino)cyclohexyl]- $N^4, N^4, 5$ -trimethylpyrimidine-2,4-diamine;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

81. The compound according to claim 1 is:

N^2 -[cis-4-({6-[(3,4-difluorophenyl)sulfinyl]pyrazin-2-yl} amino)cyclohexyl]-
 $N^4,N^4,5$ -trimethylpyrimidine-2,4-diamine;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

82. The compound according to claim 75 wherein R_1 is selected from the group consisting of:

- (i) C_{1-16} alkyl, and
 C_{1-16} alkyl substituted by substituent(s) independently selected from the group consisting of:
- hydroxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C_{1-5} alkyl,
 - C_{1-5} alkyl substituted by halogen, and
 - C_{1-5} alkoxy,
 - heterocycloxy,
 - heterocycloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C_{1-5} alkyl, and
 - C_{1-5} alkyl substituted by halogen,
 - mono-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C_{1-5} alkoxy, and
 - C_{1-5} alkyl,
 - carbocyclic arylsulfinyl,
 - carbocyclic arylsulfinyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,

- C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
 - carbocyclic arylsulfonyl,
 - carbocyclic arylsulfonyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen, and
 - C₁₋₅ alkoxy,
- (ii) C₃₋₁₂ cycloalkyl, and
 C₃₋₁₂ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
- carbocyclic aryl, and
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkoxy,
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- (iii) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - cyano,
 - nitro,
 - C₁₋₁₀ alkyl,
 - C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and

- hydroxy,
 - C₁₋₉ alkoxy,
 - C₁₋₉ alkoxy substituted by halogen,
 - carboxy,
 - C₁₋₅ alkoxycarbonyl,
 - di-C₁₋₅ alkylamino,
 - C₁₋₅ alkylcarbonylamino,
 - C₃₋₆ cycloalkylcarbonylamino,
 - C₁₋₅ alkylsulfonyl, and
 - carbocyclic aryl,
- (iv) heterocyclyl, and
heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - hydroxy,
 - amino,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen, and
 - C₁₋₅ alkoxy,
 - heterocyclyloxy,
 - heterocyclyloxy substituted by halogen,
 - heterocyclyl sulfonyl,
 - heterocyclyl sulfonyl substituted by C₁₋₅ alkyl,
 - mono-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by halogen,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylsulfinyl,
 - carbocyclic arylsulfonyl,

•carbocyclic arylsulfonyl substituted by substituents(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkoxy,
- C₁₋₅ alkyl, and
- C₁₋₅ alkyl substituted by halogen,

L is Formula (VII);

Y is -C(O)-;

R₂ is selected from the group consisting of:

amino, C₁₋₅ alkyl, C₁₋₅ alkoxy, -N(R_{2a})(R_{2b}), wherein R_{2a} is hydrogen or C₁₋₅ alkyl and R_{2b} is C₁₋₅ alkyl or C₃₋₆ cycloalkyl;

wherein carbocyclic aryl is phenyl;

heterocyclyl is benzo[1,3]dioxolyl, furyl, isoxazolyl, oxazolyl, pyrazolyl, pyrazinyl, pyridyl, pyrimidyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

83. The compound according to claim 82 wherein R₁ is selected from the group consisting of:

(i) C₁₋₁₆ alkyl, and

C₁₋₁₆ alkyl substituted by substituent(s) independently selected from the group consisting of:

- hydroxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen, and
- C₁₋₅ alkoxy,

•heterocyclyloxy,

•heterocyclyloxy substituted by halogen,

•mono-carbocyclic arylamino,

•mono-carbocyclic arylamino substituted by substituent(s) independently selected from the group consisting of:

- halogen,

- C₁₋₅ alkoxy, and
 - C₁₋₅ alkyl,
 - carbocyclic arylsulfinyl,
 - carbocyclic arylsulfinyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
 - carbocyclic arylsulfonyl,
 - carbocyclic arylsulfonyl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- (ii) C₃₋₁₂ cycloalkyl, and
 C₃₋₁₂ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
- carbocyclic aryl, and
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkoxy,
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- (iii) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - cyano,
 - nitro,

- C₁₋₁₀ alkyl,
 - C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - hydroxy,
 - C₁₋₉ alkoxy,
 - C₁₋₉ alkoxy substituted by halogen,
 - carboxy,
 - C₁₋₅ alkoxycarbonyl, and
 - C₁₋₅ alkylsulfonyl,
- (iv) heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen, and
 - C₁₋₅ alkoxy,
 - heterocyclyloxy,
 - heterocyclyloxy substituted by halogen,
 - heterocyclyl sulfonyl,
 - heterocyclyl sulfonyl substituted by C₁₋₅ alkyl,
 - mono-carbocyclic arylamino,
 - mono-carbocyclic arylamino substituted by halogen,
 - C₁₋₅ alkylthio,
 - carbocyclic arylsulfonyl,
 - carbocyclic arylsulfonyl substituted by substituents(s) independently selected from the group consisting of:
 - halogen,

••C₁₋₅ alkyl, and

••C₁₋₅ alkyl substituted by halogen,

R₂ is selected from the group consisting of:

C₁₋₅ alkoxy, -N(R_{2a})(R_{2b}), wherein R_{2a} is hydrogen or C₁₋₅ alkyl and R_{2b} is C₁₋₅ alkyl;

wherein carbocyclic aryl is phenyl;

heterocyclyl is benzo[1,3]dioxolyl, furyl, isoxazolyl, oxazolyl, pyrazolyl, pyridyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

84. The compound according to claim 83 wherein R₁ is selected from the group consisting of:

(i) C₁₋₁₆ alkyl, and

C₁₋₁₆ alkyl substituted by substituent(s) independently selected from the group consisting of:

•hydroxy,

•carbocyclic aryloxy,

•carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••C₁₋₅ alkyl,

••C₁₋₅ alkyl substituted by halogen, and

••C₁₋₅ alkoxy,

•heterocyclyloxy,

•heterocyclyloxy substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••C₁₋₅ alkyl, and

••C₁₋₅ alkyl substituted by halogen,

•mono-carbocyclic arylamino,

•mono-carbocyclic arylamino substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••C₁₋₅ alkoxy, and

••C₁₋₅ alkyl,

- carbocyclic arylsulfinyl,
- carbocyclic arylsulfinyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- (ii) C₃₋₁₂ cycloalkyl, and
 C₃₋₁₂ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - C₁₋₅ alkoxy,
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- (iii) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - cyano,
 - nitro,
 - C₁₋₁₀ alkyl,
 - C₁₋₁₀ alkyl substituted by halogen,
 - C₁₋₉ alkoxy, and
 - C₁₋₉ alkoxy substituted by halogen,
- (iv) heterocyclyl, and
 heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy,
- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen, and
- C₁₋₅ alkoxy,
- C₁₋₅ alkylthio,
- carbocyclic arylsulfonyl,
- carbocyclic arylsulfonyl substituted by halogen,

R₂ is selected from the group consisting of:

- N(R_{2a})(R_{2b}), wherein R_{2a} is hydrogen or C₁₋₅ alkyl and R_{2b} is C₁₋₅ alkyl;
 wherein carbocyclic aryl is phenyl;
 heterocyclyl is benzo[1,3]dioxolyl, furyl, pyrazolyl, pyridyl, or thienyl;
 and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

85. The compound according to any one of claims 82 to 84 wherein p is 1 and T is C₁₋₅ alkyl; R₃ and R₄ are both hydrogen; A is a single bond and B is a single bond or -CH₂-; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
86. The compound according to claim 1 selected from the group consisting of:
- N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)methyl]-3,5-bis(trifluoromethyl)benzamide;
 - N-[(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino} cyclohexyl)methyl]-3,5-bis(trifluoromethyl)benzamide;
 - N-[(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino} cyclohexyl)methyl]-3,4-difluorobenzamide;
 - 3,5-dichloro-N-[(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino} cyclohexyl)methyl]benzamide;

N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3,4-difluorobenzamide;
 N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3,5-dimethoxybenzamide;
 N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3-fluoro-4-methylbenzamide;
 N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3-(trifluoromethyl)benzamide;
 N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3-(trifluoromethoxy)benzamide;
 4-bromo-N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3-methylbenzamide;
 N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3-fluoro-4-(trifluoromethyl)benzamide;
 3,5-dichloro-N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]benzamide;
 3,4-dichloro-N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]benzamide;
 4-chloro-N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]benzamide;
 4-chloro-N-[(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]benzamide;
 N-[cis-4-({[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}methyl)cyclohexyl]-3,5-dimethoxybenzamide;
 4-bromo-N-[cis-4-({[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}methyl)cyclohexyl]benzamide;
 4-bromo-N-[cis-4-({[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}methyl)cyclohexyl]-3-methylbenzamide;
 3,5-dichloro-N-[cis-4-({[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}methyl)cyclohexyl]benzamide;
 3,4-dichloro-N-[cis-4-({[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}methyl)cyclohexyl]benzamide;
 N-[cis-4-({[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}methyl)cyclohexyl]-3,5-bis(trifluoromethyl)benzamide;

N-[cis-4-([4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)methyl)cyclohexyl]-3,4-difluorobenzamide;
 4-bromo-N-[cis-4-([4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)methyl)cyclohexyl]benzamide;
 4-bromo-N-[cis-4-([4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)methyl)cyclohexyl]-3-methylbenzamide;
 N-(cis-4-[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino)cyclohexyl)-2-(2-fluorophenoxy)nicotinamide;
 N-(cis-4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)-3,4,5-trimethoxybenzamide;
 N-(4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)-3-nitrobenzamide;
 N-(cis-4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)-2,2-diphenylacetamide;
 N-(cis-4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)-4-methylbenzamide;
 4-chloro-N-(cis-4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)benzamide;
 3-chloro-N-(cis-4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)benzamide;
 N-(cis-4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)-3,4-difluorobenzamide;
 N-(cis-4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)-3-methylbenzamide;
 N-(cis-4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)-3-methoxybenzamide;
 N-(cis-4-[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino)cyclohexyl)-4-fluorobenzamide;
 N-(cis-4-[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino)cyclohexyl)-3-methylbenzamide;
 N-(cis-4-[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino)cyclohexyl)-3-methoxybenzamide;
 N-(cis-4-[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino)cyclohexyl)-4-methylbenzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-3,4-difluorobenzamide;

3-chloro-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-2-(3-methylphenoxy)nicotinamide;

2-(4-bromophenoxy)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)nicotinamide;

2-(4-chlorophenoxy)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)nicotinamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-2-(4-fluorophenoxy)nicotinamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-2-(3-fluorophenoxy)nicotinamide;

2-(2-bromophenoxy)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)nicotinamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-2-(3-methoxyphenoxy)nicotinamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-2-(4-methoxyphenoxy)nicotinamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-2-(4-iodophenoxy)nicotinamide;

2-(3,4-dichlorophenoxy)-N-(cis-4-{[5-methyl-4-(methylamino)pyrimidin-2-yl]amino} cyclohexyl)acetamide;

2-(2,3-dichlorophenoxy)-N-(cis-4-{[5-methyl-4-(methylamino)pyrimidin-2-yl]amino} cyclohexyl)acetamide;

2-[(3,4-difluorophenyl)sulfonyl]-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)nicotinamide;

N-(cis-4-{[4-(dimethylamino)-5-ethylpyrimidin-2-yl]amino} cyclohexyl)-3,4-difluorobenzamide;

N-[cis-4-([4-ethyl(methyl)amino]-5-methylpyrimidin-2-yl) amino]cyclohexyl]-3,4-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino} cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-(2-methoxyphenoxy)nicotinamide;

2-(2-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)nicotinamide;

2-(3-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)nicotinamide;

2-(3-bromophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-[3-(trifluoromethyl)phenoxy]nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-(3-fluorophenoxy)acetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-(3-methoxyphenoxy)acetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-[3-(trifluoromethyl)phenoxy]acetamide;

2-(3-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)acetamide;

2-[(5-chloropyridin-3-yl)oxy]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)acetamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3,4-difluorobenzamide;

2-(3,4-difluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-hydroxyacetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-hydroxy-2-(4-methoxyphenyl)acetamide;

2-(2,3-difluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-hydroxyacetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-hydroxy-2-[3-(trifluoromethyl)phenyl]acetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-[[2-(trifluoromethyl)phenyl]sulfinyl]acetamide;

2-[(2-chlorophenyl)sulfinyl]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)acetamide;

2-[(3-bromophenyl)sulfinyl]-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)acetamide;

2-[(3,4-difluorophenyl)sulfinyl]-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-3-(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-3-fluorobenzamide;

3-bromo-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-4-(trifluoromethoxy)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-4-fluorobenzamide;

3,4-dichloro-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2,4-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2,5-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2,3,4-trifluorobenzamide;

4-chloro-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

3-cyano-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

4-cyano-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

2-[(3,4-dichlorophenyl)sulfinyl]-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)acetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-{{3-(trifluoromethyl)phenyl}sulfinyl}acetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-{{3-(trifluoromethyl)phenyl}sulfonyl}acetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-(isopropylthio)nicotinamide;

2-(tert-butylthio)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-(propylthio)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-3-(methylsulfonyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-fluorobenzamide;

N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-(trifluoromethyl)benzamide;

3-cyano-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)benzamide;

4-cyano-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3-(trifluoromethyl)benzamide;

3-cyano-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3-methylbenzamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)benzamide;

3-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;

3,4-dichloro-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-4-(trifluoromethoxy)benzamide;

4-cyano-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-4-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-4-fluorobenzamide;

4-chloro-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-2-methoxybenzamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-4-(trifluoromethyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3-methoxybenzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-2-furamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-5-methylisoxazole-3-carboxamide;

2-(3,5-difluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-2-hydroxyacetamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-2-methyl-1,3-oxazole-4-carboxamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-2,6-dimethoxynicotinamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-4-(trifluoromethyl)benzamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3-fluoro-4-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-4-fluoro-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3-ethylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3-(trifluoromethoxy)benzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-5-methylthiophene-2-carboxamide

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-6-(trifluoromethyl)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3,5-diethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3-ethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3-isopropoxybenzamide;

3,5-dichloro-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-4-ethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-4-fluoro-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3-fluoro-4-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-3-ethylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-fluoro-4-(trifluoromethyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-fluoro-5-(trifluoromethyl)benzamide;
 3-chloro-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-4-fluorobenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-4-fluoro-3-methylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-fluoro-4-methylbenzamide;
 3,5-dichloro-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-(trifluoromethoxy)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3,5-difluorobenzamide;
 4-bromo-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-methylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-ethylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-4-(trifluoromethyl)benzamide;
 4-bromo-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-4-ethylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3,5-diethoxybenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-ethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)-3-isopropoxybenzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)-2-furamide;

5-chloro-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)-2-furamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3-fluoro-5-(trifluoromethyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2,2-difluoro-1,3-benzodioxole-5-carboxamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3-ethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3-isopropoxybenzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-furamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3,5-diethoxybenzamide;

4-chloro-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3-(trifluoromethyl)benzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

3,4-dichloro-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-4-(trifluoromethoxy)benzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-4-methoxy-3-(trifluoromethyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)-4-methoxy-3-(trifluoromethyl)benzamide;

2-(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-methylpropanamide;

1-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)cyclopropanecarboxamide;

1-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)cyclobutanecarboxamide;

1-(2,4-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)cyclopropanecarboxamide;

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)-2-methylpropanamide;

1-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)cyclopropanecarboxamide;

1-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)cyclobutanecarboxamide;

1-(2,4-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)cyclopropanecarboxamide;

2-[3,5-bis(trifluoromethyl)phenyl]-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-4-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]benzamide;

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-1-(4-methylphenyl)cyclopropanecarboxamide;

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)propanamide;

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2-hydroxyacetamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-1-(4-methoxyphenyl)cyclopropanecarboxamide;

N²-(3-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-N²-methylglycinamide;

N²-(3,4-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-N²-methylglycinamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-N²-methyl-N²-(3-methylphenyl)glycinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N²-(3-fluorophenyl)-N²-methylglycinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N²-(4-fluorophenyl)-N²-methylglycinamide;

N²-(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N²-methylglycinamide;

N²-(3,4-difluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N²-methylglycinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N²-(3-methoxyphenyl)-N²-methylglycinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N²-(4-methoxyphenyl)-N²-methylglycinamide;

2-[(3,4-difluorophenyl)amino]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

2-(3,4-dichlorophenoxy)-N-(cis-4-{{4-methyl-6-(methylamino)pyrimidin-2-yl}amino} cyclohexyl)acetamide;

trans-2-(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;

trans-2-(3-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;

trans-2-(3,4-difluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;

trans-2-(3,4-dichlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;

trans-2-[3,5-bis(trifluoromethyl)phenyl]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;

2-[(4-chlorophenyl)sulfonyl]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

2-[(3-chlorophenyl)sulfonyl]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

2-[(4-bromophenyl)sulfonyl]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-{{4-(trifluoromethyl)phenyl}sulfonyl}nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-{{1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl}oxy} acetamide;
 2-{{(2-chlorophenyl)sulfonyl}-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;
 2-{{(3-chlorophenyl)sulfonyl}-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;
 3,4-dichloro-N-{cis-4-{{(4-methoxy-5-methylpyrimidin-2-yl)amino} cyclohexyl} benzamide;
 N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-2-phenoxy-nicotinamide;
 N-[cis-4-(4-dimethylamino-6-methyl-pyrimidin-2-ylamino)-cyclohexyl]-2-phenoxy-nicotinamide;
 3-chloro-N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-4-fluoro-benzamide;
 4-chloro-N-[cis-4-(4-dimethylamino-6-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3-fluoro-benzamide;
 3-chloro-N-[cis-4-(4-dimethylamino-6-methyl-pyrimidin-2-ylamino)-cyclohexyl]-5-fluoro-benzamide;
 N-[cis-4-(4-dimethylamino-6-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3,4,5-trifluoro-benzamide;
 3-chloro-4-fluoro-N-[cis-4-(5-methyl-4-methylamino-pyrimidin-2-ylamino)-cyclohexyl]-benzamide;
 4-chloro-N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3-fluoro-benzamide;
 3-chloro-N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-5-fluoro-benzamide;
 N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3,4,5-trifluoro-benzamide;
 N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3,5-difluoro-benzamide; and
 2-(3,4-difluoro-phenyl)-N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-acetamide;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

87. The compound according to claim 1 selected from the group consisting of:

N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3,5-bis(trifluoromethyl)benzamide;
 N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3,5-dimethoxybenzamide;
 N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3-(trifluoromethyl)benzamide;
 4-bromo-N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]-3-methylbenzamide;
 3,5-dichloro-N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]benzamide;
 3,4-dichloro-N-[(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)methyl]benzamide;
 3,5-dichloro-N-[cis-4-([4-(dimethylamino)-5-methylpyrimidin-2-yl]amino)methyl]cyclohexyl]benzamide;
 N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2-(2-fluorophenoxy)nicotinamide;
 N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)-3,4,5-trimethoxybenzamide;
 N-(4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)-3-nitrobenzamide;
 N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)-2,2-diphenylacetamide;
 4-chloro-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;
 3-chloro-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;
 N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)-3,4-difluorobenzamide;
 N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)-3-methylbenzamide;
 N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)-3-methoxybenzamide;
 N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)-4-fluorobenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3-methoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-4-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-3,4-difluorobenzamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(3-methylphenoxy)nicotinamide;

2-(4-bromophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

2-(4-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(4-fluorophenoxy)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(3-fluorophenoxy)nicotinamide;

2-(2-bromophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(3-methoxyphenoxy)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(4-methoxyphenoxy)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(4-iodophenoxy)nicotinamide;

2-(3,4-dichlorophenoxy)-N-(cis-4-{{5-methyl-4-(methylamino)pyrimidin-2-yl}amino} cyclohexyl)acetamide;

2-(2,3-dichlorophenoxy)-N-(cis-4-{{5-methyl-4-(methylamino)pyrimidin-2-yl}amino} cyclohexyl)acetamide;

2-[(3,4-difluorophenyl)sulfonyl]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

N-[cis-4-({4-[ethyl(methyl)amino]-5-methylpyrimidin-2-yl} amino)cyclohexyl]-3,4-difluorobenzamide;

N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(2-methoxyphenoxy)nicotinamide;

2-(2-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

2-(3-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

2-(3-bromophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-[3-(trifluoromethyl)phenoxy]nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(3-fluorophenoxy)acetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(3-methoxyphenoxy)acetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-[3-(trifluoromethyl)phenoxy]acetamide;

2-(3-chlorophenoxy)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)acetamide;

2-[(5-chloropyridin-3-yl)oxy]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)acetamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3,4-difluorobenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-hydroxy-2-(4-methoxyphenyl)acetamide;

2-(2,3-difluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-hydroxyacetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-hydroxy-2-[3-(trifluoromethyl)phenyl]acetamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-[[2-(trifluoromethyl)phenyl]sulfinyl] acetamide;

2-[(2-chlorophenyl)sulfinyl]-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)acetamide;

2-[(3-bromophenyl)sulfinyl]-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-3-(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-3-fluorobenzamide;

3-bromo-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-4-(trifluoromethoxy)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-4-fluorobenzamide;

3,4-dichloro-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2,4-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2,5-difluorobenzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2,3,4-trifluorobenzamide;

4-chloro-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

3-cyano-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

4-cyano-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2-(isopropylthio)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-(propylthio)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)-3-(trifluoromethyl)benzamide;

3-cyano-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

4-cyano-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3-(trifluoromethyl)benzamide;

3-cyano-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3-methylbenzamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

3-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;

3,4-dichloro-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

4-cyano-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-4-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)-4-fluorobenzamide;

4-chloro-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-4-(trifluoromethyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3-methoxybenzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-2-furamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-2,6-dimethoxynicotinamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-4-(trifluoromethyl)benzamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3-fluoro-4-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-4-fluoro-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3-(trifluoromethoxy)benzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)nicotinamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-5-methylthiophene-2-carboxamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3,5-diethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3-ethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)-3-isopropoxybenzamide;

3,5-dichloro-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)benzamide;

4-bromo-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-3-methylbenzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-4-fluoro-3-methylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-3-fluoro-4-methylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-3-ethylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3,5-bis(trifluoromethyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-fluoro-4-(trifluoromethyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-fluoro-5-(trifluoromethyl)benzamide;
 3-chloro-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-4-fluorobenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-4-fluoro-3-methylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-fluoro-4-methylbenzamide;
 3,5-dichloro-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-(trifluoromethoxy)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3,5-difluorobenzamide;
 4-bromo-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-methylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-ethylbenzamide;
 4-bromo-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)benzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-4-ethylbenzamide;
 N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3,5-diethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-ethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-3-isopropoxybenzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)nicotinamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-2-furamide;

5-chloro-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-2-furamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-3-fluoro-5-(trifluoromethyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2,2-difluoro-1,3-benzodioxole-5-carboxamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-3-ethoxybenzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-furamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-3,5-diethoxybenzamide;

4-chloro-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-3-(trifluoromethyl)benzamide;

5-bromo-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)nicotinamide;

3,4-dichloro-N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)benzamide;

3-chloro-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-4-(trifluoromethoxy)benzamide;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-4-methoxy-3-(trifluoromethyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexyl)-4-methoxy-3-(trifluoromethyl)benzamide;

2-(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-2-methylpropanamide

1-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)cyclopropanecarboxamide;

1-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)cyclobutanecarboxamide;

1-(2,4-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)cyclopropanecarboxamide;

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)-2-methylpropanamide

1-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)cyclopropanecarboxamide;

1-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)cyclobutanecarboxamide;

1-(2,4-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexyl)cyclopropanecarboxamide;

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)acetamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-1-(4-methylphenyl)cyclopropanecarboxamide;

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)propanamide

2-(4-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-2-hydroxyacetamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-1-(4-methoxyphenyl)cyclopropanecarboxamide;

N²-(3-chlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-N²-methylglycinamide;

N²-(3,4-dichlorophenyl)-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-N²-methylglycinamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-N²-methyl-N²-(3-methylphenyl)glycinamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-N²-(3-fluorophenyl)-N²-methylglycinamide;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)-N²-(4-fluorophenyl)-N²-methylglycinamide;

N^2 -(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)- N^2 -methylglycinamide;
 N^2 -(3,4-difluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)- N^2 -methylglycinamide;
N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)- N^2 -(3-methoxyphenyl)- N^2 -methylglycinamide;
2-(3,4-dichlorophenoxy)-N-(cis-4-{{4-methyl-6-(methylamino)pyrimidin-2-yl}amino} cyclohexyl)acetamide;
trans-2-(4-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;
trans-2-(3-chlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;
trans-2-(3,4-difluorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;
trans-2-(3,4-dichlorophenyl)-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;
trans-2-[3,5-bis(trifluoromethyl)phenyl]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)cyclopropanecarboxamide;
2-[(4-chlorophenyl)sulfonyl]-N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)nicotinamide;
N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-2-[[1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]oxy]acetamide;
N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-2-phenoxy-nicotinamide;
N-[cis-4-(4-dimethylamino-6-methyl-pyrimidin-2-ylamino)-cyclohexyl]-2-phenoxy-nicotinamide;
3-chloro-N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-4-fluoro-benzamide;
4-chloro-N-[cis-4-(4-dimethylamino-6-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3-fluoro-benzamide;
3-chloro-N-[cis-4-(4-dimethylamino-6-methyl-pyrimidin-2-ylamino)-cyclohexyl]-5-fluoro-benzamide;
N-[cis-4-(4-dimethylamino-6-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3,4,5-trifluoro-benzamide;

3-chloro-4-fluoro-N-[cis-4-(5-methyl-4-methylamino-pyrimidin-2-ylamino)-cyclohexyl]-benzamide;

4-chloro-N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3-fluoro-benzamide;

3-chloro-N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-5-fluoro-benzamide;

N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3,4,5-trifluoro-benzamide;

N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-3,5-difluoro-benzamide; and

2-(3,4-difluoro-phenyl)-N-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexyl]-acetamide;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

88. The compound according to claim 75 wherein R₁ is selected from the group consisting of:

(i) C₁₋₁₆ alkyl, and

C₁₋₁₆ alkyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••nitro,

••C₁₋₅ alkylcarbonylamino,

••C₃₋₆ cycloalkylcarbonylamino,

••C₁₋₅ alkyl,

••C₁₋₅ alkyl substituted by halogen,

••C₁₋₅ alkoxy, and

••C₁₋₅ alkoxy substituted by halogen,

(ii) C₃₋₁₂ cycloalkyl, and

C₃₋₁₂ cycloalkyl substituted by carbocyclic aryl,

(iii) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

- C₁₋₁₀ alkyl,
- C₁₋₁₀ alkyl substituted by halogen,
- C₁₋₉ alkoxy, and
- C₁₋₅ alkylthio,

(iv) heterocyclyl,

L is Formula (XV);

Y is -C(O)NR₅-;

R₂ is selected from the group consisting of:

-N(R_{2a})(R_{2b}), wherein R_{2a} is hydrogen or C₁₋₅ alkyl and R_{2b} is C₁₋₅ alkyl;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 3,4-dihydro-1*H*-isoquinoliny; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

89. The compound according to claim 88 wherein R₁ is selected from the group consisting of:

(i) C₁₋₁₆ alkyl, and

C₁₋₁₆ alkyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••nitro,

••C₁₋₅ alkyl,

••C₁₋₅ alkyl substituted by halogen,

••C₁₋₅ alkoxy, and

••C₁₋₅ alkoxy substituted by halogen,

(ii) C₃₋₁₂ cycloalkyl, and

C₃₋₁₂ cycloalkyl substituted by carbocyclic aryl,

(iii) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•C₁₋₁₀ alkyl,

•C₁₋₁₀ alkyl substituted by halogen, and

•C₁₋₉ alkoxy;

R₂ is selected from the group consisting of:

-N(R_{2a})(R_{2b}), wherein R_{2a} is hydrogen or C₁₋₅ alkyl and R_{2b} is C₁₋₅ alkyl;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 3,4-dihydro-1*H*-isoquinolinyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

90. The compound according to any one of claims 75, 88, and 89 wherein p is 1 and T is C₁₋₅ alkyl; R₃ and R₄ are both hydrogen; and A and B are both single bonds; R₅ is hydrogen; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.
91. The compound according to claim 1 selected from the group consisting of:
- cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-(3-iodobenzyl)cyclohexanecarboxamide;
 - cis-N-(2,4-dichlorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 - cis-N-(2,5-dichlorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 - cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-(4-methylbenzyl)cyclohexanecarboxamide;
 - cis-N-(3,5-dichlorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 - cis-N-(3,5-dimethoxybenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 - cis-N-(3-chlorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 - cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-[3-(trifluoromethyl)benzyl]cyclohexanecarboxamide;
 - cis-N-[3,5-bis(trifluoromethyl)benzyl]-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 - cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-(3-methoxybenzyl)cyclohexanecarboxamide;
 - cis-N-(4-chlorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;

cis-N-(3,4-dichlorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;
 cis-N-(2,5-difluorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;
 cis-N-(2,3-difluorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;
 cis-N-(4-bromo-2-fluorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;
 cis-N-(2,4-difluorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-(3-methylbenzyl)cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-[2-(trifluoromethoxy)benzyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1R)-1-phenylethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(4-methylphenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1R)-1-(4-fluorophenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(4-fluorophenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1R)-1-(3-methoxyphenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(3-methoxyphenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(4-methoxyphenyl)ethyl]cyclohexanecarboxamide;
 cis-N-[(1R)-1-(4-chlorophenyl)ethyl]-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;
 cis-N-[1-(4-bromophenyl)ethyl]-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1R)-1-(4-nitrophenyl)ethyl]cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(4-nitrophenyl)ethyl]cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-(3-fluorophenyl)cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-(3-methoxyphenyl)cyclohexanecarboxamide;

cis-N-(3-chlorophenyl)-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S,2R)-2-phenylcyclopropyl]cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[4-(trifluoromethyl)phenyl]cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-[(1R)-1-(3-methoxyphenyl)ethyl]cyclohexanecarboxamide;

cis-N-[(1S)-1-(4-chlorophenyl)ethyl]-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;

cis-N-benzyl-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-(4-fluorobenzyl)cyclohexanecarboxamide;

cis-N-(3,4-difluorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(4-methoxyphenyl)ethyl]cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(3-methoxyphenyl)ethyl]cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-[(1R)-1-(4-fluorophenyl)ethyl]cyclohexanecarboxamide;

cis-N-[(1R)-1-(4-chlorophenyl)ethyl]-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(1-naphthyl)ethyl]cyclohexanecarboxamide;

cis-N-[(1R)-1-(4-bromophenyl)ethyl]-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexanecarboxamide;

cis-N-[(1S)-1-(4-bromophenyl)ethyl]-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide;

cis-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]-N-[(1S)-1-[4-(trifluoromethoxy)phenyl]ethyl]cyclohexanecarboxamide;

cis-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]-N-[(1R)-1-(2-fluorophenyl)ethyl]cyclohexanecarboxamide;

cis-N-[(1S)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl]-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide;

4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]-N-[(1S)-1-[3-(trifluoromethyl)phenyl]ethyl]cyclohexanecarboxamide;

4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]-N-[(1S)-1-[2-(trifluoromethyl)phenyl]ethyl]cyclohexanecarboxamide;

cis-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]-N-[(1R)-1-[4-(trifluoromethoxy)phenyl]ethyl]cyclohexanecarboxamide;

cis-N-[(1S)-1-(4-chlorophenyl)ethyl]-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide;

cis-N-[(1R)-1-(4-chlorophenyl)ethyl]-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide;

cis-N-[1-(4-chlorophenyl)-1-methylethyl]-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide; and

cis-N-[1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl]-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

92. The compound according to claim 1 selected from the group consisting of:

cis-4-[[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino]-N-(3-iodobenzyl)cyclohexanecarboxamide;

cis-N-(2,4-dichlorobenzyl)-4-[[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide;

cis-N-(2,5-dichlorobenzyl)-4-[[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide;

cis-4-[[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino]-N-(4-methylbenzyl)cyclohexanecarboxamide;

cis-N-(3,5-dichlorobenzyl)-4-[[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide;

cis-N-(3,5-dimethoxybenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 cis-N-(3-chlorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 cis-N-[3,5-bis(trifluoromethyl)benzyl]-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-(3-methoxybenzyl)cyclohexanecarboxamide;
 cis-N-(4-chlorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 cis-N-(3,4-dichlorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 cis-N-(2,5-difluorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 cis-N-(2,3-difluorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 cis-N-(4-bromo-2-fluorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 cis-N-(2,4-difluorobenzyl)-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-(3-methylbenzyl)cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino}-N-[2-(trifluoromethoxy)benzyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(4-methylphenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1R)-1-(4-fluorophenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1R)-1-(3-methoxyphenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(3-methoxyphenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}-N-[(1S)-1-(4-methoxyphenyl)ethyl]cyclohexanecarboxamide;

cis-N-[(1R)-1-(4-chlorophenyl)ethyl]-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexanecarboxamide;
 cis-N-[1-(4-bromophenyl)ethyl]-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexanecarboxamide;
 cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}-N-[(1R)-1-(4-nitrophenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}-N-(3-methoxyphenyl)cyclohexanecarboxamide;
 cis-N-(3-chlorophenyl)-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexanecarboxamide;
 cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}-N-[(1S,2R)-2-phenylcyclopropyl]cyclohexanecarboxamide;
 cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}-N-[4-(trifluoromethyl)phenyl]cyclohexanecarboxamide;
 cis-N-[(1S)-1-(4-chlorophenyl)ethyl]-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexanecarboxamide;
 cis-N-(3,4-difluorobenzyl)-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexanecarboxamide;
 cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}-N-[(1S)-1-(4-methoxyphenyl)ethyl]cyclohexanecarboxamide;
 cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}-N-[(1S)-1-(3-methoxyphenyl)ethyl]cyclohexanecarboxamide;
 cis-N-[(1R)-1-(4-chlorophenyl)ethyl]-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino}cyclohexanecarboxamide;
 cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}-N-[(1S)-1-(1-naphthyl)ethyl]cyclohexanecarboxamide;
 cis-N-[(1S)-1-(4-bromophenyl)ethyl]-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexanecarboxamide;
 cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}-N-[(1S)-1-[4-(trifluoromethoxy)phenyl]ethyl]cyclohexanecarboxamide;
 cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}-N-[(1R)-1-(2-fluorophenyl)ethyl]cyclohexanecarboxamide;
 cis-N-{(1S)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexanecarboxamide;

4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]-N-[(1S)-1-[3-(trifluoromethyl)phenyl]ethyl]cyclohexanecarboxamide;
 4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]-N-[(1S)-1-[2-(trifluoromethyl)phenyl]ethyl]cyclohexanecarboxamide; and
 cis-N-[(1R)-1-(4-chlorophenyl)ethyl]-4-[[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino]cyclohexanecarboxamide;
 or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

93. The compound according to claim 75 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₁₆ alkyl, and
 C₁₋₁₆ alkyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl,
 - carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl, and
 - C₁₋₅ alkyl substituted by halogen,
- (ii) C₃₋₁₂ cycloalkyl, and
 C₃₋₁₂ cycloalkyl substituted by substituent(s) independently selected from the group consisting of:
 - carbocyclic aryl, and
 - carbocyclic aryl substituted by halogen,
- (iii) carbocyclic aryl, and
 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₁₀ alkyl,
 - C₁₋₁₀ alkyl substituted by halogen,
 - C₁₋₉ alkoxy,
 - C₁₋₉ alkoxy substituted by substituent(s) independently selected from the group consisting of:
 - halogen, and
 - carbocyclic aryl,

L is Formula (VII);

Y is $-\text{C}(\text{O})\text{NR}_5-$;

R_2 is $-\text{N}(\text{R}_{2a})(\text{R}_{2b})$ wherein R_{2a} is hydrogen or C_{1-5} alkyl and R_{2b} is C_{1-5} alkyl;

wherein carbocyclic aryl is phenyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

94. The compound according to claim 75 or 93 wherein p is 1 or 2 and each T is independently C_{1-5} alkyl; R_3 is hydrogen; R_4 is hydrogen or C_{1-5} alkyl; A and B are both single bonds; R_5 is hydrogen; or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

95. The compound according to claim 1 selected from the group consisting of:

N-(3,4-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino} cyclohexyl)urea;

N-(3-chlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methylurea;

N-(3,4-dichlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methyl-N-(3-methylphenyl)urea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methyl-N-(4-methylphenyl)urea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-(3-fluorophenyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-(4-fluorophenyl)-N-methylurea;

N-(4-chlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methylurea;

N-(3,4-difluorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-(3-methoxyphenyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-(4-methoxyphenyl)-N-methylurea;

N-{1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl}-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)urea;

N-[1-(4-chlorophenyl)-1-methylethyl]-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)urea;

N-[1-(4-chlorophenyl)-1-methylethyl]-N'-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino} cyclohexyl)urea;

N-[1-(4-chlorophenyl)-1-methylethyl]-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-N-methylurea;

N-[1-(4-chlorophenyl)-1-methylethyl]-N'-(cis-4-{[4-(dimethylamino)-6-methylpyrimidin-2-yl]amino} cyclohexyl)-N-methylurea;

N-[1-(4-chlorophenyl)cyclopropyl]-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-N-methylurea;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-N'-(2-methoxyphenyl)urea;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-N'-(3-methoxyphenyl)urea;

N-(3,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-N'-(4-fluorophenyl)urea;

N-(3,4-difluorophenyl)-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-N'-[2-(trifluoromethoxy)phenyl]urea;

N-(4-chlorophenyl)-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)urea;

N-[3,5-bis(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)urea;

N-(4-bromophenyl)-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)-N'-(2-methylphenyl)urea;

N-benzyl-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)urea;

N-[2-chloro-6-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N'-(2,4,6-trichlorophenyl)urea;

N-(2,4-dichlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-methyl-N-[2-(trifluoromethoxy)phenyl]urea;

N-(4-chlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-ethylurea;

N-[3,5-bis(trifluoromethyl)phenyl]-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-ethylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-(2-fluorophenyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-ethyl-N-[2-(trifluoromethoxy)phenyl]urea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-ethyl-N-phenylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-ethyl-N-(3-methylphenyl)urea; and

1-(2,3-dichloro-phenyl)-3-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexylmethyl]-urea;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

96. The compound according to claim 1 selected from the group consisting of:

N-(3,4-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)-5,6-dimethylpyrimidin-2-yl}amino}cyclohexyl)urea;

N-(3-chlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-methylurea;

N-(3,4-dichlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-methyl-N-(3-methylphenyl)urea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-methyl-N-(4-methylphenyl)urea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino}cyclohexyl)-N-(3-fluorophenyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-(4-fluorophenyl)-N-methylurea;

N-(4-chlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methylurea;

N-(3,4-difluorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-(3-methoxyphenyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-(4-methoxyphenyl)-N-methylurea;

N-[1-(4-chlorophenyl)-1-methylethyl]-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)urea;

N-[1-(4-chlorophenyl)-1-methylethyl]-N'-(cis-4-{{4-(dimethylamino)-6-methylpyrimidin-2-yl}amino} cyclohexyl)urea;

N-[1-(4-chlorophenyl)-1-methylethyl]-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methylurea;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N'-(4-fluorophenyl)urea;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N'-[2-(trifluoromethoxy)phenyl]urea;

N-(4-bromophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)urea;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N'-(2-methylphenyl)urea;

N-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N'-(2,4,6-trichlorophenyl)urea;

N-(2,4-dichlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-methyl-N-[2-(trifluoromethoxy)phenyl]urea;

N-(4-chlorophenyl)-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-ethylurea;

N-[3,5-bis(trifluoromethyl)phenyl]-N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-ethylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-ethyl-N-phenylurea;

N'-(cis-4-{{4-(dimethylamino)-5-methylpyrimidin-2-yl}amino} cyclohexyl)-N-ethyl-N-(3-methylphenyl)urea; and

1-(2,3-dichloro-phenyl)-3-[cis-4-(4-dimethylamino-5-methyl-pyrimidin-2-ylamino)-cyclohexylmethyl]-urea;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

97. The compound according to claim 75 wherein R₁ is selected from the group consisting of:

heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryloxy,

•carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:

••halogen, and

••C₁₋₅ alkoxy,

L is Formula (X) or (XI);

Y is -C(O)-;

R₂ is -N(R_{2a})(R_{2b}) wherein R_{2a} is C₁₋₅ alkyl and R_{2b} is C₁₋₅ alkyl;

wherein carbocyclic aryl is phenyl;

heterocyclyl is pyridyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

98. The compound according to claim 75 or 97 wherein p is 1 and T is C₁₋₅ alkyl; R₃ and R₄ are both hydrogen; A is a single bond and B is -CH₂-;
- or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

99. The compound according to claim 75 wherein R₁ is selected from the group consisting of:

(i) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•C₁₋₁₀ alkyl, and

•C₁₋₁₀ alkyl substituted by halogen,
(ii) heterocyclyl,
L is Formula (VII); and
Y is -S(O)₂-;
R₂ is -N(R_{2a})(R_{2b}) wherein R_{2a} is C₁₋₅ alkyl and R_{2b} is C₁₋₅ alkyl;
wherein carbocyclic aryl is phenyl or naphthyl;
heterocyclyl is furyl; and
halogen is fluoro, chloro, bromo, or iodo;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

100. The compound according to any one of claims 75 or 99 wherein p is 1 and T is C₁₋₅ alkyl;
R₃ and R₄ are both hydrogen, and A and B are both single bonds;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

101. The compound according to claim 1 is:
4-chloro-N-(cis-4-{[4-(dimethylamino)-5-methylpyrimidin-2-yl]amino}cyclohexyl)benzenesulfonamide;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

102. The compound according to claim 1 wherein R₁ is selected from hydrogen, -CO₂^tBu, or -CO₂Bn (Bn is a benzyl group);
R₂ is selected from the group consisting of:
hydrogen, halogen, hydroxy, carboxy, carbamoyl, amino, C₁₋₅ alkyl, C₁₋₅ alkyl substituted by halogen, C₁₋₅ alkyl substituted by hydroxy, C₁₋₅ alkyl substituted by carboxy, C₁₋₅ alkyl substituted by carbamoyl, C₁₋₅ alkoxy, C₁₋₅ alkoxy substituted by halogen, -N(R_{2a})(R_{2b});
wherein R_{2a} is hydrogen or C₁₋₅ alkyl and R_{2b} is C₁₋₅ alkyl, C₃₋₆ cycloalkyl, or C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- hydroxy,
- carboxy,
- carbamoyl,
- C₁₋₅ alkoxy,
- amino, and

•C₃₋₆ cycloalkyl;

or R₂ is methylamino or dimethylamino when Q is Formula (II);

Each T is independently selected from the group consisting of halogen, hydroxy, carboxy, carbamoyl, amino, cyano, nitro, C₁₋₅ alkyl, C₁₋₅ alkyl substituted by halogen, C₁₋₅ alkyl substituted by hydroxy, C₁₋₅ alkyl substituted by carboxy, C₁₋₅ alkyl substituted by carbamoyl, C₂₋₅ alkenyl, C₂₋₅ alkynyl, C₃₋₆ cycloalkyl, C₁₋₅ alkoxy, C₁₋₅ alkoxy substituted by halogen, carbocyclic aryl, heterocyclyl, and -N(R_{2a})(R_{2b});

p is 0, 1, 2, 3, 4 or 5;

L is selected from the group consisting of Formula (VII), (X), (XI), (XV), (XVIII), or (XIX): wherein R₃ and R₄ are independently hydrogen or C₁₋₅ alkyl; and A and B are independently a single bond or -CH₂-; and

Y is a single bond;

or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

103. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 1 to 102 in combination with a pharmaceutically acceptable carrier.
104. A method for the prophylaxis or treatment of improving memory function, sleeping and arousal, anxiety, depression, mood disorders, seizure, obesity, diabetes, appetite and eating disorders, cardiovascular disease, hypertension, dyslipidemia, myocardial infarction, binge eating disorders including bulimia, anorexia, mental disorders including manic depression, schizophrenia, delirium, dementia, stress, cognitive disorders, attention deficit disorder, substance abuse disorders and dyskinesias including Parkinson's disease, epilepsy, and addiction comprising administering to an individual suffering from said condition a therapeutically effective amount of a compound according to any one of claims 1 to 102 or a pharmaceutical composition according to claim 103.
105. A method for the prophylaxis or treatment of an eating disorder, obesity or an obesity related disorder comprising administering to an individual suffering from said condition a therapeutically effective amount of a compound according to any one of claims 1 to 102 or a pharmaceutical composition according to claim 103.
106. A method for the prophylaxis or treatment of anxiety, depression, schizophrenia, addiction,

or epilepsy comprising administering to an individual suffering from said condition a therapeutically effective amount of a compound according to any one of claims 1 to 102 or a pharmaceutical composition according to claim 103.

107. A compound according to any one of claims 1 to 102 or a pharmaceutical composition according to claim 103 for use in a method of treatment of the human or animal body by therapy.
108. A compound according to any one of claims 1 to 102 or a pharmaceutical composition according to claim 103 for use in a method of prophylaxis or treatment of an eating disorder, obesity or an obesity related disorder of the human or animal body by therapy.
109. A compound according to any one of claims 1 to 102 or a pharmaceutical composition according to claim 103 for use in a method of prophylaxis or treatment of anxiety, depression, schizophrenia, addiction, or epilepsy of the human or animal body by therapy.
110. A compound according to any one of claims 1 to 102 for the manufacture of a medicament for use in the prophylaxis or treatment of an eating disorder, obesity or obesity related disorders.
111. A compound according to any one of claims 1 to 102 for the manufacture of a medicament for use in the prophylaxis or treatment of anxiety, depression, schizophrenia, addiction, or epilepsy.
112. A method of producing a pharmaceutical composition comprising admixing a compound according to any one of claims 1 to 102 and a pharmaceutically acceptable carrier.